



California Faucets®

Summer 2012 New Product Guide



Miramar™ Series 48
Faucet Series with Cross & Lever Handles
pages 7-14



Avila™ Series 44
Faucet Series with Lever Handles
pages 1-6



Patented Design
Universal Tank Lever
for front, side or angle mount toilets. Matches all California Faucets styles and finishes
page 16



Suggested List Prices August 1, 2012



Decorative Handshower Supplies and Hooks
Matches all California Faucets styles and finishes
pages 19-20



CA Green compliant **Shower Valves**
pages 15-16



Swiss Shower Technology Collection
Multi-Function Showerheads and Handshowers
pages 17-18








Available Fall 2012



AVILA™ | 44 SERIES

	MODEL #	DESCRIPTION	FINISH	PRICE
	4402	8" WIDESPREAD LAVATORY FAUCET <ul style="list-style-type: none"> • spout projection 5-1/2" to center • quarter turn ceramic disc valves • 1-1/4" all brass pop-up drain assembly with adjustable eye-screw • 1.5 gpm water saving aerator 	polished chrome special premium	659 890 1054
	TO-THCN-70-H44	STYLETHERM 3/4" CONVEX THERMOSTATIC TRIM ONLY <ul style="list-style-type: none"> • all brass construction • 100° F safety stop button with manual override • 7-7/8" by 5-5/8" convex rectangular faceplate <p>REQUIRES ROUGH VALVE: TH75-R</p>	polished chrome special premium	525 709 840
	TO-THN-44	STYLETHERM 3/4" THERMOSTATIC TRIM ONLY <ul style="list-style-type: none"> • all brass construction • 100° F safety stop button with manual override • 7-1/4" round faceplate <p>REQUIRES ROUGH VALVE: TH75-R</p>	polished chrome special premium	234 316 374
	TO-THCN-44	STYLETHERM 3/4" THERMOSTATIC TRIM ONLY <ul style="list-style-type: none"> • all brass construction • 100° F safety stop button with manual override • 7-7/8" by 5-5/8" rectangular faceplate <p>REQUIRES ROUGH VALVE: TH75-R</p>	polished chrome special premium	264 356 422
	TH75-R	STYLETHERM 3/4" ROUGH VALVE <ul style="list-style-type: none"> • forged brass construction • max flow rate: 18.2 gpm at 60 psi • integral service stops and check valves • thermoplastic polymer cartridge limits limescale buildup • 3/4" FIP - 2 inlet, 2 outlet <p>This valve only regulates temperature and has no on/off features. Separate in-wall stop valves required, order separately.</p>		395

AVILA | 44 SERIES

	MODEL #	DESCRIPTION	FINISH	PRICE
	TO-TH1L-44	STYLETHERM TRIM ONLY WITH SINGLE VOLUME CONTROL <ul style="list-style-type: none"> • all brass construction • 100° F safety stop button with manual override • single integral volume control • 7-1/4" round faceplate • less head, arm and flange <p><i>See pages 248-264 for showerhead, arm & flange options</i></p> <p>REQUIRES ROUGH VALVE: TH51-R</p>	polished chrome 240 special 324 premium 384	
	TO-TH1L-44	STYLETHERM TRIM ONLY WITH SINGLE VOLUME CONTROL <ul style="list-style-type: none"> • all brass construction • 100° F safety stop button with manual override • single integral volume control • 7-7/8" by 5-5/8" rectangular faceplate • less head, arm and flange <p><i>See pages 248-264 for showerhead, arm & flange options</i></p> <p>REQUIRES ROUGH VALVE: TH51-R</p>	polished chrome 270 special 384 premium 432	
	TH51D2-R	 STYLETHERM 1/2" THERMOSTATIC ROUGH VALVE WITH DUAL OUTLET INTEGRAL DIVERTER <ul style="list-style-type: none"> • full off at 12 o'clock position; quarter turn to left or right to open each outlet • each outlet is fully volume controllable • forged brass construction • flow rate: 7.25 gpm at 45 psi from each diverted outlet • integral service stops and check valves • thermoplastic polymer cartridge limits limescale buildup • 1/2" FIP - 2 inlet • 1/2" MIP or 1/2" nominal sweat - 2 outlet 		429
	TH51-R	STYLETHERM 1/2" THERMOSTATIC ROUGH VALVE WITH SINGLE INTEGRAL VOLUME CONTROL <ul style="list-style-type: none"> • forged brass construction • flow rate: 10 gpm at 60 psi • integral service stops and check valves • quarter turn ceramic disc volume control cartridge • thermoplastic polymer cartridge limits limescale buildup • 1/2" FIP - 2 inlet • 1/2" MIP or 1/2" nominal sweat - 1 outlet 		285
	TO-TH2L-44	STYLETHERM TRIM ONLY WITH DUAL VOLUME CONTROL <ul style="list-style-type: none"> • all brass construction • 100° F safety stop button with manual override • dual integral volume controls • 7-1/4" round faceplate • less head, arm, flange and spout <p><i>See pages 248-264 for showerhead, arm & flange options</i> <i>See page 6 for recommended tub spout option</i></p> <p>REQUIRES ROUGH VALVE: TH52-R</p>	polished chrome 254 special 343 premium 406	
	TO-THC2L-44	STYLETHERM TRIM ONLY WITH DUAL VOLUME CONTROL <ul style="list-style-type: none"> • all brass construction • 100° F safety stop button with manual override • dual integral volume control • 7-7/8" by 5-5/8" rectangular faceplate • less head, arm, flange and spout <p><i>See pages 248-264 for showerhead, arm & flange options</i> <i>See page 6 for recommended tub spout option</i></p> <p>REQUIRES ROUGH VALVE: TH52-R</p>	polished chrome 294 special 396 premium 470	

	MODEL #	DESCRIPTION	FINISH	PRICE
	TH52-R	STYLETHERM 1/2" THERMOSTATIC ROUGH VALVE WITH DUAL INTEGRAL VOLUME CONTROLS <ul style="list-style-type: none"> compatible with all dual volume control trim sets forged brass construction flow rate: combined 14.3 gpm at 60 psi integral service stops and check valves quarter turn ceramic disc volume control cartridge thermoplastic polymer cartridge limits limescale buildup 1/2" FIP - 2 inlet 1/2" MIP or 1/2" nominal sweat - 2 outlet 		329
	TO-44-W	WALL OR DECK HANDLE TRIM ONLY <ul style="list-style-type: none"> base dimension 2" x 2" use for wall stop, wall diverter or deck diverter <p>REQUIRES ROUGH VALVE: 50-W-R, 75-W-R, WDV-R or DDV-R</p>	polished chrome special premium	119 161 190
	50-W-R	1/2" WALL STOP VALVE ONLY <ul style="list-style-type: none"> forged brass construction quarter turn ceramic disc valve tension nut for heavy lever handles 1/2" FIP - inlet/outlet 		83
	75-W-R	3/4" WALL STOP VALVE ONLY <ul style="list-style-type: none"> forged brass construction quarter turn ceramic disc valve tension nut for heavy lever handles 3/4" FIP - inlet/outlet 		116
	WDV-R	IN WALL DIVERTER <ul style="list-style-type: none"> forged brass construction quarter turn ceramic disc valve 1/2" MIP or 1/2" nominal sweat - 1 inlet 1/2" MIP or 1/2" nominal sweat - 2 or 3 outlet 		206
	WDV-NS-R <i>CALGREEN compliant</i>	IN WALL DIVERTER WITH NON-SHARED PORTS <ul style="list-style-type: none"> forged brass construction 1/2" MIP or 1/2" nominal sweat - 1 inlet 1/2" MIP or 1/2" nominal sweat - 2 or 3 outlet 		226
	TO-PBL-44	PRESSURE BALANCE TRIM ONLY <ul style="list-style-type: none"> screwless faceplate 7-1/4" round faceplate less head, arm, flange and spout <p><i>See pages 248-264 for showerhead, arm & flange options</i> <i>See page 9 for recommended diverter tub spout</i></p> <p>REQUIRES ROUGH VALVE: PB-R</p>	polished chrome special premium	217 293 347
	PB-R	PRESSURE BALANCE VALVE <ul style="list-style-type: none"> flow rate: 4.2 gpm for shower port, 5 gpm for tub port at 60 psi integral service stops and check valves reversible cartridge for back to back installation adjustable high-temp limit stop 1/2" FIP - 2 inlet, 2 outlet <p><i>Must use diverter tub spout for tub purposes.</i> <i>See page 9</i></p>		209

AVILA | 44 SERIES

	MODEL #	DESCRIPTION	FINISH	PRICE
	TO-4408	ROMAN TUB TRIM SET <ul style="list-style-type: none"> • spout projection 9-3/4" to center • 1.6 gpm laminar flow at 60 psi <p>REQUIRES ROUGH VALVE: 08-75-99</p>	polished chrome special premium	532 718 851
	08-75-99	ROMAN TUB ROUGH IN VALVES WITH QC-99 QUICK CONNECT <ul style="list-style-type: none"> • all brass construction • quarter turn ceramic disc valves • 3/4" MIP - inlet/outlet • quick connect 3/4" MIP inlet • quick connect 3/8" FIP test plug outlet 		253
	TO-44.1	COBRA HANDSHOWER & DIVERTER TRIM ONLY FOR ROMAN TUB <ul style="list-style-type: none"> • HS-15 handshower <p>REQUIRES ROUGH VALVE: DDV-R</p>	polished chrome special premium	269 392 465
	TO-44.13M	TRADITIONAL HANDSHOWER & DIVERTER TRIM ONLY FOR ROMAN TUB <ul style="list-style-type: none"> • HS-13M handshower with metal insert <p>REQUIRES ROUGH VALVE: DDV-R</p>	polished chrome special premium	269 392 465
	DDV-R	DECK DIVERTER ROUGH IN VALVE <ul style="list-style-type: none"> • forged brass construction • half turn composite cartridge • 3/4" MIP or 3/4" nominal sweat - 1 inlet • 3/4" MIP or 3/4" nominal sweat - 1 outlet • 1/2" MIP or 3/8" FIP - 1 outlet 		206
	TO-4403L	3 HANDLE TUB AND SHOWER TRIM ONLY <ul style="list-style-type: none"> • less head, arm, flange and spout <p><i>See pages 248-264 for showerhead, arm & flange options</i> <i>See page 9 for recommended tub spout</i></p> <p>REQUIRES ROUGH VALVE: 3-VR</p>	polished chrome special premium	357 483 570
	3-VR	3 HANDLE TUB AND SHOWER VALVE <ul style="list-style-type: none"> • all brass construction • quarter turn ceramic disc valves • tension nut for heavy lever handles • 8" center to center • 1/2" MIP or 1/2" nominal sweat - 2 inlet • 1/2" FIP - 2 outlet 		260
	TO-4406L	2 HANDLE TUB OR SHOWER TRIM ONLY <ul style="list-style-type: none"> • less head, arm, flange and spout <p><i>See pages 248-264 for showerhead, arm & flange options</i> <i>See page 9 for recommended tub spout</i></p> <p>REQUIRES ROUGH VALVE: 2-VR</p>	polished chrome special premium	238 322 380
	2-VR	2 HANDLE TUB OR SHOWER VALVE <ul style="list-style-type: none"> • forged brass construction • quarter turn ceramic disc valves • tension nut for heavy lever handles • 8" center to center • 1/2" MIP or 1/2" nominal sweat - 2 inlet • 1/2" FIP - 2 outlet 		225

AVILA | 44 SERIES

	MODEL #	DESCRIPTION	FINISH	PRICE
	TS-44	WALL TUB SPOUT <ul style="list-style-type: none"> • all brass construction • spout projection 5" to center • max flow: 1.6 gpm at 60 psi • for use with StyleTherm, 3-VR or 2-VR valves 	polished chrome special premium	195 263 312
	9206	DIVERTER TUB SPOUT FOR PRESSURE BALANCE <ul style="list-style-type: none"> • all brass construction • spout projection 6" to center • includes decorative base ring • for use with pressure balance valve or any diverter spout applications 	polished chrome special premium	119 161 190
	4404	BIDET SET <ul style="list-style-type: none"> • all brass construction • quarter turn ceramic disc cartridge • vertical spray and rim flush • dual check anti-siphon diverter valve • 1-1/4" all brass pop-up drain assembly with adjustable eye screw 	polished chrome special premium	876 1183 1402
	4404-MONO	MONOBLOCK BIDET SET <ul style="list-style-type: none"> • all brass construction • quarter turn ceramic disc cartridge • spout projection 4-3/8" • swivel end spray • 1-1/4" all brass pop-up drain assembly with adjustable eye screw 	polished chrome special premium	559 755 895
	44-18	18" TOWEL BAR	polished chrome special premium	170 230 272
	44-24	24" TOWEL BAR	polished chrome special premium	177 240 284
	44-30	30" TOWEL BAR	polished chrome special premium	184 248 294
	44-DRH	DOUBLE ROBE HOOK	polished chrome special premium	95 128 151
	44-STP	SINGLE POST TOILET PAPER / HAND TOWEL HOLDER	polished chrome special premium	159 214 254
	44-TP	TWO POST TOILET PAPER HOLDER	polished chrome special premium	170 230 237
	44-TR	TOWEL RING	polished chrome special premium	111 150 178


AVILA | 44 SERIES

NOTES:

- for complete shower options see pages 248-264
- due to the variability of precious metal prices, 24k gold finishes are subject to surcharge without notice and may exceed stated premium category pricing



MIRAMAR™ | 48 SERIES

	MODEL #	DESCRIPTION	FINISH	PRICE
	4802X	8" WIDESPREAD LAVATORY FAUCET <ul style="list-style-type: none"> • spout projection 6" to center • quarter turn ceramic disc valves • 1-1/4" all brass touch style pop-up drain assembly • 1.5 gpm water saving aerator 	polished chrome special premium	659 890 1054
	4802	8" WIDESPREAD LAVATORY FAUCET <ul style="list-style-type: none"> • spout projection 6" to center • quarter turn ceramic disc valves • 1-1/4" all brass touch style pop-up drain assembly • 1.5 gpm water saving aerator 	polished chrome special premium	659 890 1054
	TO-V4802X-7	VESSEL LAVATORY FAUCET TRIM ONLY <ul style="list-style-type: none"> • spout projection 6-1/2" to center • quarter turn ceramic disc valves • 1.5 gpm water saving aerator <p>REQUIRES ROUGH VALVE: VL-R</p>	polished chrome special premium	379 512 606
	TO-V4802-7	VESSEL LAVATORY FAUCET TRIM ONLY <ul style="list-style-type: none"> • spout projection 6-1/2" to center • quarter turn ceramic disc valves • 1.5 gpm water saving aerator <p>REQUIRES ROUGH VALVE: VL-R</p>	polished chrome special premium	379 512 606
	TO-V4802X-9	VESSEL LAVATORY FAUCET TRIM ONLY <ul style="list-style-type: none"> • spout projection 8-1/2" to center • quarter turn ceramic disc valves • 1.5 gpm water saving aerator <p>REQUIRES ROUGH VALVE: VL-R</p>	polished chrome special premium	389 525 622
	TO-V4802-9	VESSEL LAVATORY FAUCET TRIM ONLY <ul style="list-style-type: none"> • spout projection 8-1/2" to center • quarter turn ceramic disc valves • 1.5 gpm water saving aerator <p>REQUIRES ROUGH VALVE: VL-R</p>	polished chrome special premium	389 525 622







MIRAMAR | 48 SERIES

	MODEL #	DESCRIPTION	FINISH	PRICE
	VL-R	VESSEL WALL MOUNT FAUCET ROUGH IN VALVE <ul style="list-style-type: none"> • forged brass construction • quarter turn ceramic disc valves • 8" center to center holes • tension nut for heavy lever handles • 1/2" MIP or 1/2" nominal sweat - 2 inlet • 1/2" FIP - 1 outlet 		329
	TO-THN-48X	STYLETHERM 3/4" THERMOSTATIC TRIM ONLY <ul style="list-style-type: none"> • all brass construction • 100° F safety stop button with manual override • 7-1/4" round faceplate <p>REQUIRES ROUGH VALVE: TH75-R</p>	polished chrome special premium	234 316 376
	TO-THN-48	STYLETHERM 3/4" THERMOSTATIC TRIM ONLY <ul style="list-style-type: none"> • all brass construction • 100° F safety stop button with manual override • 7-1/4" round faceplate <p>REQUIRES ROUGH VALVE: TH75-R</p>	polished chrome special premium	234 316 376
	TO-THCN-48X	STYLETHERM 3/4" THERMOSTATIC TRIM ONLY <ul style="list-style-type: none"> • all brass construction • 100° F safety stop button with manual override • 7-7/8" by 5-5/8" rectangular faceplate <p>REQUIRES ROUGH VALVE: TH75-R</p>	polished chrome special premium	264 356 422
	TO-THCN-48	STYLETHERM 3/4" THERMOSTATIC TRIM ONLY <ul style="list-style-type: none"> • all brass construction • 100° F safety stop button with manual override • 7-7/8" by 5-5/8" rectangular faceplate <p>REQUIRES ROUGH VALVE: TH75-R</p>	polished chrome special premium	264 356 422
	TH75-R	STYLETHERM 3/4" ROUGH VALVE <ul style="list-style-type: none"> • forged brass construction • max flow rate: 18.2 gpm at 60 psi • integral service stops and check valves • thermoplastic polymer cartridge limits limescale buildup • 3/4" FIP - 2 inlet, 2 outlet <p>This valve only regulates temperature and has no on/off features. Separate in-wall stop valves required, order separately.</p>		395
	TO-THIL-48X	STYLETHERM TRIM ONLY WITH SINGLE VOLUME CONTROL <ul style="list-style-type: none"> • all brass construction • 100° F safety stop button with manual override • single integral volume control • 7-1/4" round faceplate • less head, arm and flange <p><i>See pages 248-264 for showerhead, arm & flange options</i></p> <p>REQUIRES ROUGH VALVE: TH51-R or TH51D2-R</p>	polished chrome special premium	240 324 384

MIRAMAR | 48 SERIES

	MODEL #	DESCRIPTION	FINISH	PRICE
	TO-TH1L-48	STYLETHERM TRIM ONLY WITH SINGLE VOLUME CONTROL <ul style="list-style-type: none"> • all brass construction • 100° F safety stop button with manual override • single integral volume control • 7-1/4" round faceplate • less head, arm and flange <p><i>See pages 248-264 for showerhead, arm & flange options</i></p> <p>REQUIRES ROUGH VALVE: TH51-R or TH51D2-R</p>	polished chrome special premium	240 324 384
	TO-THC1L-48X	STYLETHERM TRIM ONLY WITH SINGLE VOLUME CONTROL <ul style="list-style-type: none"> • all brass construction • 100° F safety stop button with manual override • single integral volume control • 7-7/8" by 5-5/8" rectangular faceplate • less head, arm and flange <p><i>See pages 248-264 for showerhead, arm & flange options</i></p> <p>REQUIRES ROUGH VALVE: TH51-R or TH51D2-R</p>	polished chrome special premium	270 384 432
	TO-THC1L-48	STYLETHERM TRIM ONLY WITH SINGLE VOLUME CONTROL <ul style="list-style-type: none"> • all brass construction • 100° F safety stop button with manual override • single integral volume control • 7-7/8" by 5-5/8" rectangular faceplate • less head, arm and flange <p><i>See pages 248-264 for showerhead, arm & flange options</i></p> <p>REQUIRES ROUGH VALVE: TH51-R or TH51D2-R</p>	polished chrome special premium	270 384 432
	TH51D2-R	 STYLETHERM 1/2" THERMOSTATIC ROUGH VALVE WITH DUAL OUTLET INTEGRAL DIVERTER <ul style="list-style-type: none"> • full off at 12 o'clock position; quarter turn to left or right to open each outlet • each outlet is fully volume controllable • forged brass construction • flow rate: 7.25 gpm at 45 psi from each diverted outlet • integral service stops and check valves • thermoplastic polymer cartridge limits limescale buildup • 1/2" FIP - 2 inlet • 1/2" MIP or 1/2" nominal sweat - 2 outlet 		429
	TH51-R	STYLETHERM 1/2" THERMOSTATIC ROUGH VALVE WITH SINGLE INTEGRAL VOLUME CONTROL <ul style="list-style-type: none"> • forged brass construction • flow rate: 10 gpm at 60 psi • integral service stops and check valves • quarter turn ceramic disc volume control cartridge • thermoplastic polymer cartridge limits limescale buildup • 1/2" FIP - 2 inlet • 1/2" MIP or 1/2" nominal sweat - 1 outlet 		285
	TO-TH2L-48X	STYLETHERM TRIM ONLY WITH DUAL VOLUME CONTROL <ul style="list-style-type: none"> • all brass construction • 100° F safety stop button with manual override • dual integral volume controls • 7-1/4" round faceplate • less head, arm, flange and spout <p><i>See pages 248-264 for showerhead, arm & flange options</i> <i>See page 14 for recommended tub spout option</i></p> <p>REQUIRES ROUGH VALVE: TH52-R</p>	polished chrome special premium	254 343 406

MIRAMAR | 48 SERIES

	MODEL #	DESCRIPTION	FINISH	PRICE
	TO-TH2L-48	STYLETHERM TRIM ONLY WITH DUAL VOLUME CONTROL <ul style="list-style-type: none"> • all brass construction • 100° F safety stop button with manual override • dual integral volume controls • 7-1/4" round faceplate • less head, arm, flange and spout <p><i>See pages 248-264 for showerhead, arm & flange options</i> <i>See page 14 for recommended tub spout option</i></p> <p>REQUIRES ROUGH VALVE: TH52-R</p>	polished chrome 254 special 343 premium 406	
	TO-THC2L-48X	STYLETHERM TRIM ONLY WITH DUAL VOLUME CONTROL <ul style="list-style-type: none"> • all brass construction • 100° F safety stop button with manual override • dual integral volume control • 7-7/8" by 5-5/8" rectangular faceplate • less head, arm, flange and spout <p><i>See pages 248-264 for showerhead, arm & flange options</i> <i>See page 14 for recommended tub spout option</i></p> <p>REQUIRES ROUGH VALVE: TH52-R</p>	polished chrome 294 special 396 premium 470	
	TO-THC2L-48	STYLETHERM TRIM ONLY WITH DUAL VOLUME CONTROL <ul style="list-style-type: none"> • all brass construction • 100° F safety stop button with manual override • dual integral volume control • 7-7/8" by 5-5/8" rectangular faceplate • less head, arm, flange and spout <p><i>See pages 248-264 for showerhead, arm & flange options</i> <i>See page 14 for recommended tub spout option</i></p> <p>REQUIRES ROUGH VALVE: TH52-R</p>	polished chrome 294 special 396 premium 470	
	TH52-R	STYLETHERM 1/2" THERMOSTATIC ROUGH VALVE WITH DUAL INTEGRAL VOLUME CONTROLS <ul style="list-style-type: none"> • compatible with all dual volume control trim sets • forged brass construction • flow rate: combined 14.3 gpm at 60 psi • integral service stops and check valves • quarter turn ceramic disc volume control cartridge • thermoplastic polymer cartridge limits limescale buildup • 1/2" FIP - 2 inlet • 1/2" MIP or 1/2" nominal sweat - 2 outlet 		329
	TO-48X-W	WALL OR DECK HANDLE TRIM ONLY <ul style="list-style-type: none"> • base diameter 2-5/16" • use for wall stop, wall diverter or deck diverter <p>REQUIRES ROUGH VALVE: 50-W-R , 75-W-R,WDV-R or DDV-R</p>	polished chrome 119 special 161 premium 190	
	TO-48-W	WALL OR DECK HANDLE TRIM ONLY <ul style="list-style-type: none"> • base diameter 2-5/16" • use for wall stop, wall diverter or deck diverter <p>REQUIRES ROUGH VALVE: 50-W-R , 75-W-R,WDV-R or DDV-R</p>	polished chrome 119 special 161 premium 190	
	TO-48X-WC	WALL OR DECK HANDLE TRIM ONLY WITH SQUARE BASE RING <ul style="list-style-type: none"> • base dimension 2-1/4" x 2-1/4" • use for wall stop, wall diverter or deck diverter <p>REQUIRES ROUGH VALVE: 50-W-R , 75-W-R,WDV-R or DDV-R</p>	polished chrome 137 special 185 premium 219	
	TO-48-WC	WALL OR DECK HANDLE TRIM ONLY WITH SQUARE BASE RING <ul style="list-style-type: none"> • base dimension 2-1/4" x 2-1/4" • use for wall stop, wall diverter or deck diverter <p>REQUIRES ROUGH VALVE: 50-W-R , 75-W-R,WDV-R or DDV-R</p>	polished chrome 137 special 185 premium 219	

MIRAMAR | 48 SERIES

	MODEL #	DESCRIPTION	FINISH	PRICE
	50-W-R	1/2" WALL STOP VALVE ONLY <ul style="list-style-type: none"> • forged brass construction • quarter turn ceramic disc valves • tension nut for heavy lever handles • 1/2" FIP - inlet/outlet 		83
	75-W-R	3/4" WALL STOP VALVE ONLY <ul style="list-style-type: none"> • forged brass construction • quarter turn ceramic disc valves • tension nut for heavy lever handles • 3/4" FIP - inlet/outlet 		116
	WDV-R	IN WALL DIVERTER <ul style="list-style-type: none"> • forged brass construction • quarter turn ceramic disc valve • 1/2" MIP or 1/2" nominal sweat - 1 inlet • 1/2" MIP or 1/2" nominal sweat - 2 or 3 outlet 		206
	WDV-NS-R 	IN WALL DIVERTER WITH NON-SHARED PORTS <ul style="list-style-type: none"> • forged brass construction • 1/2" MIP or 1/2" nominal sweat - 1 inlet • 1/2" MIP or 1/2" nominal sweat - 2 or 3 outlet 		226
	TO-PBL-48X	PRESSURE BALANCE TRIM ONLY <ul style="list-style-type: none"> • screwless faceplate • 7-1/4" round faceplate • less head, arm, flange and spout <p><i>See pages 248-264 for showerhead, arm & flange options</i> <i>See page 14 for recommended tub spout option</i></p> <p>REQUIRES ROUGH VALVE: PB-R</p>	polished chrome special premium	217 293 347
	TO-PBL-48	PRESSURE BALANCE TRIM ONLY <ul style="list-style-type: none"> • screwless faceplate • 7-1/4" round faceplate • less head, arm, flange and spout <p><i>See pages 248-264 for showerhead, arm & flange options</i> <i>See page 14 for recommended tub spout option</i></p> <p>REQUIRES ROUGH VALVE: PB-R</p>	polished chrome special premium	217 293 347
	PB-R	PRESSURE BALANCE VALVE <ul style="list-style-type: none"> • flow rate: 4.2 gpm for shower port, 5 gpm for tub port at 60 psi • integral service stops and check valves • reversible cartridge for back to back installation • adjustable high-temp limit stop • 1/2" FIP - 2 inlet, 2 outlet <p><i>Must use diverter tub spout for tub purposes.</i> <i>See page 14</i></p>		209
	TO-4808X	ROMAN TUB TRIM SET <ul style="list-style-type: none"> • spout projection 8-7/8" to center • 1.6 gpm laminar flow at 60 psi <p>REQUIRES ROUGH VALVE: 08-75-65</p>	polished chrome special premium	532 718 851
	TO-4808-LM	ROMAN TUB TRIM SET <ul style="list-style-type: none"> • spout projection 8-7/8" to center • 1.6 gpm laminar flow at 60 psi <p>REQUIRES ROUGH VALVE: 08-75-65</p>	polished chrome special premium	532 718 851









MIRAMAR | 48 SERIES

	MODEL #	DESCRIPTION	FINISH	PRICE
	08-75-65	ROMANTUB ROUGH IN VALVES WITH QC-65 QUICK CONNECT <ul style="list-style-type: none"> • all brass construction • quarter turn ceramic disc valves • 3/4" MIP - inlet/outlet • quick connect 3/4" MIP inlet • quick connect 3/8" FIP test plug outlet 		253
	TO-48X.1	COBRA HANDSHOWER & DIVERTER TRIM ONLY FOR ROMANTUB <ul style="list-style-type: none"> • HS-15 handshower <p>REQUIRES ROUGH VALVE: DDV-R</p>	polished chrome special premium	269 392 465
	TO-48.1	COBRA HANDSHOWER & DIVERTER TRIM ONLY FOR ROMANTUB <ul style="list-style-type: none"> • HS-15 handshower <p>REQUIRES ROUGH VALVE: DDV-R</p>	polished chrome special premium	269 392 465
	TO-48X.13M	TRADITIONAL HANDSHOWER & DIVERTER TRIM ONLY FOR ROMANTUB <ul style="list-style-type: none"> • HS-13M handshower <p>REQUIRES ROUGH VALVE: DDV-R</p>	polished chrome special premium	269 392 465
	TO-48.13M	TRADITIONAL HANDSHOWER & DIVERTER TRIM ONLY FOR ROMANTUB <ul style="list-style-type: none"> • HS-13M handshower <p>REQUIRES ROUGH VALVE: DDV-R</p>	polished chrome special premium	269 392 465
	DDV-R	DECK DIVERTER ROUGH IN VALVE <ul style="list-style-type: none"> • forged brass construction • half turn composite cartridge • 3/4" MIP or 3/4" nominal sweat inlet • 3/4" MIP or 3/4" nominal sweat outlet and 1/2" MIP outlet 		206
	TO-4803XL	3 HANDLE TUB AND SHOWER TRIM ONLY <ul style="list-style-type: none"> • less head, arm, flange and spout <p><i>See pages 248-264 for showerhead, arm & flange options</i> <i>See page 14 for recommended tub spout</i></p> <p>REQUIRES ROUGH VALVE: 3-VR</p>	polished chrome special premium	357 483 570
	TO-4803L	3 HANDLE TUB AND SHOWER TRIM ONLY <ul style="list-style-type: none"> • less head, arm, flange and spout <p><i>See pages 248-264 for showerhead, arm & flange options</i> <i>See page 14 for recommended tub spout</i></p> <p>REQUIRES ROUGH VALVE: 3-VR</p>	polished chrome special premium	357 483 570
	3-VR	3 HANDLE TUB AND SHOWER VALVE <ul style="list-style-type: none"> • all brass construction • quarter turn ceramic disc valves • tension nut for heavy lever handles • 8" center to center • 1/2" MIP or 1/2" nominal sweat - 2 inlet • 1/2" FIP - 2 outlet 		260
	TO-4806XL	2 HANDLE TUB OR SHOWER TRIM ONLY <ul style="list-style-type: none"> • less head, arm, flange and spout <p><i>See pages 248-264 for showerhead, arm & flange options</i> <i>See page 9 for recommended tub spout</i></p> <p>REQUIRES ROUGH VALVE: 2-VR</p>	polished chrome special premium	238 322 380

MIRAMAR | 48 SERIES

	MODEL #	DESCRIPTION	FINISH	PRICE
	TO-4806L	2 HANDLE TUB OR SHOWER TRIM ONLY <ul style="list-style-type: none"> less head, arm, flange and spout <p><i>See pages 248-264 for showerhead, arm & flange options see below for recommended tub spout</i></p> <p>REQUIRES ROUGH VALVE: 2-VR</p>	polished chrome special premium	238 322 380
	2-VR	2 HANDLE TUB OR SHOWER VALVE <ul style="list-style-type: none"> forged brass construction quarter turn ceramic disc valves tension nut for heavy lever handles 8" center to center 1/2" MIP or 1/2" nominal sweat - 2 inlet 1/2" FIP - 2 outlet 		225
	TS-48	WALL TUB SPOUT <ul style="list-style-type: none"> all brass construction includes decorative base ring spout projection 6-1/2" to center max flow: 16 gpm at 60 psi for use with StyleTherm, 3-VR or 2-VR valves 	polished chrome special premium	195 263 312
	D-48	WALL TUB SPOUT <ul style="list-style-type: none"> all brass construction includes decorative base ring spout projection 8-1/2" to center max flow: 16 gpm at 60 psi for use with StyleTherm, 3-VR or 2-VR valves 	polished chrome special premium	200 270 320
	9205-64	DIVERTER TUB SPOUT FOR PRESSURE BALANCE <ul style="list-style-type: none"> all brass construction spout projection 6-1/8" to center includes decorative base ring for use with pressure balance valve or any diverter spout applications 	polished chrome special premium	153 207 244
	4804X	BIDET SET <ul style="list-style-type: none"> all brass construction quarter turn ceramic disc cartridge vertical spray and rim flush dual check anti-siphon diverter valve 1-1/4" all brass pop-up drain assembly with adjustable eye screw 	polished chrome special premium	876 1183 1402
	4804	BIDET SET <ul style="list-style-type: none"> all brass construction quarter turn ceramic disc cartridge vertical spray and rim flush dual check anti-siphon diverter valve 1-1/4" all brass pop-up drain assembly with adjustable eye screw 	polished chrome special premium	876 1183 1402
	4804X-MONO	MONOBLOCK BIDET SET <ul style="list-style-type: none"> all brass construction quarter turn ceramic disc cartridge spout projection 4-3/8" swivel end spray 1-1/4" all brass pop-up drain assembly with adjustable eye screw 	polished chrome special premium	559 755 895
	4804-MONO	MONOBLOCK BIDET SET <ul style="list-style-type: none"> all brass construction quarter turn ceramic disc cartridge spout projection 4-3/8" swivel end spray 1-1/4" all brass pop-up drain assembly with adjustable eye screw 	polished chrome special premium	559 755 895








MIRAMAR | 48 SERIES

	MODEL #	DESCRIPTION	FINISH	PRICE
	48-18	18" TOWEL BAR	polished chrome special premium	159 214 254
	48-24	24" TOWEL BAR	polished chrome special premium	166 224 265
	48-30	30" TOWEL BAR	polished chrome special premium	172 232 276
	48-RH	ROBE HOOK	polished chrome	90
			special	122
			premium	144
	48-DRH	DOUBLE ROBE HOOK	polished chrome	98
			special	132
			premium	157
	48-SD	SOAP DISH	polished chrome	142
			special	191
			premium	227
	48-STP	SINGLE POST TOILET PAPER / HAND TOWEL HOLDER	polished chrome	131
			special	177
			premium	210
	48-TP	TWO POST TOILET PAPER HOLDER	polished chrome	159
			special	214
			premium	254
	48-TR	TOWEL RING	polished chrome	108
			special	146
			premium	173
	48-TU	TUMBLER	polished chrome	142
			special	191
			premium	227


NOTES:

- for complete shower options See pages 248-264
- for complete diverter tub spout options See page 265
- due to the variability of precious metal prices, 24k gold finishes are subject to surcharge without notice and may exceed stated premium category pricing

SHOWER SYSTEM

	MODEL #	DESCRIPTION	FINISH	PRICE
	TH51D2-R 	STYLETHERM 1/2" THERMOSTATIC ROUGH VALVE WITH DUAL OUTLET INTEGRAL DIVERTER <ul style="list-style-type: none"> • full off at 12 o'clock position; quarter turn to left or right to open each outlet • each outlet is fully volume controllable • forged brass construction • flow rate: 7.25 gpm at 45 psi from each diverted outlet • integral service stops and check valves • thermoplastic polymer cartridge limits limescale buildup • 1/2" FIP - 2 inlet • 1/2" MIP or 1/2" nominal sweat - 2 outlet 		429
	TO-TH1L-XX	STYLETHERM TRIM ONLY WITH SINGLE VOLUME CONTROL <ul style="list-style-type: none"> • all brass construction • 100° F safety stop button with manual override • 7-1/4" round faceplate • less head, arm and flange • ADA volume control levers available, please order separately <p>REQUIRES ROUGH VALVE: TH51-R or TH51D2-R</p>	for series trim pricing, please refer to 2011 Product Catalog & Price List	
	TO-TH1L-XX	STYLETHERM TRIM ONLY WITH SINGLE VOLUME CONTROL <ul style="list-style-type: none"> • all brass construction • 100° F safety stop button with manual override • 7-1/4" round faceplate • less head, arm and flange • ADA volume control levers available, please order separately <p>REQUIRES ROUGH VALVE: TH51-R or TH51D2-R</p>	for series trim pricing, please refer to 2011 Product Catalog & Price List	
	TO-THC1L-XX	STYLETHERM TRIM ONLY WITH SINGLE VOLUME CONTROL <ul style="list-style-type: none"> • all brass construction • 100° F safety stop button with manual override • single integral volume control • 7-7/8" by 5-5/8" rectangular faceplate • less head, arm and flange • ADA volume control levers available, please order separately <p>REQUIRES ROUGH VALVE: TH51-R or TH51D2-R</p>	for series trim pricing, please refer to 2011 Product Catalog & Price List	
	THADAT 	TRADITIONAL STYLETHERM OPTIONAL ADA COMPLIANT VOLUME CONTROL LEVER <ul style="list-style-type: none"> • 2-1/2" in length • add-on to complete your ADA compliant shower 	polished chrome special premium	21 28 34
	THADAC 	CONTEMPORARY STYLETHERM OPTIONAL ADA COMPLIANT VOLUME CONTROL LEVER <ul style="list-style-type: none"> • 2-1/2" in length • add-on to complete your ADA compliant shower 	polished chrome special premium	21 28 34


Traditional StyleTherm Volume Control Levers



standard

optional ADA compliant






Contemporary StyleTherm Volume Control Levers



standard

optional ADA compliant

NEW PRODUCT | 2012

	MODEL #	DESCRIPTION	FINISH	PRICE
	WDV-R	IN WALL DIVERTER WITH SHARED PORTS <ul style="list-style-type: none"> • forged brass construction • 1/2" MIP or 1/2" nominal sweat - 1 inlet • 1/2" MIP or 1/2" nominal sweat - 2 or 3 outlet 		206
	WDV-NS-R 	IN WALL DIVERTER WITH NON-SHARED PORTS <ul style="list-style-type: none"> • forged brass construction • 1/2" MIP or 1/2" nominal sweat - 1 inlet • 1/2" MIP or 1/2" nominal sweat - 2 or 3 outlet 		226
	CART-WDV	IN WALL DIVERTER CARTRIDGE <ul style="list-style-type: none"> • use with WDV-R 		45
	CART-WDV-NS 	IN WALL DIVERTER CARTRIDGE <ul style="list-style-type: none"> • use with WDV-NS-R 		65
	9409-XX 	TRADITIONAL UNIVERSAL TANK LEVER <ul style="list-style-type: none"> • for use with most front, side and angled style toilet tanks with chain style flush valves • traditional style decorative base ring • all handle styles except 53 series available, Topanga series shown (9409-33-SN) • replace XX with desired handle style • crystal upgrades available at standard upcharge rates 	polished chrome special premium	99 134 158
	9409-69	69 SERIES UNIVERSAL TANK LEVER <ul style="list-style-type: none"> • with Swarovski® Crystal index button and lever 	polished chrome special premium	172 207 231
	9409C-XX 	CONTEMPORARY UNIVERSAL TANK LEVER <ul style="list-style-type: none"> • for use with most front, side and angled style toilet tanks with chain style flush valves • traditional style decorative base ring • all handle styles except 53 series available, Montara series shown (9409C-66-SN) • replace XX with desired handle style 	polished chrome special premium	99 134 158
	 <p>Available August 2012</p>		CERALINE CHANNEL DRAIN ROUGH WITH 2" STAINLESS STEEL OUTLET <ul style="list-style-type: none"> • drain rough constructed of 304 stainless steel • height adjustable leveling legs • height adjustable leveling pads for cover plate • sanded flange for secure bonding of liquid membrane waterproofing • compatible with hot mop, PVC/CPE membrane or liquid membrane waterproofing • 2" stainless steel outlet connects to 2" ABS, PVC or cast iron pipe with 2" no-hub sleeve 	
	9188-2S-28	<ul style="list-style-type: none"> • minimum 32" linear length required for installation • overall drain channel size is 31-1/2" x 6-1/16" • requires 9185-28, 9186-28 or 9187-28 trim, please see current catalog for pricing 		973
	9188-2S-32	<ul style="list-style-type: none"> • minimum 36" linear length required for installation • overall drain channel size is 35-7/16" x 6-1/16" • requires 9185-32, 9186-32 or 9187-32 trim, please see current catalog for pricing 		1,009
	9188-2S-36	<ul style="list-style-type: none"> • minimum 40" linear length required for installation • overall drain channel size is 39-3/8" x 6-1/16" • requires 9185-36, 9186-36 or 9187-36 trim, please see current catalog for pricing 		1,046
	9188-2S-40	<ul style="list-style-type: none"> • minimum 44" linear length required for installation • overall drain channel size is 43-5/16" x 6-1/16" • requires 9185-40, 9186-40 or 9187-40 trim, please see current catalog for pricing 		1,068
	9188-2S-48	<ul style="list-style-type: none"> • minimum 52" linear length required for installation • overall drain channel size is 51-3/16" x 6-1/16" • requires 9185-48, 9186-48 or 9187-48 trim, please see current catalog for pricing 		1,170

NEW PRODUCT | 2012

	MODEL #	DESCRIPTION	FINISH	PRICE
 <p>Available Fall 2012</p>	SH-504	SWISS SHOWER TECHNOLOGY HANDSHOWER CONTEMPORARY, 5" MULTI-FUNCTION <ul style="list-style-type: none"> contemporary style 4 functions: rain, air, booster massage & blade 5" face diameter 2.5 gpm max flow rate 	polished chrome	165
	WE-SH-504	order WE for max 2.0 gpm flow rate    	special*	223
			premium*	264
			*see below for available finishes	
 <p>Available Fall 2012</p>	SH-503	SWISS SHOWER TECHNOLOGY SHOWERHEAD TRANSITIONAL, 5" MULTI-FUNCTION <ul style="list-style-type: none"> transitional style 4 functions: rain, air, booster massage & blade 5" face diameter 2.5 gpm max flow rate 	polished chrome	165
	WE-SH-503	order WE for max 2.0 gpm flow rate    	special*	223
			premium*	264
			*see below for available finishes	
 <p>Available Fall 2012</p>	SH-303	SWISS SHOWER TECHNOLOGY SHOWERHEAD CONTEMPORARY, 2-5/8" MULTI-FUNCTION <ul style="list-style-type: none"> contemporary style 4 functions: rain, air, booster massage & blade 2-5/8" face diameter 2.5 gpm max flow rate 	polished chrome	135
	WE-SH-303	order WE for max 2.0 gpm flow rate   	special*	182
			premium*	216
			*see below for available finishes	






available finishes:	
special* finishes Antique Brass Antique Copper Oil Rubbed Bronze Polished Copper Pewter Polished Nickel (PVD) Polished Brass (PVD) Rustico Bronze Satin Brass (PVD) Satin Chrome Satin Copper Satin Nickel Weathered Brass Weathered Copper	polished chrome
	premium* finishes Black Nickel (PVD) Graphite (PVD) Lifetime Polished Gold (PVD) Lifetime Satin Gold (PVD) Stainless Steel (PVD)

NEW PRODUCT | 2012

	MODEL #	DESCRIPTION	FINISH	PRICE
	SH-10-38	ROPE DECORATIVE SUPPLY ELBOW <ul style="list-style-type: none"> • 1/2" FIP inlet • 1/2" standard hose connection • compliments SB-38 slide bar and all rope series fittings (series 38, 58) 	polished chrome special premium	89 120 142
	SH-10-42	LINED DECORATIVE SUPPLY ELBOW <ul style="list-style-type: none"> • 1/2" FIP inlet • 1/2" standard hose connection • compliments SB-34, SB-42, SB-55, SB-57, SB-60 & SB-67 slide bars and all lined base ring fittings (series 32, 33, 34, 35, 36, 42, 55, 57, 60, 61, 67, 68 & 69) 	polished chrome special premium	89 120 142
	SH-10-47	HEX DECORATIVE SUPPLY ELBOW <ul style="list-style-type: none"> • 1/2" FIP inlet • 1/2" standard hose connection • compliments SB-46, SB-47, SB-51 & SB-63 slide bars and all hexagonal series fittings (series 46, 47, 51 & 63) 	polished chrome special premium	89 120 142
	SH-10-48	SMOOTH DECORATIVE SUPPLY ELBOW <ul style="list-style-type: none"> • 1/2" FIP inlet • 1/2" standard hose connection • compliments SB-59 & SB-64 slide bars and all smooth series fittings (series 48, 59 & 64) 	polished chrome special premium	89 120 142
	SH-10-65	ROUND CONTEMPORARY DECORATIVE SUPPLY ELBOW <ul style="list-style-type: none"> • 1/2" FIP inlet • 1/2" standard hose connection • compliments SB-62 slide bar and all round contemporary series fittings (series 62, 65, 66, 71 & 73) 	polished chrome special premium	89 120 142
	SH-10-74	SQUARE CONTEMPORARY DECORATIVE SUPPLY ELBOW <ul style="list-style-type: none"> • 1/2" FIP inlet • 1/2" standard hose connection • compliments SB-74 slide bar and all square contemporary series fittings (series 70 & 72) 	polished chrome special premium	107 144 171

NEW PRODUCT | 2012

NEW PRODUCT | 2012

	MODEL #	DESCRIPTION	FINISH	PRICE
	SH-20-38	ROPE DECORATIVE WALL BRACKET <ul style="list-style-type: none"> • fixed holder • accepts most conical handshower hoses • includes all mounting hardware • compliments all rope series fittings (series 38, 58) 	polished chrome special premium	89 120 142
	SH-20-42	LINED DECORATIVE WALL BRACKET <ul style="list-style-type: none"> • fixed holder • accepts most conical handshower hoses • includes all mounting hardware • compliments all lined base ring fittings (series 32, 33, 34, 35, 36, 42, 55, 57, 60, 61, 67, 68 & 69) 	polished chrome special premium	89 120 142
	SH-20-47	HEX DECORATIVE WALL BRACKET <ul style="list-style-type: none"> • fixed holder • accepts most conical handshower hoses • includes all mounting hardware • compliments all hexagonal series fittings (series 46, 47, 51 & 63) 	polished chrome special premium	89 120 142
	SH-20-48	SMOOTH DECORATIVE WALL BRACKET <ul style="list-style-type: none"> • fixed holder • accepts most conical handshower hoses • includes all mounting hardware • compliments all smooth series fittings (series 48, 59 & 64) 	polished chrome special premium	89 120 142
	SH-20-65	ROUND CONTEMPORARY DECORATIVE WALL BRACKET <ul style="list-style-type: none"> • fixed holder • accepts most conical handshower hoses • includes all mounting hardware • compliments all round contemporary series fittings (series 62, 65, 66, 71 & 73) 	polished chrome special premium	89 120 142
	SH-20-74	SQUARE CONTEMPORARY DECORATIVE WALL BRACKET <ul style="list-style-type: none"> • fixed holder • accepts most conical handshower hoses • includes all mounting hardware • compliments all square contemporary series fittings (series 70 & 72) 	polished chrome special premium	107 144 171



California Faucets®

www.californiafaucets.com

5271 Argosy Ave
Huntington Beach, CA 92649
p: 800.822.8855
f: 714.891.2478

