

Leadtime Bulletin

August 13, 2014 • Volume 2014 • Issue 9

TOTO®

Category	Item Number	Model	LT (wks) as of 8/6/2014	LT (wks) as of 7/16/2014	Suggested Alternatives
1-pc	MS624214CEFG#01	LEGATO 1-PC TOILET W/SANAGLOSS	18	23	MS614114CEFG#01
	MS626214CEFG#01	AIMES 1-PC TOILET W/SANAGLOSS	18	23	MS614114CEFG#01
2-pc	C716#01	CARUSOE ELONGATED BOWL	9	7	CST244EF or CST406F
	C716#03	CARUSOE ELONGATED BOWL	10	10	
	CST412MF#01	AQUIA UNIVERSAL HEIGHT ELONGATED BOWL & TANK	15	16	CST416M#01 Non-ADA
	CST484CEMFG#01	MARIS ELONGATED BOWL & TANK	20	21	
Neorest	MS980CMG#12	NEOREST 550 ELONGATED TOP & BOWL UNIT	11	14	MS982CUMG#12
Commercial Bowl	CT708EG#01	HET EFV 1.28 GPF ELONGATED WALL MOUNTED BOWL	14	12	CT708E#01
Bidet	BT500B#12	PIEDMONT VERTICAL SPRAY BIDET	9	10	
Washlet	SW542#01	B200 WASHLET SEAT	7	8	
	SW573#01	S300E ROUND WASHLET SEAT	7	12	
	SW583#01	S350E ROUND WASHLET SEAT	11	12	
Urinal	UT105 all Models #01	COMMERCIAL URINAL	7	7	UT445U(V)
EFV	TET6LN#CP	HET FLUSHOMETER VALVE 1.28 GPF	7	18	
Lav	LPT930 & LFT930	LLOYD WOOD LAVATORY, PEDESTAL, & CONSOLE		Ref. PB#14-08	
	LT191G#12	UNDERCOUNTER LAVATORY 20-1/2" X 12-3/8" W/SANAGLOSS	7	12	
	LT241.4G#01	SUPREME 4' CTR LAVATORY W/SANAGLOSS	9	12	
	LT241G#01	SUPREME 1-HOLE LAVATORY W/SANAGLOSS	9	12	
	LT307A#01	1-HOLE WALL MOUNT LAVATORY FOR SOAP DISPENSER	9		
	LT530.8#01	PROMENADE 8" CTR LAVATORY	5	5	
	LT532.8#01	PROMENADE 24" LAVATORY W/ 8" CTR	13	12	
	LT532.8#11	PROMENADE 24" LAVATORY W/ 8" CTR	7	5	
LT967#01	SOIREE UNDERCOUNTER LAVATORY	9	10		
Residential Faucetry	TB100SF#PN	SINGLE-HANDLE FREESTANDING TUB FILLER W/60" HOSE	9		
	TS100GR#BN	HAND SHOWER 60" SLIDE BAR	6		
	TS220P1#PN	VIVIAN PRESSURE BALANCE VALVE W/LEVER HANDLE	6		
	TS300AL65#BN	TRADITIONAL SERIES A MULTI-SPRAY 5 1/2" SHOWERHEAD 2.0GPM	9		TS300A65#BN

1. This report presents lead times, at the time of publication, for those SKU's that have lead times of 4 weeks or more.
2. The lead time shown here is for reference only and merely represents the static and current lead time status based on the current open orders, backorders and production schedule. Lead times can be subject to frequent change depending on the volume of additional demand in the future or other factors without notice. Therefore, TOTO USA specifically disclaims any liability or responsibility whatsoever resulting directly or indirectly from the lead time guides.
3. For items with "Contact CS", please provide the following when inquiring as we are doing our best to prioritize the distribution of these items as per requirements for jobs. Information Needed: Order Number, Distributor Name, Job Name, Item Number, Quantity Required, and Requirement Date.

To check status of your TOTO order – use TOTOSales: <http://totoe2w.totousa.com> TOTO Customer Service: 888-295-8134

AVAILABLE NOW

<u>1pc Toilet</u>	<u>2pc Toilet</u>
Ultramax II 1G, Carlyle II, Carolina II, UltraMax, Supreme, Ultimate	Drake II, Drake II 1G, Connelly, Carusoe RF, Rowan RF, Entrada
<u>Wall Hung Toilet</u>	<u>Urinal</u>
Aquia, Maris	UT445U, UT447E

TOTO®

TOTO USA, INC.
1155 Southern Road
Morrow, GA 30260
888-295-8134
www.totousa.com
© 2014 TOTO U.S.A.

Sales Planning Department