

TOTO®

WASHLET® TRANSITION PLAN

Due to limited inventory of the Washlet B200, we recommend the Washlet C200.

WASHLET B200

SW542 (elongated)

◆ LIMITED INVENTORY

Estimated supply until
June 19th 2015



***Remark: Shipping L/T is longer than normal.*

WASHLET C200

SW2043 (round)
SW2044 (elongated)

FEATURES

- ▶ **Premist of bowl before each use**
- ▶ Gentle aerated, warm water, dual action spray with oscillating and pulsating feature
- ▶ Warm air drying with five variable temperature settings
- ▶ Built-in air deodorizer
- ▶ Adjustable water temperature and pressure
- ▶ Convenient slim wireless remote, with illuminated touch pad.
- ▶ 2 user settings
- ▶ Heated seat with temperature control
- ▶ Soft close® seat

AVAILABLE COLORS

All Washlets are available
in the following
china colors.

- #01 Cotton
- #12 Sedona Beige




Washlet shown on Aquia® One-Piece Toilet (Not included)

NEW


PREMIST™

WATER FEATURE

Using the incoming water supply, a Premist wets the toilet bowl surface aiding in the elimination of waste approximately 80% better than a dry bowl.



HOW IT WORKS?



TOTO®

WASHLET® TRANSITION PLAN

Due to limited inventory of the Washlet B100, we recommend the Washlet C100.

**WASHLET
B100**
SW502 (elongated)

◆ **LIMITED INVENTORY**

Estimated supply until
June 17th 2015



***Remark: Shipping L/T is longer than normal.*

WASHLET C100

SW2033 (round)
SW2034 (elongated)

FEATURES

- ▶ Premist of bowl before each use
- ▶ Gentle aerated, warm water, dual action spray with oscillating and pulsating feature
- ▶ Warm air drying with three variable temperature settings
- ▶ Built-in air deodorizer
- ▶ Adjustable water temperature and pressure
- ▶ Convenient arm control panel
- ▶ Heated seat with temperature control
- ▶ Soft close® seat

AVAILABLE COLORS

All Washlets are available
in the following
china colors.




Washlet shown on Aquia® One-Piece Toilet (Not included)


NEW PREMIST™

WATER FEATURE

Using the incoming water supply, a Premist wets the toilet bowl surface aiding in the elimination of waste approximately 80% better than a dry bowl.



HOW IT WORKS?



◆LIMITED INVENTORY

Estimated supply until
June 19th 2015

◆LIMITED INVENTORY

Estimated supply until
June 17th 2015**COMPARISON CHART**

		B200	B100	C200	C100
		SW542 (elongated)	SW502 (elongated)	SW2043 (round) SW2044 (elongated)	SW2033 (round) SW2034 (elongated)
PRICE	COTTON (#01),	\$ 799 ◆	\$ 599 ◆	\$ 699	\$ 599
	SEDONA BEIGE (#12)	\$ 919 ◆	\$ 689 ◆	\$ 804	\$ 689
CLEANSE	REAR CLEANSE	•	•	•	•
	SOFT REAR CLEANSE	•	•	•	•
	FRONT CLEANSE	•	•	•	•
	WIDE FRONT CLEANSE				
	OSCILLATING CLEANSE	•	•	•	•
	PULSATING CLEANSE	•		•	•
	INSTANTANEOUS WATER HEATING				
	WATER PRESSURE CONTROL	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS
	WATER TEMPERATURE CONTROL	5 SETTINGS	3 SETTINGS	5 SETTINGS	3 SETTINGS
	WAND POSITION ADJUSTMENT	•	•	•	•
	AIR	AIR PURIFIER (DEODORIZER)	•		•
AIR DRYER		•		•	•
AIR TEMPERATURE CONTROL		5 SETTINGS		5 SETTINGS	3 SETTINGS
SEAT	HEATED SEAT	•	•	•	•
	HEATED SEAT TEMPERATURE CONTROL	5 SETTINGS	3 SETTINGS	5 SETTINGS	3 SETTINGS
	SOFT CLOSE SEAT AND LID	•	•	•	•
SENSOR	SEAT SENSOR	•	•	•	•
	AUTOMATIC OPEN/CLOSE LID				
	AUTOMATIC FLUSH				
	NIGHT LIGHT				
REMOTE CONTROL	REMOTE CONTROL	•	SIDE PANEL	•	SIDE PANEL
	REMOTE CONTROLLED SEAT				
	REMOTE CONTROLLED FLUSH				
HYGIENE	REMOVABLE LID	•	•	•	•
	PREMIST™			•	•
	WAND CLEANING MODE	•	•	•	•
	SELF-CLEANING WAND	•	•	•	•
ENERGY SAVING	ENERGY-SAVE TIMER	3, 6, 9 HOURS	6, 9 HOURS		
	AUTO ENERGY SAVER	•	•	•	•
RATED POWER USAGE		406W	313W	406W	406W
LENGTH OF POWER CORD		Maximum length 4 ft.	Maximum length 4 ft.	Maximum length 4 ft.	Maximum length 4 ft.
WASHLET WAND FLOW RATE	REAR	9.8 - 20.3 oz. / min.	9.8 - 20.3 oz. / min.	9.1 - 14.5 oz. / min.	9.1 - 14.5 oz. / min.
	SOFT	9.8 - 18.6 oz. / min.	9.8 - 18.6 oz. / min.	9.1 - 14.5 oz. / min.	9.1 - 14.5 oz. / min.
	FRONT	9.1 - 20.3 oz. / min.	9.1 - 18.6 oz. / min.	9.8 - 14.5 oz. / min.	9.8 - 14.5 oz. / min.
WATER TEMPERATURE		86°F - 104°F	95°F - 104°F	95°F - 104°F	95°F - 104°F
DRYER	AIR TEMPERATURE	104°F - 140°F	-	86°F - 140°F	86°F - 140°F
	AIR VOLUME	9.54 ft ³ / min.	-	9.54 ft ³ / min.	9.54 ft ³ / min.
HEATED SEAT	SURFACE TEMPERATURE	82° F - 97° F	82° F - 95° F	82° F - 97° F	82° F - 97° F
WATER SUPPLY PRESSURE		7 psi - 109 psi	7 psi - 109 psi	7 psi - 109 psi	7 psi - 109 psi
WATER SUPPLY TEMPERATURE		33°F to 95°F	33°F to 95°F	33°F to 95°F	33°F to 95°F
AMBIENT TEMPERATURE		33°F to 104°F	33°F to 104°F	33°F to 104°F	33°F to 104°F
SIZE	ROUND	-	-	15-3/8"W x 18-7/8"D x 7-3/8"H	18-7/8"W x 18-7/8"D x 7-3/8"H
	ELONGATED	15 15/16"W x 20.5"D x 6-3/4"H	18-7/8"W x 20.5"D x 6-3/4"H	15-3/8"W x 20-7/8"D x 7-3/8"H	18-7/8"W x 20-7/8"D x 7-3/8"H