

The Price Schedule

Effective April 1, 2017

	Page		Page
Sorpresa Collection	1	Professional Style Hoods	18
Best Value Assortment	5	Built-In Hoods	24
Island Hoods	6	Accessories	32
Chimney Hoods	10		

Stock items are indicated in the price list. Special order items require 12-16 weeks for delivery and are noncancellable upon acceptance of order by Best.

MODEL	PAGE
Sorpresa™	
Cirrus (CC34IQ) <i>New iQ</i>	3
Gloss (IM33)	2
Intrigue (WM45)	1
Modulare (WC33)	4
Secret (IC35)	2
Sphera (IM42)	1
Surf (WM34)	3
Vertigo Double (IM32)	1

BEST Value Assortment

Egadi (IS23)	5
Foggia (K8087)	5
Tirare (U102)	5
Vista (K34)	5

Island Hoods

Centro Island (IP29) <i>New iQ</i>	8
Colonne Island (IPP9IQ) <i>New iQ</i>	7
Eclisse Island (IC34IQ) <i>New iQ</i>	6
Egadi (IS23)	9
Gorgona (IPB9IQ) <i>New iQ</i>	7
Intesa (ICF6IQ) <i>New iQ</i>	6
Porto Island (ISER222)	9

Chimney Hoods

Amiata (K3139)	16
Circeo (WC46IQ) <i>New iQ</i>	12
Colonne (WPP9IQ) <i>New iQ</i>	13
Dovere (WC44IQ) <i>New iQ</i>	11
Dune (WC35IQ) <i>New iQ</i>	10
Dune (WC35)	10
Eclisse (WC34IQ) <i>New iQ</i>	10
Eclisse (WC34)	10
Foggia (K8087)	15
Forte (WTT32I)	17
Harmonia (WC45IQ) <i>New iQ</i>	11
Montagne (K273)	16
Pendenza (WC26)	14
Vista (K34)	17

MODEL	PAGE
Professional Style Hoods	
Centro (WP29M) <i>New iQ</i>	21
Centro Poco (UP27M) <i>New iQ</i>	19
Classico (WP28M) <i>New iQ</i>	20
Classico Poco (UP26M) <i>New iQ</i>	18
Emperor (WPD39M)	23
Monarch (WPD381)	22

Built-In Hoods

Cattura (D49M)	30
Celato (PK22) <i>New iQ</i>	29
Coperto (CP3)	25
Manto (PIK)	26
Potenza (CP5) <i>New iQ</i>	24
Proprio (CPD)	27
Sopra (P195ES)	28
Tirare (U102)	31
Velato (P195P)	27

Accessories

24" Duct Sections	32
Dampers	33
Elbows	32
Make-Up Air Dampers	33
Roof and Wall Caps	32
Transitions	32

Mechanical Specifications

Installation Guidelines

Product Specification Index

Limited Warranty

back cover

Intrigue (WM45 Series) - Wall Mounted Chimney Hood



- Available in brushed stainless steel.
- Two 25 watt halogen bulbs included.
- Quiet 460 CFM performance.
- Four-speed electronic pushbutton controls with LED indicators.
- Control features delay-off and filter clean reminder.
- Heat Sentry™ detects excessive heat and adjusts blower to high automatically.
- Includes ducted/non-ducted telescopic flue for 8' to 9' ceilings.
- Uses 6" round duct.
- Designed to work with optional universal make-up air dampers. Fresh air wall caps are required for make-up air dampers (see pages 32 and 33).

Model No.	Finish	Size	Stock Item	Sugg. List Price	MAP/ SRP‡
<i>Range Hood with Internal Blower</i>					
WM45I80SB ■	Stainless	31-1/2" x 16-9/16"	Yes	\$2,116.00	\$1,904.00
<i>Non-Ducted Kit</i>					
ANKWM45 ■			Yes	\$104.00	\$94.00
<i>Charcoal Replacement Filter</i>					
AFCWM45			Yes	\$45.00	\$41.00

■ Limited quantities available.

Sphera (IM42 Series) - Ceiling Mounted Island Hood



- Available in white or black painted finish.
- Two 20 watt halogen bulbs included.
- Recirculating internal blower (included); 250 CFM.
- Four-speed electronic pushbutton with lighted speed indicator.
- Control features delay-off and filter clean reminder; optional remote control.
- Heat Sentry™ detects excessive heat and adjusts blower to high automatically.
- Recirculating installation only; recirculation kit included.

Model No.	Finish	Size	Stock Item	Sugg. List Price	MAP/ SRP‡
<i>Range Hoods with Internal Blower</i>					
IM42I50B	Black	19-7/8" Dia.	Yes	\$2,227.00	\$2,004.00
IM42I50W	White	19-7/8" Dia.	Yes	\$2,227.00	\$2,004.00
<i>Charcoal Replacement Filter</i>					
AFCIM42			Yes	\$45.00	\$41.00
<i>Remote Control</i>					
ACR3			Yes	\$84.00	\$76.00

Vertigo Double (IM32 Series) - Ceiling Mounted Island Hood



- Available in polished stainless steel.
- Six 20 watt halogen bulbs included.
- Recirculating internal blower (included); 450 CFM.
- Dual, 4-speed electronic pushbutton.
- Control features delay-off and filter clean reminder.
- Heat Sentry™ detects excessive heat and adjusts blower to high automatically.
- Telescopic rod accommodates ceiling heights 8' to 9'.
- Recirculating installation only (recirculation kit included).

Model No.	Finish	Size	Stock Item	Sugg. List Price	MAP/ SRP‡
<i>Range Hood with Internal Blower</i>					
IM32I100SP	Stainless	39-3/8" x 19-3/4"	Yes	\$3,308.00	\$2,977.00
<i>Charcoal Replacement Filter</i>					
AFCIM32			Yes	\$90.00	\$81.00

Gloss (IM33 Series) - Ceiling Mounted Island Hood



- Available in polished stainless steel.
- Three 3 watt LED lights included.
- Quiet 400 CFM performance.
- Four-speed electronic pushbutton.
- Control features delay-off and filter clean reminder.
- Heat Sentry™ detects excessive heat and adjusts blower to high automatically.
- Telescopic flue accommodates ceiling heights 8' to 9'.
- Uses 6" round duct.
- Non-duct plenum and filter included.
- Designed to work with optional universal make-up air dampers. Fresh air wall caps are required for make-up air dampers (see pages 32 and 33).

Model No.	Finish	Size	Stock Item	Sugg. List Price	MAP/SRP‡
<i>Range Hood with Internal Blower</i>					
IM33I45SP	Stainless	18" x 17-1/8"	Yes	\$2,227.00	\$2,004.00
<i>Charcoal Replacement Filter</i>					
AFCIM33			Yes	\$45.00	\$41.00

Secret (IC35 Series) - Ceiling Mounted Island Hood



- Available in black or white glass with brushed stainless steel.
- Two 25 watt halogen bulbs included.
- Quiet 490 CFM performance.
- Four-speed electronic pushbutton.
- Control features delay-off and filter clean reminder.
- Heat Sentry™ detects excessive heat and adjusts blower to high automatically.
- Designed to work with optional universal make-up air dampers. Fresh air wall caps are required for make-up air dampers (see pages 32 and 33).
- Telescopic rods (and optional flue kit) accommodate ceiling heights 8' to 9'.
- Uses 6" round duct.
- Recirculation standard, optional flue kit for ducted or non-ducted applications includes flue and diverter.

Model No.	Finish	Size	Stock Item	Sugg. List Price	MAP/SRP‡
<i>Range Hoods with Internal Blower</i>					
IC35I90B	Black	35-7/16" x 13-3/4"	Yes	\$2,227.00	\$2,004.00
IC35I90W	White	35-7/16" x 13-3/4"	Yes	\$2,227.00	\$2,004.00
<i>Ducted and Non-Ducted Flue Kit</i>					
AEIC35SB		8' - 9'	Yes	\$615.00	\$554.00
<i>Charcoal Replacement Filter</i>					
FILTEREB40			Yes	\$74.00	\$67.00

Cirrus (CC34IQ Series) - Ceiling Mounted Hood



- Available in brushed stainless steel or with optional white glass panel accessory.
- Six LED lights provide bright, clean, energy efficient light over the cooktop.
- Choice of quiet iQ6 600 CFM internal blower or external blower options.
- iQ blowers with GPS technology provide up to 2X quieter operation, 30% faster removal of smoke and 22X more energy efficiency.
- Four-speed electronic light touch controls; includes handheld remote control (ACR3).
- Control features delay-off and filter clean reminder.
- Quick release, dishwasher safe grease filters.
- Recommended for ceilings from 7" to 9'.
- No recirculation option.
- Uses 8" round duct.
- Designed to work with optional direct wire make-up air dampers. Fresh air wall caps are required for make-up air dampers (see pages 32 and 33).

Model No.	Finish	Size	Stock Item	Sugg. List Price	MAP/ SRP‡
<i>Range Hood with Internal Blower</i>					
CC34IQSB	Stainless	43-3/8" x 27-1/2"	Yes	\$2,729.00	\$2,455.00
<i>Range Hood with External Blower</i>					
CC34E6SB	Stainless	43-3/8" x 27-1/2"	Yes	\$2,227.00	\$2,004.00
<i>White Glass Panels</i>					
AGPCC34W	White		Yes	\$684.00	\$616.00
<i>External Blowers</i>					
EB6	All items are Brushed Aluminum	600 CFM	Yes	\$632.00	\$569.00
EB9		900 CFM	Yes	\$751.00	\$676.00
EB12		1200 CFM	Yes	\$1,015.00	\$914.00
EB15		1500 CFM	Yes	\$1,265.00	\$1,139.00
<i>In-Line Blowers</i>					
ILB3	All items are Galvanized	280 CFM	Yes	\$403.00	\$363.00
ILB6		600 CFM	Yes	\$632.00	\$569.00
ILB9		800 CFM	Yes	\$813.00	\$732.00
ILB11		1100 CFM	Yes	\$960.00	\$864.00
<i>Transition</i>					
414		8" to 10"	Yes	\$41.00	\$37.00
<i>Make-Up Air Dampers</i>					
MD6T		6"	Yes	\$141.00	\$127.00
MD8T		8"	Yes	\$156.00	\$141.00
MD10T		10"	Yes	\$254.00	\$229.00

Surf (WM34 Series) - Wall Mounted Chimney Hood



- Available in brushed stainless steel and black glass.
- Two 25 watt halogen bulbs included.
- Quiet 490 CFM performance.
- Four-speed electronic pushbutton.
- Control features delay-off and filter clean reminder.
- Heat Sentry™ detects excessive heat and adjusts blower to high automatically.
- Telescopic flue accommodates ceiling heights 8' to 9'.
- Uses 6" round duct.
- Designed to work with optional universal make-up air dampers. Fresh air wall caps are required for make-up air dampers (see pages 32 and 33).

Model No.	Finish	Size	Stock Item	Sugg. List Price	MAP/ SRP‡
<i>Range Hood with Internal Blower</i>					
WM34I80SB ■	Stainless	31-1/2" x 16-1/2"	Yes	\$1,803.00	\$1,623.00
<i>Non-Ducting Kit</i>					
ANKWM34 ■			Yes	\$104.00	\$94.00
<i>Charcoal Replacement Filter</i>					
FILTEREB40			Yes	\$74.00	\$67.00

■ Limited quantities available.

Modulare (WC33 Series) - Wall Mounted Chimney Hood



- Available in polished stainless steel.
- Requires custom panel or optional decorative panel (purchase separately).
- Two 25 watt halogen bulbs included.
- 490 CFM internal blower (included).
- Four-speed electronic pushbutton.
- Control features delay-off and filter clean reminder.
- Heat Sentry™ detects excessive heat and adjusts blower to high automatically.
- Telescopic flue accommodates ceiling heights 8' to 9'.
- Uses 6" round duct.
- Designed to work with optional universal make-up air dampers. Fresh air wall caps are required for make-up air dampers (see pages 32 and 33).

Model No.	Finish	Size	Stock Item	Sugg. List Price	MAP/SRP‡
<i>Range Hood with Internal Blower</i>					
WC33190SB	■ Stainless	35-7/16" x 14-1/2"	Yes	\$1,671.00	\$1,504.00
<i>Non-Ducted Kit</i>					
ANKWC33	■		Yes	\$104.00	\$94.00
<i>Decorative Panel</i>					
ADPWC33B	■ Gloss Black		Yes	\$319.00	\$288.00
<i>Charcoal Replacement Filter</i>					
FILTEREB40			Yes	\$74.00	\$67.00

■ Limited quantities available.

BEST Value Assortment

Egadi (IS23-SS)



Available in USA only.

- Available in brushed stainless steel.
- Two fluorescent lamps included.
- Quiet, internal blower produces 500 CFM.
- See Pg. 9 for full product details and accessories.
- Designed to work with optional universal make-up air dampers. Fresh air wall caps are required for make-up air dampers (see pages 32 and 33).

Model No.	Finish	Size	Stock Item	Sugg. List Price	MAP/ SRP‡
<i>Range Hood with Internal Blower</i>					
IS23SS	Stainless	35-7/16" x 23-5/8"	Yes	\$1,720.00	\$1,548.00

Foggia (K808730SS)



Available in USA only.

- Ultra-thin, hand formed design, finished in brushed stainless steel; 304 grade.
- Two 20 watt halogen bulbs included.
- Quiet, internal blower produces 450 CFM.
- See Pg. 15 for full product details and accessories.
- Designed to work with optional universal make-up air dampers. Fresh air wall caps are required for make-up air dampers (see pages 32 and 33).

Model No.	Finish	Size	Stock Item	Sugg. List Price	MAP/ SRP‡
<i>Range Hood with Internal Blower</i>					
K808730SS	■ Stainless	30" x 19-11/16"	Yes	\$1,452.00	\$1,307.00

■ Limited quantities available.

Tirare (U10230BLI)



- Modern slim design in powder-coated black.
- Two 20 watt halogen bulbs included.
- Quiet, efficient internal or external blowers with 500 CFM performance.
- Provides effective ventilation in an ultra-compact package — 12" retracted and 18" extended.
- See Pg. 31 for full product details and accessories.
- Designed to work with optional universal make-up air dampers. Fresh air wall caps are required for make-up air dampers (see pages 32 and 33).

Model No.	Finish	Size	Stock Item	Sugg. List Price	MAP/ SRP‡
<i>Range Hood with Internal Blower</i>					
U10230BLI	■ Black	30"	Yes	\$852.00	\$767.00

■ Limited quantities available.

Vista (K3490CMSS)



Available in USA only.

- Contemporary low-profile design in stainless steel finish.
- Two 20 watt halogen bulbs included.
- Quiet, internal blower produces 500 CFM.
- See Pg. 17 for full product details and accessories.
- Designed to work with optional universal make-up air dampers. Fresh air wall caps are required for make-up air dampers (see pages 32 and 33).

Model No.	Finish	Size	Stock Item	Sugg. List Price	MAP/ SRP‡
<i>Range Hood with Internal Blower</i>					
K3490CMSS	Stainless	35-7/16" x 19-11/16"	Yes	\$1,116.00	\$1,005.00

Eclipse Island (IC34IQ Series)



Available in USA only.

- Available in brushed stainless steel.
- Four LED lights provide bright, clean, energy efficient light over the cooktop.
- Choice of quiet iQ6 600 CFM internal blower or external blower options.
- iQ blowers with GPS technology provide up to 2X quieter operation, 30% faster removal of smoke and 22X more energy efficiency.
- Four-speed electronic pushbutton controls with LED indicator; optional remote control (ACR3).
- Control features delay-off and filter clean reminder.
- Heat Sentry™ detects excessive heat and adjusts blower to high automatically.
- Optional flue extension for 10' to 11' ceiling.
- Uses 8" round duct.
- Designed to work with optional universal make-up air dampers. Fresh air wall caps are required for make-up air dampers (see pages 32 and 33).

Model No.	Finish	Size	Stock Item	Sugg. List Price	MAP/ SRP‡
<i>Range Hood with Internal iQ6 Blower</i>					
IC34IQ100SB	Stainless	39-3/8" x 27-5/8"	Yes	\$2,792.00	\$2,513.00
<i>Range Hood with External Blower</i>					
IC34E100SB	Stainless	39-3/8" x 27-5/8"	Yes	\$2,327.00	\$2,095.00
<i>Ducted Flue Extension</i>					
AEIC34SB		10' - 11'	Yes	\$1,020.00	\$918.00
<i>Non-Duct Flue Extension</i>					
AEIC34SBN		10' - 11'	Yes	\$1,020.00	\$918.00
<i>Non-Duct Kit</i>					
ANKIC34			Yes	\$206.00	\$186.00
<i>Replacement Charcoal Filter</i>					
AFCWC345			Yes	\$45.00	\$41.00
<i>Exterior Blowers</i>					
EB6	All items are Brushed Stainless	600 CFM	Yes	\$632.00	\$569.00
EB9		900 CFM	Yes	\$751.00	\$676.00
EB12		1200 CFM	Yes	\$1,015.00	\$914.00
EB15		1500 CFM	Yes	\$1,265.00	\$1,139.00
<i>In-Line Blowers</i>					
ILB3	All items are Galvanized	280 CFM	Yes	\$403.00	\$363.00
ILB6		600 CFM	Yes	\$632.00	\$569.00
ILB9		800 CFM	Yes	\$813.00	\$732.00
ILB11		1100 CFM	Yes	\$960.00	\$864.00
<i>Transition</i>					
414		yp8" to 10"	Yes	\$41.00	\$37.00
<i>Remote Control</i>					
ACR3			Yes	\$84.00	\$76.00

Intesa (ICF6IQ Series)



Available in USA only.

- Available in brushed stainless steel and glass.
- Four LED lights provide bright, clean, energy efficient light over the cooktop.
- Powered by iQ6 600 CFM internal blower.
- iQ blower with GPS technology provides up to 2X quieter operation, 30% faster removal of smoke and 22X more energy efficiency.
- Four-speed electronic pushbutton controls; includes handheld remote control.
- Control features delay-off and filter clean reminder.
- Heat Sentry™ detects excessive heat and adjusts blower to high automatically.
- Quick release, dishwasher safe grease filters.
- Telescopic flue accommodates ceiling heights 8' to 9'.
- Optional flue extension for 10' to 11' ceiling.
- Uses 8" round duct.
- Designed to work with optional universal make-up air dampers. Fresh air wall caps are required for make-up air dampers (see pages 32 and 33).

Model No.	Finish	Size	Stock Item	Sugg. List Price	MAP/ SRP‡
<i>Range Hood with Internal iQ6 Blower</i>					
ICF6IQ100SB	Stainless	39-3/8" x 27-5/8"	Yes	\$3,717.00	\$3,346.00
<i>Ducted Flue Extension</i>					
AEICF6SB	Stainless	10' - 11'	Yes	\$1,099.00	\$990.00
<i>Non-Duct Kit</i>					
ANKICF6			Yes	\$206.00	\$186.00
<i>Replacement Charcoal Filter</i>					
AFCICF6			Yes	\$45.00	\$41.00

Island Hoods

Gorgona (IPB9IQ Series)



Available in USA only.

- Available in brushed stainless steel.
- Four 25 watt halogen bulbs included.
- Choice of quiet iQ12 1200 CFM internal blower or external blower options.
- iQ blowers with GPS technology provide up to 2X quieter operation, 30% faster removal of smoke and 22X more energy efficiency.
- Three-speed plus boost, electronic pushbutton control with speed display; optional remote control (ACR3).
- Control features delay-off and filter clean reminder.
- Hi-Flow™ baffle filters provide excellent ventilation efficiency.
- Heat Sentry™ detects excessive heat and adjusts blower to high automatically.
- Telescopic flue accommodates ceiling heights 8' to 9'.
- Optional flue extension for 10' to 11' ceiling.
- Uses 10" round duct.
- Designed to work with optional universal make-up air dampers. Fresh air wall caps are required for make-up air dampers (see pages 32 and 33).

Model No.	Finish	Size	Stock Item	Sugg. List Price	MAP/ SRP‡
<i>Range Hood with Internal iQ12 Blower</i>					
IPB9IQ48SB	Stainless	48" x 27"	Yes	\$3,717.00	\$3,346.00
<i>Range Hood with External Blower</i>					
IPB9E48SB	Stainless	48" x 27"	Yes	\$2,792.00	\$2,513.00
<i>Ducted Flue Extension</i>					
AEIPB9SB	Stainless	10' - 11'	Yes	\$1,099.00	\$990.00
<i>Exterior Blowers</i>					
EB6	All items are Brushed Stainless	600 CFM	Yes	\$632.00	\$569.00
EB9		900 CFM	Yes	\$751.00	\$676.00
EB12		1200 CFM	Yes	\$1,015.00	\$914.00
EB15		1500 CFM	Yes	\$1,265.00	\$1,139.00
<i>In-Line Blowers</i>					
ILB3	All items are Galvanized	280 CFM	Yes	\$403.00	\$363.00
ILB6		600 CFM	Yes	\$632.00	\$569.00
ILB9		800 CFM	Yes	\$813.00	\$732.00
ILB11		1100 CFM	Yes	\$960.00	\$864.00
<i>Remote Control</i>					
ACR3			Yes	\$84.00	\$76.00

Colonne Island (IPP9IQ Series)



Available in USA only.

- Available in brushed stainless steel.
- Four 25 watt halogen bulbs included.
- Choice of quiet iQ12 1200 CFM internal blower or external blower options.
- iQ blowers with GPS technology provide up to 2X quieter operation, 30% faster removal of smoke and 22X more energy efficiency.
- Three-speed plus boost, electronic pushbutton control with speed display; optional remote control (ACR3).
- Control features delay-off and filter clean reminder.
- Hi-Flow™ baffle filters provide excellent ventilation efficiency.
- Heat Sentry™ detects excessive heat and adjusts blower to high automatically.
- Telescopic flue accommodates ceiling heights 8' to 9'.
- Optional flue extension for 10' to 11' ceiling.
- Uses 10" round duct.
- Designed to work with optional universal make-up air dampers. Fresh air wall caps are required for make-up air dampers (see pages 32 and 33).

Model No.	Finish	Size	Stock Item	Sugg. List Price	MAP/ SRP‡
<i>Range Hood with Internal iQ12 Blower</i>					
IPP9IQ42SB	Stainless	42" x 30"	Yes	\$3,602.00	\$3,242.00
<i>Range Hood with External Blower</i>					
IPP9E42SB	Stainless	42" x 30"	Yes	\$3,137.00	\$2,824.00
<i>Ducted Flue Extension</i>					
AEIPP9SB		10' - 11'	Yes	\$1,099.00	\$990.00
<i>Exterior Blowers</i>					
EB6	All items are Brushed Stainless	600 CFM	Yes	\$632.00	\$569.00
EB9		900 CFM	Yes	\$751.00	\$676.00
EB12		1200 CFM	Yes	\$1,015.00	\$914.00
EB15		1500 CFM	Yes	\$1,265.00	\$1,139.00
<i>In-Line Blowers</i>					
ILB3	All items are Galvanized	280 CFM	Yes	\$403.00	\$363.00
ILB6		600 CFM	Yes	\$632.00	\$569.00
ILB9		800 CFM	Yes	\$813.00	\$732.00
ILB11		1100 CFM	Yes	\$960.00	\$864.00
<i>Remote Control</i>					
ACR3			Yes	\$84.00	\$76.00

‡ Suggested Retail Price

Centro Island (IP29 Series) *iQ*



Available in USA only.

- Brushed Professional Grade stainless steel.
- Brilliant 50 watt halogen lighting: 6 bulbs in 42", 8 bulbs in 54" (included).
- Choice of 13 blower options: 5 internal, the quiet iQ6 600 CFM and iQ12 1200 CFM blowers or standard high pressure P3 300 CFM and P6 600 CFM and P12 1200 CFM or 8 external blowers up to 1500 CFM.
- iQ blowers with GPS technology provide up to 2X quieter operation, 30% faster removal of smoke and 22X more energy efficiency.
- Four-speed LCD electronic control with Air-Refresh cycle and filter change reminder.
- Exclusive LinkLogic® allows communication with other enabled product.
- Automatic Sensor Control (A.S.C.) senses cooking for automatic operation.
- Hi-Flow™ baffle filters provide excellent ventilation efficiency.
- Optional stainless steel flue extensions.
- Optional exclusive custom trim kit, allows you to seamlessly unite drywall and paneling with the hood.
- Optional wall mounted LinkLogic® wall control.
- Uses 8" round for 600 CFM internal and 10" round for 1200 CFM internal and external blowers.
- Works with either LinkLogic® enabled "SMD" dampers or universal make-up air dampers (MDTU). Fresh air wall caps are required for make-up air dampers (see pages 32 and 33).

Model No.	Finish	Size	Stock Item	Sugg. List Price	MAP/SRP‡
<i>Range Hoods for use with Internal or External Blower Option</i>					
IP29M42SB	304 SS	42" x 32"	Yes	\$3,557.00	\$3,202.00
IP29M54SB	304 SS	54" x 32"	Yes	\$3,950.00	\$3,555.00
<i>Flue Extensions</i>					
AEIP422SB	304 SS	12" x 42"	Yes	\$724.00	\$652.00
AEIP428SB	304 SS	18" x 42"	Yes	\$823.00	\$741.00
AEIP424SB	304 SS	24" x 42"	Yes	\$999.00	\$900.00
AEIP420SB	304 SS	30" x 42"	Yes	\$1,341.00	\$1,207.00
AEIP542SB	304 SS	12" x 54"	Yes	\$813.00	\$732.00
AEIP548SB	304 SS	18" x 54"	Yes	\$987.00	\$889.00
AEIP544SB	304 SS	24" x 54"	Yes	\$1,162.00	\$1,046.00
AEIP540SB	304 SS	30" x 54"	Yes	\$1,504.00	\$1,354.00
<i>Drywall Trim Kits</i>					
ATDIP42SB	304 SS	42"	Yes	\$299.00	\$270.00
ATDIP54SB	304 SS	54"	Yes	\$311.00	\$280.00
<i>Internal Blowers</i>					
iQ6	with GPS	600 CFM	Yes	\$744.00	\$670.00
iQ12	with GPS	1200 CFM	Yes	\$1,111.00	\$1,000.00
P3		300 CFM	Yes	\$453.00	\$408.00
P6		600 CFM	Yes	\$453.00	\$408.00
P12		1200 CFM	Yes	\$702.00	\$632.00
<i>Exterior Blowers</i>					
EB6	All items are Brushed Stainless	600 CFM	Yes	\$632.00	\$569.00
EB9		900 CFM	Yes	\$751.00	\$676.00
EB12		1200 CFM	Yes	\$1,015.00	\$914.00
EB15		1500 CFM	Yes	\$1,265.00	\$1,139.00
EBRCONNECT **				Yes	\$118.00
<i>In-Line Blowers</i>					
ILB3	All items are Galvanized	280 CFM	Yes	\$403.00	\$363.00
ILB6		600 CFM	Yes	\$632.00	\$569.00
ILB9		800 CFM	Yes	\$813.00	\$732.00
ILB11		1100 CFM	Yes	\$960.00	\$864.00
EBRCONNECT **				Yes	\$118.00
<i>LinkLogic® Wall Control</i>					
ACW1WH	White	Single Gang	Yes	\$162.00	\$146.00
<i>Trim Kit for Wall Control</i>					
ADCW1AL	Almond	Single Gang	Yes	\$15.00	\$14.00
<i>Make-Up Air Dampers</i>					
SMD6		6"	Yes	\$221.00	\$199.00
SMD8		8"	Yes	\$232.00	\$209.00
MD10TU		10" universal	Yes	\$288.00	\$260.00
<i>Light Bulbs</i>					
GU10 ▲		Box of 10	Yes	\$14.00	\$13.00

■ Limited quantities available.

▲ Price reflects the individual item cost.

** Included with all exterior and in-line blowers, the EBRCONNECT is the rough-in plate used to attach all external blowers to the IP29, WP28, WP29, UP26, UP27 or PIK Insert. You may need this if attaching to an existing exterior blower.

Island Hoods

Porto Island (ISER222 Series)



Available in USA only.

- Elegant canopy design in brushed stainless finish; 304 grade.
- Four 20 watt halogen bulbs included.
- Powerful, internal blower produces 1000 CFM.
- Includes stylish utensil rail.
- Electronic pushbutton control provides four-speed operation, delay shutoff, and filter clean reminder.
- Quick-release dishwasher-safe stainless steel and aluminum grease filters.
- Heat Sentry™ detects excessive heat and adjusts blower to high automatically.
- External blower version hood (EX) works with exterior or in-line blowers.
- Includes ducted telescopic flue for 8' to 9' ceilings.
- Optional ducted decorative flue extensions for 10' ceilings.
- Uses 8" round duct, includes back-draft damper/adaptor.
- Designed to work with optional universal make-up air dampers. Fresh air wall caps are required for make-up air dampers (see pages 32 and 33).

Model No.	Finish	Size	Stock Item	Sugg.List Price	MAP/SRP‡
<i>Range Hood with Internal Blower</i>					
ISER222SS	■ Stainless	51-1/2" x 31-1/8"	Yes	\$6,213.00	\$5,592.00
IEX222SS	■ Stainless	51-1/2" x 31-1/8"	Yes	\$5,682.00	\$5,114.00
<i>Decorative Flue Extension</i>					
FEXTISER222SS	■ Stainless	10'	Yes	\$1,170.00	\$1,053.00
<i>Exterior Blowers</i>					
EB6	All items are Brushed Aluminum	600 CFM	Yes	\$632.00	\$569.00
EB9		900 CFM	Yes	\$751.00	\$676.00
EB12		1200 CFM	Yes	\$1,015.00	\$914.00
EB15		1500 CFM	Yes	\$1,265.00	\$1,139.00
<i>In-Line Blowers</i>					
ILB3	All items are Galvanized	280 CFM	Yes	\$403.00	\$363.00
ILB6		600 CFM	Yes	\$632.00	\$569.00
ILB9		800 CFM	Yes	\$813.00	\$732.00
ILB11		1100 CFM	Yes	\$960.00	\$864.00
<i>Transition</i>					
414		8" to 10"	Yes	\$41.00	\$37.00

■ Limited quantities available.

Egadi (IS23 Series)



Available in USA only.

- Available in brushed stainless steel.
- Two fluorescent bulbs included.
- Quiet, internal blower produces 500 CFM.
- Three-speed pushbutton control.
- Quick-release dishwasher-safe stainless steel and aluminum grease filters.
- Heat Sentry™ detects excessive heat and adjusts blower to high automatically.
- Includes ducted/non-ducted telescopic flue for 8' to 9' ceilings.
- Optional ducted decorative flue extensions for 10' ceilings.
- Uses 6" round duct, includes back-draft damper/adaptor.
- Designed to work with optional universal make-up air dampers. Fresh air wall caps are required for make-up air dampers (see pages 32 and 33).

Model No.	Finish	Size	Stock Item	Sugg.List Price	MAP/SRP‡
<i>Range Hood with Internal Blower</i>					
IS23SS	Stainless	35-7/16" x 23-5/8"	Yes	\$1,720.00	\$1,548.00
<i>Decorative Flue Extension</i>					
FEXTIS23SS	Stainless	10'	Yes	\$1,099.00	\$990.00
<i>Charcoal Filter (required for recirculating operation)</i>					
ROUNDFILTER			Yes	\$77.00	\$70.00
<i>CFM Reducer Kit</i>					
ARP6			Yes	\$39.00	\$36.00

Chimney Hoods

Eclipse (WC34IQ Series)



- Available in brushed stainless steel.
- Two LED lights provide bright, clean, energy efficient light over the cooktop.
- Choice of quiet iQ6 600 CFM internal blower or external blower options.
- Four-speed electronic control features delay-off and filter clean reminder.
- Quick release, dishwasher safe grease filters.
- Heat Sentry™ detects excessive heat and adjusts blower to high automatically.
- Telescopic flue accommodates ceiling heights 8' to 9'.
- Optional flue extension for 10' to 11' ceiling.
- Uses 8" round duct.
- Designed to work with optional universal make-up air dampers. Fresh air wall caps are required for make-up air dampers (see pages 32 and 33).

Model No.	Finish	Size	Stock Item	Sugg. List Price	MAP/SRP‡
<i>Range Hood with Internal iQ6 Blower</i>					
WC34IQ90SB	Stainless	35-7/16" x 18-1/8"	Yes	\$1,721.00	\$1,549.00
<i>Range Hood with External Blower</i>					
WC34E90SB	Stainless	35-7/16" x 18-1/8"	Yes	\$1,453.00	\$1,308.00
<i>Ducted Flue Extension</i>					
AEWC345IQSB		10' - 11'	Yes	\$484.00	\$436.00
<i>Non-Duct Flue Extension</i>					
AEWC345IQSBN		10' - 11'	Yes	\$484.00	\$436.00
<i>Non-Duct Kit</i>					
ANKWC345			Yes	\$206.00	\$186.00
<i>Replacement Charcoal Filter</i>					
AFCWC345			Yes	\$45.00	\$41.00
<i>Exterior Blowers</i>					
EB6	All items are Brushed Stainless	600 CFM	Yes	\$632.00	\$569.00
EB9		900 CFM	Yes	\$751.00	\$676.00
EB12		1200 CFM	Yes	\$1,015.00	\$914.00
EB15		1500 CFM	Yes	\$1,265.00	\$1,139.00
<i>In-Line Blowers</i>					
ILB3	All items are Galvanized	280 CFM	Yes	\$403.00	\$363.00
ILB6		600 CFM	Yes	\$632.00	\$569.00
ILB9		800 CFM	Yes	\$813.00	\$732.00
ILB11		1100 CFM	Yes	\$960.00	\$864.00
<i>Transition</i>					
414		8" to 10"	Yes	\$41.00	\$37.00

Dune (WC35IQ Series)



- Available in brushed stainless steel.
- Two LED lights provide bright, clean, energy efficient light over the cooktop.
- Choice of quiet iQ6 600 CFM internal blower or external blower options.
- iQ blower with GPS technology provides up to 2X quieter operation, 30% faster removal of smoke and 22X more energy efficiency.
- Four-speed electronic glass touch controls.
- Control features delay-off and filter clean reminder.
- Quick release, dishwasher safe stainless steel grease filters.
- Heat Sentry™ detects excessive heat and adjusts blower to high automatically.
- Telescopic flue accommodates ceiling heights 8' to 9'.
- Optional flue extension for 10' to 11' ceiling.
- Uses 8" round duct.
- Designed to work with optional universal make-up air dampers. Fresh air wall caps are required for make-up air dampers (see pages 32 and 33).

Model No.	Finish	Size	Stock Item	Sugg. List Price	MAP/SRP‡
<i>Range Hood with Internal iQ6 Blower</i>					
WC35IQ90SB	Stainless	35-7/16" x 18-3/8"	Yes	\$1,744.00	\$1,570.00
<i>Range Hood with External Blower</i>					
WC35E90SB	Stainless	35-7/16" x 18-3/8"	Yes	\$1,476.00	\$1,329.00
<i>Ducted Flue Extension</i>					
AEWC345IQSB		10' - 11'	Yes	\$484.00	\$436.00
<i>Non-Duct Flue Extension</i>					
AEWC345IQSBN		10' - 11'	Yes	\$484.00	\$436.00
<i>Non-Duct Kit</i>					
ANKWC345			Yes	\$206.00	\$186.00
<i>Replacement Charcoal Filter</i>					
AFCWC345			Yes	\$45.00	\$41.00
<i>Exterior Blowers</i>					
EB6	All items are Brushed Stainless	600 CFM	Yes	\$632.00	\$569.00
EB9		900 CFM	Yes	\$751.00	\$676.00
EB12		1200 CFM	Yes	\$1,015.00	\$914.00
EB15		1500 CFM	Yes	\$1,265.00	\$1,139.00
<i>In-Line Blowers</i>					
ILB3	All items are Galvanized	280 CFM	Yes	\$403.00	\$363.00
ILB6		600 CFM	Yes	\$632.00	\$569.00
ILB9		800 CFM	Yes	\$813.00	\$732.00
ILB11		1100 CFM	Yes	\$960.00	\$864.00
<i>Transition</i>					
414		8" to 10"	Yes	\$41.00	\$37.00

‡ Suggested Retail Price

Chimney Hoods

Dovere (WC44IQ Series) *iQ*



Available in USA only.

- Available in brushed stainless steel.
- Two LED lights provide bright, clean, energy efficient light over the cooktop.
- Choice of quiet iQ6 600 CFM internal blower or external blower options.
- iQ blower with GPS technology provides up to 2X quieter operation, 30% faster removal of smoke and 22X more energy efficiency.
- Three-speed plus boost, electronic pushbutton control with speed display.
- Control features delay-off and filter clean reminder.
- Quick release, dishwasher safe stainless steel grease filters.
- Heat Sentry™ detects excessive heat and adjusts blower to high automatically.
- Telescopic flue accommodates ceiling heights 8' to 9'.
- Optional flue extension for 10' to 11' ceiling.
- Uses 8" round duct.
- Designed to work with optional universal make-up air dampers. Fresh air wall caps are required for make-up air dampers (see pages 32 and 33).

Model No.	Finish	Size	Stock Item	Sugg. List Price	MAP/ SRP‡
<i>Range Hood with Internal iQ6 Blower</i>					
WC44IQ90SB	■ Stainless	35-7/16" x 17-1/2"	Yes	\$1,977.00	\$1,780.00
<i>Range Hood with External Blower</i>					
WC44E90SB	■ Stainless	35-7/16" x 17-1/2"	Yes	\$1,631.00	\$1,468.00
<i>Ducted Flue Extension</i>					
AEWC345IQSB		10' - 11'	Yes	\$484.00	\$436.00
<i>Non-Duct Flue Extension</i>					
AEWC345IQSBN		10' - 11'	Yes	\$484.00	\$436.00
<i>Non-Duct Kit</i>					
ANKWC345			Yes	\$206.00	\$186.00
<i>Replacement Charcoal Filter</i>					
AFCWC345			Yes	\$45.00	\$41.00
<i>Exterior Blowers</i>					
EB6	All items are Brushed Stainless	600 CFM	Yes	\$632.00	\$569.00
EB9		900 CFM	Yes	\$751.00	\$676.00
EB12		1200 CFM	Yes	\$1,015.00	\$914.00
EB15		1500 CFM	Yes	\$1,265.00	\$1,139.00
<i>In-Line Blowers</i>					
ILB3	All items are Galvanized	280 CFM	Yes	\$403.00	\$363.00
ILB6		600 CFM	Yes	\$632.00	\$569.00
ILB9		800 CFM	Yes	\$813.00	\$732.00
ILB11		1100 CFM	Yes	\$960.00	\$864.00
<i>Transition</i>					
414		8" to 10"	Yes	\$41.00	\$37.00

■ Limited quantities available.

Harmonia (WC45IQ Series) *iQ*



Available in USA only.

- Available in brushed stainless steel.
- Two LED lights provide bright, clean, energy efficient light over the cooktop.
- Choice of quiet iQ6 600 CFM internal blower or external blower options.
- iQ blower with GPS technology provides up to 2X quieter operation, 30% faster removal of smoke and 22X more energy efficiency.
- Four-speed electronic "IR" infrared controls.
- Control features delay-off and filter clean reminder.
- Quick release, dishwasher safe grease filters.
- Heat Sentry™ detects excessive heat and adjusts blower to high automatically.
- Telescopic flue accommodates ceiling heights 8' to 9'.
- Optional flue extension for 10' to 11' ceiling.
- Uses 8" round duct.
- Designed to work with optional universal make-up air dampers. Fresh air wall caps are required for make-up air dampers (see pages 32 and 33).

Model No.	Finish	Size	Stock Item	Sugg. List Price	MAP/ SRP‡
<i>Range Hood with Internal iQ6 Blower</i>					
WC45IQ90SB	Stainless	35-7/16" x 17-11/16"	Yes	\$1,977.00	\$1,780.00
<i>Range Hood with External Blower</i>					
WC45E90SB	Stainless	35-7/16" x 17-11/16"	Yes	\$1,631.00	\$1,468.00
<i>Ducted Flue Extension</i>					
AEWC345IQSB		10' - 11'	Yes	\$484.00	\$436.00
<i>Non-Duct Flue Extension</i>					
AEWC345IQSBN		10' - 11'	Yes	\$484.00	\$436.00
<i>Non-Duct Kit</i>					
ANKWC345			Yes	\$206.00	\$186.00
<i>Replacement Charcoal Filter</i>					
AFCWC345			Yes	\$45.00	\$41.00
<i>Exterior Blowers</i>					
EB6	All items are Brushed Stainless	600 CFM	Yes	\$632.00	\$569.00
EB9		900 CFM	Yes	\$751.00	\$676.00
EB12		1200 CFM	Yes	\$1,015.00	\$914.00
EB15		1500 CFM	Yes	\$1,265.00	\$1,139.00
<i>In-Line Blowers</i>					
ILB3	All items are Galvanized	280 CFM	Yes	\$403.00	\$363.00
ILB6		600 CFM	Yes	\$632.00	\$569.00
ILB9		800 CFM	Yes	\$813.00	\$732.00
ILB11		1100 CFM	Yes	\$960.00	\$864.00
<i>Transition</i>					
414		8" to 10"	Yes	\$41.00	\$37.00

‡ Suggested Retail Price

Chimney Hoods

Circeo (WC46IQ Series) *iQ*



Available in USA only.

- Available in brushed stainless steel.
- Two LED lights provide bright, clean, energy efficient light over the cooktop.
- Perimeter aspiration provides highly effective smoke and steam removal.
- Choice of quiet iQ6 600 CFM internal blower or external blower options.
- iQ blower with GPS technology provides up to 2X quieter operation, 30% faster removal of smoke and 22X more energy efficiency.
- Three-speed plus boost, electronic pushbutton control with speed display.
- Control features delay-off and filter clean reminder.
- Quick release, dishwasher safe grease filters.
- Heat Sentry™ detects excessive heat and adjusts blower to high automatically.
- Telescopic flue accommodates ceiling heights 8' to 9'.
- Optional flue extension for 10' to 11' ceiling.
- Uses 8" round duct.
- Designed to work with optional universal make-up air dampers. Fresh air wall caps are required for make-up air dampers (see pages 32 and 33).

Model No.	Finish	Size	Stock Item	Sugg. List Price	MAP/ SRP‡
<i>Range Hoods with Internal iQ6 Blower</i>					
WC46IQ90SB ■	Stainless	35-7/16" x 17-3/4"	Yes	\$2,212.00	\$1,991.00
WC46IQ42SB ■	Stainless	42" x 17-3/4"	Yes	\$2,326.00	\$2,094.00
<i>Range Hoods with External Blower</i>					
WC46E90SB ■	Stainless	35-7/16" x 17-3/4"	Yes	\$1,631.00	\$1,468.00
WC46E42SB ■	Stainless	42" x 17-3/4"	Yes	\$1,747.00	\$1,573.00
<i>Ducted Flue Extension</i>					
AEWC345IQSB		10' - 11'	Yes	\$484.00	\$436.00
<i>Non-Duct Flue Extension</i>					
AEWC345IQSBN		10' - 11'	Yes	\$484.00	\$436.00
<i>Non-Duct Kit</i>					
ANKWC46			Yes	\$206.00	\$186.00
<i>Replacement Charcoal Filter</i>					
AFCWC46			Yes	\$45.00	\$41.00
<i>Exterior Blowers</i>					
EB6	All items are Brushed Stainless	600 CFM	Yes	\$632.00	\$569.00
EB9		900 CFM	Yes	\$751.00	\$676.00
EB12		1200 CFM	Yes	\$1,015.00	\$914.00
EB15		1500 CFM	Yes	\$1,265.00	\$1,139.00
<i>In-Line Blowers</i>					
ILB3	All items are Galvanized	280 CFM	Yes	\$403.00	\$363.00
ILB6		600 CFM	Yes	\$632.00	\$569.00
ILB9		800 CFM	Yes	\$813.00	\$732.00
ILB11		1100 CFM	Yes	\$960.00	\$864.00
<i>Transition</i>					
414		8" to 10"	Yes	\$41.00	\$37.00

■ Limited quantities available.

Chimney Hoods

Colonne (WPP9IQ Series) *iQ*



Available in USA only.

- Available in brushed stainless steel.
- Bright halogen lighting; 3 bulbs on 36" and 42", 4 bulbs on 48" and 54" (included).
- Choice of quiet iQ6 600 CFM and iQ12 1200 CFM internal blowers and external blower options.
- iQ blower with GPS technology provides up to 2X quieter operation, 30% faster removal of smoke and 22X more energy efficiency.
- Three-speed plus boost, electronic pushbutton control with speed display.
- Control features delay-off and filter clean reminder.
- Hi-Flow™ baffle filters provide excellent ventilation efficiency.
- Heat Sentry™ detects excessive heat and adjusts blower to high automatically.
- Telescopic flue accommodates ceiling heights 8' to 9'.
- Optional flue extension for 10' to 11' ceiling.
- Recirculation option available for iQ6 internal blower models.
- Uses 8" round duct for iQ6 blower, 10" round duct for iQ12 and external blowers.
- Designed to work with optional universal make-up air dampers. Fresh air wall caps are required for make-up air dampers (see pages 32 and 33).

Model No.	Finish	Size	Stock Item	Sugg. List Price	MAP/ SRP‡
<i>Range Hoods with Internal iQ6 Blower</i>					
WPP9IQ36SB	Stainless	36" x 24"	Yes	\$2,069.00	\$1,863.00
WPP9IQ42SB	Stainless	42" x 24"	Yes	\$2,231.00	\$2,008.00
<i>Range Hoods with Internal iQ12 Blower</i>					
WPP9IQT36SB	Stainless	36" x 24"	Yes	\$2,789.00	\$2,511.00
WPP9IQT42SB	Stainless	42" x 24"	Yes	\$2,905.00	\$2,615.00
WPP9IQT48SB	Stainless	48" x 24"	Yes	\$3,129.00	\$2,817.00
WPP9IQT54SB	Stainless	54" x 24"	Yes	\$3,289.00	\$2,961.00
<i>Range Hoods with External Blower</i>					
WPP9E36SB	Stainless	36" x 24"	Yes	\$2,069.00	\$1,863.00
WPP9E42SB	Stainless	42" x 24"	Yes	\$2,231.00	\$2,008.00
WPP9E48SB	Stainless	48" x 24"	Yes	\$2,569.00	\$2,313.00
WPP9E54SB	Stainless	54" x 24"	Yes	\$2,731.00	\$2,458.00
<i>Ducted Flue Extension</i>					
AEWPP9SB		10' - 11'	Yes	\$466.00	\$420.00
<i>Non-Duct Flue Extension</i>					
AEWPP9SBN		10' - 11'	Yes	\$466.00	\$420.00
<i>Non-Duct Kit</i>					
ANKWPP9		For iQ6 models only	Yes	\$206.00	\$186.00
<i>Replacement Charcoal Filter</i>					
AFCROUND2			Yes	\$88.00	\$80.00
<i>Exterior Blowers</i>					
EB6	All items are Brushed Stainless	600 CFM	Yes	\$632.00	\$569.00
EB9		900 CFM	Yes	\$751.00	\$676.00
EB12		1200 CFM	Yes	\$1,015.00	\$914.00
EB15		1500 CFM	Yes	\$1,265.00	\$1,139.00
<i>In-Line Blowers</i>					
ILB3	All items are Galvanized	280 CFM	Yes	\$403.00	\$363.00
ILB6		600 CFM	Yes	\$632.00	\$569.00
ILB9		800 CFM	Yes	\$813.00	\$732.00
ILB11		1100 CFM	Yes	\$960.00	\$864.00

■ Limited quantities available.

Chimney Hoods

Pendenza (WC26 Series)



Available in USA only.

- Available in 304 brushed stainless.
- Inclined, tempered glass canopy with blue LED accent edge lighting.
- Two halogen bulbs provide brilliant cooktop lighting, included.
- Efficient, internal 480 CFM (Quiet 1.0 Sone at low speed) or external blower options.
- Four-speed electronic pushbutton controls with LED display.
- 10 minute time delay shut-off feature and reminder indicator for filter maintenance.
- Ambient light sensor can automatically turn on/off the blue LED accent lighting for nighttime ambience and safety.
- Stainless steel and aluminum dishwasher-safe filter.
- Heat Sentry™ detects excessive heat and adjusts blower speed to high automatically.
- Optional decorative flue extension for 10' ceilings.
- Uses 6" round duct for internal blowers and 8" round duct for external blowers
- Designed to work with optional universal make-up air dampers. Fresh air wall caps are required for make-up air dampers (see pages 32 and 33).

Model No.	Finish	Size	Stock Item	Sugg. List Price	MAP/ SRP‡
<i>Range Hoods with Internal Blower</i>					
WC26136SB	■ Stainless	36" x 21"	Yes	\$2,782.00	\$2,504.00
WC26142SB	■ Stainless	42" x 21"	Yes	\$2,874.00	\$2,587.00
WC26148SB	■ Stainless	48" x 21"	Yes	\$2,968.00	\$2,672.00
<i>Range Hoods for Use with External Blower</i>					
WC26E36SB	■ Stainless	36" x 21"	Yes	\$2,598.00	\$2,339.00
WC26E42SB	■ Stainless	42" x 21"	Yes	\$2,690.00	\$2,421.00
WC26E48SB	■ Stainless	48" x 21"	Yes	\$2,782.00	\$2,504.00
<i>Decorative Flue Extensions</i>					
AEWC26SB	■ Stainless	10'	Yes	\$484.00	\$436.00
AEWC26SBN	● ■ Stainless		Yes	\$484.00	\$436.00
<i>Non-Ducted Recirculation Kit</i>					
ANKWC26	* ■		Yes	\$114.00	\$103.00
<i>Charcoal Filter Replacement</i>					
FILTERSQUARE			Yes	\$48.00	\$44.00
<i>Exterior Blowers</i>					
EB6	All items are Brushed Stainless	600 CFM	Yes	\$632.00	\$569.00
EB9		900 CFM	Yes	\$751.00	\$676.00
EB12		1200 CFM	Yes	\$1,015.00	\$914.00
EB15		1500 CFM	Yes	\$1,265.00	\$1,139.00
<i>In-Line Blowers</i>					
ILB3	All items are Galvanized	280 CFM	Yes	\$403.00	\$363.00
ILB6		600 CFM	Yes	\$632.00	\$569.00
ILB9		800 CFM	Yes	\$813.00	\$732.00
ILB11		1100 CFM	Yes	\$960.00	\$864.00
<i>Transition</i>					
414		8" to 10"	Yes	\$41.00	\$37.00
<i>CFM Reducer Kit</i>					
ARP6			Yes	\$39.00	\$36.00

■ Limited quantities available.

* ANKWC26 kit contains charcoal filter (FILTERSQUARE), air diverter and reducing collar.

● "N" version decorative flue comes with slots for non-ducted applications.

Chimney Hoods

Foggia (K8087 Series)



Available in USA only.

- Ultra-thin, hand formed design, finished in brushed stainless steel; 304 grade.
- Two 20 watt halogen bulbs included.
- Quiet, internal blower produces 450 CFM.
- External blower version hood (EX) works with exterior or in-line blowers.
- Electronic translucent touch control provides four-speed operation, delay shutoff, and filter clean reminder.
- Quick-release dishwasher-safe stainless steel and aluminum grease filter.
- Heat Sentry™ detects excessive heat and adjusts blower speed to high automatically.
- Includes ducted telescopic flue for 8' to 9' ceilings.
- Optional ducted decorative flue extensions for 10' ceilings.
- Uses 6" round duct w/ internal blower models, 8" round w/ external (EX) version, includes back-draft damper/adapter.
- Designed to work with optional universal make-up air dampers. Fresh air wall caps are required for make-up air dampers (see pages 32 and 33).

Model No.	Finish	Size	Stock Item	Sugg. List Price	MAP/ SRP‡
<i>Range Hoods with Internal Blower</i>					
K808730SS	■ Stainless	30" x 19-11/16"	Yes	\$1,452.00	\$1,307.00
K808736SS	■ Stainless	36" x 19-11/16"	Yes	\$2,488.00	\$2,240.00
<i>Range Hood for Use with External Blower Option</i>					
KEX808736SS	■ Stainless	36" x 19-11/16"	Yes	\$2,192.00	\$1,973.00
<i>Decorative Flue Extension</i>					
FEXTK8087SS	■ Stainless	10'	Yes	\$484.00	\$436.00
NDK7780	* ■		Yes	\$109.00	\$99.00
<i>Charcoal Filter (required for recirculating operation)</i>					
FILTERSQUARE			Yes	\$48.00	\$44.00
<i>Exterior Blowers</i>					
EB6	All items are Brushed Aluminum	600 CFM	Yes	\$632.00	\$569.00
EB9		900 CFM	Yes	\$751.00	\$676.00
EB12		1200 CFM	Yes	\$1,015.00	\$914.00
EB15		1500 CFM	Yes	\$1,265.00	\$1,139.00
<i>In-Line Blowers</i>					
ILB3	All items are Galvanized	280 CFM	Yes	\$403.00	\$363.00
ILB6		600 CFM	Yes	\$632.00	\$569.00
ILB9		800 CFM	Yes	\$813.00	\$732.00
ILB11		1100 CFM	Yes	\$960.00	\$864.00
<i>Transition</i>					
414		8" to 10"	Yes	\$41.00	\$37.00
<i>CFM Reducer Kit</i>					
ARP6			Yes	\$39.00	\$36.00

■ Limited quantities available.

* NDK7780 kit contains charcoal filter (FILTERSQUARE), air diverter and reducing collar.

Chimney Hoods

Montagne (K273 Series)



Available in USA only.

- Available in 304 grade stainless steel.
- Curves and angles merge harmoniously in this design; includes stylish utensil rail.
- Two halogen bulbs included.
- Quiet, internal blower produces 500 CFM.
- External blower version hood (EX) works with exterior or in-line blowers.
- Electronic pushbutton control provides four-speed operation, delay shutoff, and filter clean reminder.
- Quick-release dishwasher-safe stainless steel and aluminum grease filters.
- Heat Sentry™ detects excessive heat and adjusts blower speed to high automatically.
- Includes ducted telescopic flue for 8' to 9' ceilings.
- Optional ducted decorative flue extensions for 10' ceilings.
- Uses 6" round duct with internal blower models, 8" round with external (EX) version, includes back-draft damper/adaptor.
- Designed to work with optional universal make-up air dampers. Fresh air wall caps are required for make-up air dampers (see pages 32 and 33).

Model No.	Finish	Size	Stock Item	Sugg. List Price	MAP/SRP‡
<i>Range Hoods with Internal Blower</i>					
K27390CMSS	■ Stainless	35-7/16" x 19-5/8"	Yes	\$2,222.00	\$2,000.00
K27342SS	■ Stainless	42" x 19-5/8"	Yes	\$2,394.00	\$2,155.00
<i>Range Hoods for Use with External Blower Option</i>					
KEX27390CMSS	■ Stainless	35-7/16" x 19-5/8"	Yes	\$1,926.00	\$1,734.00
KEX27342SS	■ Stainless	42" x 19-5/8"	Yes	\$2,101.00	\$1,891.00
<i>Decorative Flue Extension for K273</i>					
FEXTK273SS	■ Stainless	10'	Yes	\$456.00	\$411.00
<i>Decorative Flue Extension for KEX273</i>					
FEXTKEX273SS	■ Stainless	10'	Yes	\$456.00	\$411.00
<i>Exterior Blowers</i>					
EB6	All items are Brushed Aluminum	600 CFM	Yes	\$632.00	\$569.00
EB9		900 CFM	Yes	\$751.00	\$676.00
EB12		1200 CFM	Yes	\$1,015.00	\$914.00
EB15		1500 CFM	Yes	\$1,265.00	\$1,139.00
<i>In-Line Blowers</i>					
ILB3	All items are Galvanized	280 CFM	Yes	\$403.00	\$363.00
ILB6		600 CFM	Yes	\$632.00	\$569.00
ILB9		800 CFM	Yes	\$813.00	\$732.00
ILB11		1100 CFM	Yes	\$960.00	\$864.00
<i>Transition</i>					
414		8" to 10"	Yes	\$41.00	\$37.00
<i>CFM Reducer Kit</i>					
ARP6			Yes	\$39.00	\$36.00

■ Limited quantities available.

Amiata (K3139 Series)



Available in USA only.

- Available in brushed stainless steel or special order black powder-coat.
- Classic Italian design with soft radius details.
- Two halogen bulbs included.
- Quiet, internal blower produces 400 CFM.
- Three-speed pushbutton control.
- Quick-release dishwasher-safe stainless steel and aluminum grease filters.
- Heat Sentry™ detects excessive heat and adjusts blower speed to high automatically.
- Includes ducted/non-ducted telescopic flue for 8' to 9' ceilings.
- Optional ducted decorative flue extensions for 10' ceilings.
- Uses 6" round duct, includes back-draft damper/adaptor.
- Designed to work with optional universal make-up air dampers. Fresh air wall caps are required for make-up air dampers (see pages 32 and 33).

Model No.	Finish	Size	Stock Item	Sugg. List Price	MAP/SRP‡
<i>Range Hoods with Internal Blower</i>					
K313930BL	Black Stainless	30" x 19-5/8"	—	\$1,272.00	\$1,145.00
K313930SS			Yes	\$1,272.00	\$1,145.00
K313936BL	Black Stainless	36" x 19-5/8"	—	\$1,339.00	\$1,206.00
K313936SS			Yes	\$1,339.00	\$1,206.00
K313942SS	Stainless	42" x 19-5/8"	Yes	\$1,500.00	\$1,350.00
<i>Decorative Flue Extensions — Ducted (No Slots)</i>					
FEXTK3139BL	Black Stainless	10'	—	\$349.00	\$315.00
FEXTK3139SS			Yes	\$349.00	\$315.00
NDK3139	*		Yes	\$109.00	\$99.00
FILTEREB40			Yes	\$74.00	\$67.00
<i>CFM Reducer Kit</i>					
ARP6			Yes	\$39.00	\$36.00

* NDK3139 kit contains charcoal filter (FILTEREB40), air diverter and reducing collar.

Chimney Hoods

Vista (K34 Series)



Available in USA only.

- Available in brushed stainless steel in contemporary low-profile design.
- Two 20 watt halogen bulbs included.
- Quiet, internal blower produces 500 CFM.
- Three-speed pushbutton control.
- Quick-release dishwasher-safe stainless steel and aluminum grease filters.
- Heat Sentry™ detects excessive heat and adjusts blower speed to high automatically.
- Includes ducted/non-ducted telescopic flue for 8' to 9' ceilings.
- Optional ducted or non-ducted flue extensions for 10' ceilings.
- Uses 6" round duct, includes back-draft damper/adaptor.
- Designed to work with optional universal make-up air dampers. Fresh air wall caps are required for make-up air dampers (see pages 32 and 33).

Model No.	Finish	Size	Stock Item	Sugg. List Price	MAP/SRP‡
<i>Range Hood with Internal Blower</i>					
K3490CMSS	Stainless	35-7/16" x 19-11/16"	Yes	\$1,116.00	\$1,005.00
<i>Charcoal Filter (required for recirculating operation)</i>					
FILTERK3490CM		35-7/16"	Yes	\$36.00	\$33.00
<i>Decorative Flue Extension — Ducted (No Slots)</i>					
FEXTK34SS	Stainless	10'	Yes	\$484.00	\$436.00
<i>Decorative Flue Extension — Non-Ducted (With Slots)</i>					
FEXTK34SSN	Stainless	10'	Yes	\$484.00	\$436.00
<i>CFM Reducer Kit</i>					
ARP6			Yes	\$39.00	\$36.00

Forte (WTT32I Series)



- Available in brushed stainless steel.
- 50 watt halogen bulbs (included) provide brilliant lighting; two on the 30" and 36"; three on the 42" and 48" widths.
- Powerful internal 600 CFM (30", 36" or 42") or 1200 CFM (48" only) blower included for a simple "out-of-the-box" solution.
- Four-speed electronic pushbutton control for convenient range of ventilation choices.
- Five minute delay off keeps hood running after cooking to clear smoke and odors.
- Filter clean reminder ensures filters can be cleaned regularly and grease is captured at optimum levels.
- Dishwasher safe stainless steel mesh filters ensure reliable performance (two on 30", 36" and 42"; three on 48").
- Heat Sentry™ detects excessive heat and adjusts blower speed to high automatically.
- Non-duct options for 30", 36" and 42" widths only.
- Telescopic flue accommodates ceiling heights from 8' to 9'.
- Optional flue extension for 10' ceilings.
- Uses 8" round duct with internal 600 CFM blower and 10" round duct with internal 1200 CFM blower.
- Designed to work with optional MD6T, MD8T and MD10T make-up air dampers. Fresh air wall caps are required for make-up air dampers (see pages 32 and 33).

Model No.	Finish	Size	Stock Item	Sugg. List Price	MAP/SRP‡
<i>Range Hoods with Internal Blower</i>					
WTT32I30SB	Stainless	30" x 22"	Yes	\$1,044.00	\$940.00
WTT32I36SB	Stainless	36" x 22"	Yes	\$1,098.00	\$989.00
WTT32I42SB	Stainless	42" x 22"	Yes	\$1,258.00	\$1,133.00
WTT32I48SB	Stainless	48" x 22"	Yes	\$1,668.00	\$1,502.00
<i>Flue Extensions</i>					
AEWTT32SB		30", 36" & 42"	Yes	\$334.00	\$301.00
AEWTT328SB		48"	Yes	\$334.00	\$301.00
<i>Non-Duct Kits</i>					
ANKWTT320		30"	Yes	\$298.00	\$269.00
ANKWTT326		36" & 42"	Yes	\$306.00	\$276.00
<i>Replacement Filters</i>					
AFCWTT32		30"	Yes	\$49.00	\$45.00
		36" & 42"	Yes	\$54.00	\$49.00
<i>Make-Up Air Dampers</i>					
MD6T		6"	Yes	\$141.00	\$127.00
MD8T		8"	Yes	\$156.00	\$141.00
MD10T		10"	Yes	\$254.00	\$229.00
<i>Light Bulbs</i>					
GU10		Box of 10	Yes	\$14.00	\$13.00

‡ Suggested Retail Price

Professional Style Hoods

Classico Poco (UP26M Series) *iQ*



- Professional style, under-cabinet design available in brushed stainless steel.
- 50 watt halogen lighting: 2 bulbs on 30" and 36", 4 bulbs on 42" and 48" (included).
- Double wall construction for easy cleanup.
- Choice of 13 blower options: 5 internal, the quiet iQ6 600 CFM blower or standard high pressure P8, P6, P5 or P3 blowers; 8 external blowers up to 1500 CFM. UP26M30 cannot be used with P8 blower.
- iQ blowers with GPS technology provide up to 2X quieter operation, 30% faster removal of smoke and 22X more energy efficiency.
- Hi-Flow™ baffle filters provide excellent ventilation efficiency.
- New variable speed rotary control with last setting memory.
- Heat Sentry™ detects excessive heat and adjusts blower to high automatically.
- Optional professional style backsplash with built-in holding racks; brushed stainless steel finish.
- Uses 8" round duct for single internal blowers (IQ6, P3, P6) and 10" round for external blowers; includes damper/adapter. All vertical exhaust.
- Uses 3-1/4" x 10" (P5) or 3-1/8" x 14" (P8) duct for blowers. Allows horizontal and vertical exhaust.
- Designed to work with optional universal make-up air dampers. Fresh air wall caps are required for make-up air dampers (see pages 32 and 33).

Model No.	Finish	Size	Stock Item	Sugg. List Price	MAP/SRP‡
<i>Range Hoods for use with Internal or External Blower Options</i>					
UP26M30SB	Stainless	30" x 22"	Yes	\$886.00	\$798.00
UP26M36SB	Stainless	36" x 22"	Yes	\$941.00	\$847.00
UP26M42SB	Stainless	42" x 22"	Yes	\$1,110.00	\$999.00
UP26M48SB	Stainless	48" x 22"	Yes	\$1,153.00	\$1,038.00
<i>Backsplashes</i>					
RMP3004	Stainless	30"	Yes	\$418.00	\$377.00
RMP3604	Stainless	36"	Yes	\$450.00	\$405.00
RMP4204	Stainless	42"	Yes	\$475.00	\$428.00
RMP4804	Stainless	48"	Yes	\$505.00	\$455.00
<i>Internal Blowers</i>					
IQ6	with GPS	600 CFM	Yes	\$744.00	\$670.00
P3		300 CFM	Yes	\$453.00	\$408.00
P5		500 CFM (V&H)	Yes	\$395.00	\$356.00
P6		600 CFM	Yes	\$453.00	\$408.00
P8 (36", 42", 48")		900 CFM (V&H)	Yes	\$716.00	\$645.00
<i>Exterior Blowers</i>					
EB6	All items are Brushed Stainless	600 CFM	Yes	\$632.00	\$569.00
EB9		900 CFM	Yes	\$751.00	\$676.00
EB12		1200 CFM	Yes	\$1,015.00	\$914.00
EB15		1500 CFM	Yes	\$1,265.00	\$1,139.00
<i>In-Line Blowers</i>					
ILB3	All items are Galvanized	280 CFM	Yes	\$403.00	\$363.00
ILB6		600 CFM	Yes	\$632.00	\$569.00
ILB9		800 CFM	Yes	\$813.00	\$732.00
ILB11		1100 CFM	Yes	\$960.00	\$864.00
<i>Light Bulbs</i>					
GU10 ▲			Yes	\$14.00	\$13.00

▲ Price reflects the individual item cost.

Professional Style Hoods

Centro Poco (UP27M Series) *iQ*



Available in USA only.

- Contemporary professional style, under-cabinet design available in brushed stainless steel; 304 welded seamless construction.
- 50 watt halogen lighting: 2 bulbs on 30" and 36"; 4 bulbs on 42" and 48" (included).
- Choice of 11 blower options: 3 internal, the quiet iQ6 600 CFM blower or standard high pressure P6 600 CFM and P3 300 CFM blowers; 8 external blowers up to 1500 CFM.
- iQ blowers with GPS technology provide up to 2X quieter operation, 30% faster removal of smoke and 22X more energy efficiency.
- Hi-Flow™ baffle filters provide excellent ventilation efficiency.
- Variable speed rotary control with last setting memory.
- Heat Sentry™ detects excessive heat and adjusts blower to high automatically.
- Uses 8" round duct for single internal blowers (iQ6, P3, P6) and 10" round for external blowers; includes damper/adapter. All vertical exhaust.
- Optional non-ducted recirculation kit, includes 2-1/4" tall slotted soffit cover and 3 charcoal filters.
- Designed to work with optional universal make-up air dampers. Fresh air wall caps are required for make-up air dampers (see pages 32 and 33).

Model No.	Finish	Size	Stock Item	Sugg. List Price	MAP/SRP‡
<i>Range Hoods for use with Internal or External Blower Options</i>					
UP27M30SB	Stainless	30" x 22"	Yes	\$1,644.00	\$1,480.00
UP27M36SB	Stainless	36" x 22"	Yes	\$1,717.00	\$1,546.00
UP27M42SB	Stainless	42" x 22"	Yes	\$1,852.00	\$1,667.00
UP27M48SB	Stainless	48" x 22"	Yes	\$1,964.00	\$1,768.00
<i>Non-Duct Kits</i>					
ANKUP302RSB	Stainless	30"	Yes	\$359.00	\$324.00
ANKUP362RSB	Stainless	36"	Yes	\$393.00	\$354.00
ANKUP422RSB	Stainless	42"	Yes	\$429.00	\$387.00
ANKUP482RSB	Stainless	48"	Yes	\$466.00	\$420.00
<i>Replacement Charcoal Filter</i>					
AFCROUND2			Yes	\$88.00	\$80.00
<i>Internal Blowers</i>					
iQ6	with GPS	600 CFM	Yes	\$744.00	\$670.00
P3		300 CFM	Yes	\$453.00	\$408.00
P6		600 CFM	Yes	\$453.00	\$408.00
<i>Exterior Blowers</i>					
EB6	All items are Brushed Stainless	600 CFM	Yes	\$632.00	\$569.00
EB9		900 CFM	Yes	\$751.00	\$676.00
EB12		1200 CFM	Yes	\$1,015.00	\$914.00
EB15		1500 CFM	Yes	\$1,265.00	\$1,139.00
<i>In-Line Blowers</i>					
ILB3	All items are Galvanized	280 CFM	Yes	\$403.00	\$363.00
ILB6		600 CFM	Yes	\$632.00	\$569.00
ILB9		800 CFM	Yes	\$813.00	\$732.00
ILB11		1100 CFM	Yes	\$960.00	\$864.00
<i>Light Bulbs</i>					
GU10 ▲			Yes	\$14.00	\$13.00

▲ Price reflects the individual item cost.

Professional Style Hoods

Classico (WP28M Series)



- Professional style, 18" wall mounted design available in brushed stainless steel.
- Double wall construction for easy cleanup.
- 50 watt halogen lighting; 2 bulbs on 30" and 36" or 4 bulbs in all other sizes (included).
- Choice of 13 blower options: 5 internal, the quiet iQ6 600 CFM and iQ12 1200 CFM blowers or standard high pressure P3 300 CFM and P6 600 CFM and P12 1200 CFM or 8 external blowers up to 1500 CFM.
- iQ blower with GPS technology provide up to 2X quieter operation, 30% faster removal of smoke and 22X more energy efficiency.
- Hi-Flow™ baffle filters provide excellent ventilation efficiency.
- New variable speed rotary control with last setting memory.
- Heat Sentry™ detects excessive heat and adjusts blower to high automatically.
- Optional decorative soffit flue adds 12" to the top height of hood.
- Optional professional style backsplash with built-in holding racks, brushed stainless steel finish.
- Uses 8" round (iQ6, P3, P6) or 10" round (iQ12, P12) duct with internal blowers, 10" round with external blowers; damper adapter included. Allows horizontal and vertical exhaust.
- Designed to work with optional universal make-up air dampers. Fresh air wall caps are required for make-up air dampers (see pages 32 and 33).

Model No.	Finish	Size	Stock Item	Sugg. List Price	MAP/SRP‡
<i>Range Hoods for use with Internal or External Blower Options</i>					
WP28M30SB	Stainless	30" x 24"	Yes	\$1,170.00	\$1,053.00
WP28M36SB	Stainless	36" x 24"	Yes	\$1,294.00	\$1,165.00
WP28M42SB	Stainless	42" x 24"	Yes	\$1,405.00	\$1,265.00
WP28M48SB	Stainless	48" x 24"	Yes	\$1,457.00	\$1,312.00
WP28M54SB	Stainless	54" x 24"	Yes	\$1,571.00	\$1,414.00
WP28M60SB	Stainless	60" x 24"	Yes	\$1,878.00	\$1,691.00
<i>Decorative Soffit Flues</i>					
AEWP28302SB	Stainless	30"	Yes	\$276.00	\$249.00
AEWP28362SB	Stainless	36"	Yes	\$281.00	\$253.00
AEWP28422SB	Stainless	42"	Yes	\$303.00	\$273.00
AEWP28482SB	Stainless	48"	Yes	\$325.00	\$293.00
AEWP28542SB	Stainless	54"	Yes	\$347.00	\$313.00
AEWP28602SB	Stainless	60"	Yes	\$405.00	\$365.00
<i>Backsplashes</i>					
RMP3004	Stainless	30"	Yes	\$418.00	\$377.00
RMP3604	Stainless	36"	Yes	\$450.00	\$405.00
RMP4204	Stainless	42"	Yes	\$475.00	\$428.00
RMP4804	Stainless	48"	Yes	\$505.00	\$455.00
RMP5404	Stainless	54"	Yes	\$539.00	\$486.00
RMP6004	Stainless	60"	Yes	\$569.00	\$513.00
<i>Internal Blowers</i>					
iQ6	with GPS	600 CFM	Yes	\$744.00	\$670.00
iQ12	with GPS	1200 CFM	Yes	\$1,111.00	\$1,000.00
P3		300 CFM	Yes	\$453.00	\$408.00
P6		600 CFM	Yes	\$453.00	\$408.00
P12		1200 CFM	Yes	\$702.00	\$632.00
<i>Exterior Blowers</i>					
EB6	All items are	600 CFM	Yes	\$632.00	\$569.00
EB9	Brushed	900 CFM	Yes	\$751.00	\$676.00
EB12	Stainless	1200 CFM	Yes	\$1,015.00	\$914.00
EB15		1500 CFM	Yes	\$1,265.00	\$1,139.00
<i>In-Line Blowers</i>					
ILB3	All items are	280 CFM	Yes	\$403.00	\$363.00
ILB6	Galvanized	600 CFM	Yes	\$632.00	\$569.00
ILB9		800 CFM	Yes	\$813.00	\$732.00
ILB11		1100 CFM	Yes	\$960.00	\$864.00
<i>Light Bulbs</i>					
GU10 ▲			Yes	\$14.00	\$13.00

▲ Price reflects the individual item cost.

Professional Style Hoods

Centro (WP29M Series)



Available in USA only.

- Professional-style with contemporary flair, 18" wall mounted design; 304 stainless steel welded seamless construction.
- 50 watt halogen lighting with variable level rotary control and last setting memory (4 bulbs 30" – 42", 6 bulbs 48" – 60") (included).
- Choice of 13 blower options: 5 internal, the quiet iQ6 600 CFM and iQ12 1200 CFM blowers or standard high pressure P3 300 CFM, P6 600 CFM and P12 1200 CFM or 8 external blowers up to 1500 CFM.
- iQ blowers with GPS technology provide up to 2X quieter operation, 30% faster removal of smoke and 22X more energy efficiency.
- Hi-Flow™ baffle filters provide excellent ventilation efficiency.
- Variable speed control with last setting memory.
- Heat Sentry™ detects excessive heat and adjusts blower to high automatically.
- Optional decorative soffit flue adds 6" or 12" to the top height of hood.
- Uses 8" round (iQ6, P3, P6) or 10" round (iQ12, P12) duct with internal blowers, 10" round with external blowers, damper adapter included. Allows horizontal and vertical exhaust.
- Designed to work with optional universal make-up air dampers. Fresh air wall caps are required for make-up air dampers (see pages 32 and 33).

Model No.	Finish	Size	Stock Item	Sugg. List Price	MAP/SRP‡
<i>Range Hoods for use with Internal or External Blower options</i>					
WP29M304SB	Stainless	30" x 24"	Yes	\$2,059.00	\$1,854.00
WP29M364SB	Stainless	36" x 24"	Yes	\$2,184.00	\$1,966.00
WP29M424SB	Stainless	42" x 24"	Yes	\$2,387.00	\$2,149.00
WP29M484SB	Stainless	48" x 24"	Yes	\$2,622.00	\$2,360.00
WP29M544SB	Stainless	54" x 24"	Yes	\$2,858.00	\$2,573.00
WP29M604SB	Stainless	60" x 24"	Yes	\$3,153.00	\$2,838.00
<i>Non-Duct Kits</i>					
ANKWP306RSB	Stainless	30"	Yes	\$373.00	\$336.00
ANKWP366RSB	Stainless	36"	Yes	\$410.00	\$369.00
ANKWP426RSB	Stainless	42"	Yes	\$448.00	\$404.00
ANKWP486RSB	Stainless	48"	Yes	\$484.00	\$436.00
<i>Charcoal Filter Replacements</i>					
AFCROUND2			Yes	\$88.00	\$80.00
<i>Decorative Soffit Flues (6")</i>					
AERP306SB	Stainless	30"	Yes	\$188.00	\$170.00
AERP366SB	Stainless	36"	Yes	\$214.00	\$193.00
AERP426SB	Stainless	42"	Yes	\$236.00	\$213.00
AERP486SB	Stainless	48"	Yes	\$262.00	\$236.00
AERP546SB	Stainless	54"	Yes	\$286.00	\$258.00
AERP606SB	Stainless	60"	Yes	\$312.00	\$281.00
<i>Decorative Soffit Flues (12")</i>					
AERP302SB	Stainless	30"	Yes	\$312.00	\$281.00
AERP362SB	Stainless	36"	Yes	\$337.00	\$304.00
AERP422SB	Stainless	42"	Yes	\$362.00	\$326.00
AERP482SB	Stainless	48"	Yes	\$386.00	\$348.00
AERP542SB	Stainless	54"	Yes	\$410.00	\$369.00
AERP602SB	Stainless	60"	Yes	\$435.00	\$392.00
<i>Internal Blowers</i>					
iQ6	with GPS	600 CFM	Yes	\$744.00	\$670.00
iQ12	with GPS	1200 CFM	Yes	\$1,111.00	\$1,000.00
P3		300 CFM	Yes	\$453.00	\$408.00
P6		600 CFM	Yes	\$453.00	\$408.00
P12		1200 CFM	Yes	\$702.00	\$632.00
<i>Exterior Blowers</i>					
EB6	All items are Brushed Aluminum	600 CFM	Yes	\$632.00	\$569.00
EB9		900 CFM	Yes	\$751.00	\$676.00
EB12		1200 CFM	Yes	\$1,015.00	\$914.00
EB15		1500 CFM	Yes	\$1,265.00	\$1,139.00
<i>In-Line Blowers</i>					
ILB3	All items are Galvanized	280 CFM	Yes	\$403.00	\$363.00
ILB6		600 CFM	Yes	\$632.00	\$569.00
ILB9		800 CFM	Yes	\$813.00	\$732.00
ILB11		1100 CFM	Yes	\$960.00	\$864.00
<i>Light Bulbs</i>					
GU10 ▲		Box of 10	Yes	\$14.00	\$13.00

▲ Price reflects the individual item or pack cost.

Professional Style Hoods

Monarch (WPD38I Series – Outdoor)



- Constructed of corrosion resistant brushed stainless steel.
- Professional-style, deep 27" design.
- 50 watt halogen lighting (bulbs included): (2) in 36", (3) in 48" and 60".
- SuperPro™ 1200 internal blower for powerful and quiet operation (included).
- 304 Stainless Steel baffle filters.
- Four-speed rotary controls with illuminated on/off switch.
- Heat Sentry™ detects excessive heat and adjusts blower to high automatically.
- Ducted installation uses 10" round duct.
- Optional flue covers for standard or extended depth installations for 8', 9' and 10' ceilings. Also telescopic version for 10' to 12' ceilings.
- Optional backsplash for 36" and 48" models.
- Designed to work with optional universal make-up air dampers. Fresh air wall caps are required for make-up air dampers (see pages 32 and 33).

Model No.	Finish	Size	Stock Item	Sugg. List Price	MAP/SRP‡
<i>Range Hoods with Internal Blower</i>					
WPD38I36SB	Stainless	36" x 27"	Yes	\$1,802.00	\$1,622.00
WPD38I48SB	Stainless	48" x 27"	Yes	\$2,033.00	\$1,830.00
WPD38I60SB	Stainless	60" x 27"	Yes	\$2,267.00	\$2,041.00
<i>Decorative Flue Covers (Standard 27" Depth)</i>					
AEWPD36SB	Stainless	6" (H)	Yes	\$130.00	\$117.00
AEWPD318SB	Stainless	18" (H)	Yes	\$223.00	\$201.00
AEWPD330SB	Stainless	30" (H)	Yes	\$291.00	\$262.00
AEWPD3054SB	Stainless	30" - 54"	Yes	\$586.00	\$528.00
<i>Decorative Flue Covers (Extended 30" Depth)</i>					
AEWPD36SBE	Stainless	6" (H)	Yes	\$141.00	\$127.00
AEWPD318SBE	Stainless	18" (H)	Yes	\$234.00	\$211.00
AEWPD330SBE	Stainless	30" (H)	Yes	\$304.00	\$274.00
AEWPD3054SBE	Stainless	30" - 54"	Yes	\$607.00	\$547.00
<i>Wall Extensions (Provide 30" Depth)</i>					
AWWPD336SB	Stainless	36"	Yes	\$291.00	\$262.00
AWWPD348SB	Stainless	48"	Yes	\$326.00	\$294.00
AWWPD360SB	Stainless	60"	Yes	\$362.00	\$326.00
<i>Backsplashes</i>					
ABWPD36SB	Corrosion Resistant	36"	Yes	\$636.00	\$573.00
ABWPD48SB	Stainless	48"	Yes	\$725.00	\$653.00
<i>Light Bulbs</i>					
GU10 ▲		Box of 10	Yes	\$14.00	\$13.00

▲ Price reflects the individual item cost.

Emperor (WPD39M Series – Premium Outdoor)



Available in USA only.

- Constructed of corrosion resistant brushed stainless steel.
- Professional-style, deep 30" design.
- 50 watt halogen lighting (bulbs included): (2) in 36", (3) in 48" and 60".
- Choice of internal or external blowers for powerful and quiet operation (purchased separately).
- 304 Stainless Steel baffle filters with handles.
- Special non-stick surface on filter grease rails and removable grease tray for easy clean-up.
- Variable speed rotary controls with separate on/off switch for last setting memory.
- Heat Sentry™ detects excessive heat and adjusts blower to high automatically.
- Ducted installation uses 10" round duct.
- Optional flue covers for standard or extended depth installations for 8', 9' and 10' ceilings. Also telescopic version for 10' to 12' ceilings.
- Optional backsplash for 36" and 48" models.
- 10" round duct with internal 1200 CFM blower or external blowers.
- Designed to work with optional universal make-up air dampers. Fresh air wall caps are required for make-up air dampers (see pages 32 and 33).

Model No.	Finish	Size	Stock Item	Sugg. List Price	MAP/SRP‡
<i>Range Hood Shells</i>					
WPD39M36SB	Stainless	36" x 30"	Yes	\$1,754.00	\$1,579.00
WPD39M48SB	Stainless	48" x 30"	Yes	\$1,976.00	\$1,779.00
WPD39M60SB	Stainless	60" x 30"	Yes	\$2,208.00	\$1,988.00
<i>Decorative Flue Covers (Standard 30" Depth)</i>					
AEWPD36SB	Stainless	6" (H)	Yes	\$130.00	\$117.00
AEWPD318SB	Stainless	18" (H)	Yes	\$223.00	\$201.00
AEWPD330SB	Stainless	30" (H)	Yes	\$291.00	\$262.00
AEWPD3054SB	Stainless	30" - 54"	Yes	\$586.00	\$528.00
<i>Decorative Flue Covers (Extended 33" Depth)</i>					
AEWPD36SBE	Stainless	6" (H)	Yes	\$141.00	\$127.00
AEWPD318SBE	Stainless	18" (H)	Yes	\$234.00	\$211.00
AEWPD330SBE	Stainless	30" (H)	Yes	\$304.00	\$274.00
AEWPD3054SBE	Stainless	30" - 54"	Yes	\$607.00	\$547.00
<i>Wall Extensions (Provide 33" Depth)</i>					
AWWPD336SB	Stainless	36"	Yes	\$291.00	\$262.00
AWWPD348SB	Stainless	48"	Yes	\$326.00	\$294.00
AWWPD360SB	Stainless	60"	Yes	\$362.00	\$326.00
<i>Internal Blower</i>					
P12		1200 CFM	Yes	\$702.00	\$632.00
<i>Exterior Blowers</i>					
EB12	Brushed Aluminum	1200 CFM	Yes	\$1,015.00	\$914.00
EB15		1500 CFM	Yes	\$1,265.00	\$1,139.00
<i>In-Line Blower</i>					
ILB11	Galvanized	1100 CFM	Yes	\$960.00	\$864.00
<i>Backsplashes</i>					
ABWPD36SB	Corrosion Resistant Stainless	36"	Yes	\$636.00	\$573.00
ABWPD48SB		48"	Yes	\$725.00	\$653.00
<i>Light Bulbs</i>					
GU10 ▲		Box of 10	Yes	\$14.00	\$13.00

▲ Price reflects the individual item cost.

Built-In Hoods

Potenza (CP5 Series) *iQ*



- Available in stainless steel finish.
- LED lighting provides bright, clean, energy efficient light over the cooktop (2 lamps on 36", 42" and 48"; 4 lamps on 54", 60" and 66") (included).
- Choice of quiet iQ6 600 CFM and iQ12 1200 CFM blower options or external blower options.
- iQ blower with GPS technology provides up to 2X quieter operation, 30% faster removal of smoke and 22X more energy efficiency.
- Recirculation option available on CP55IQ only.
- Hi-Flow™ baffle filters provide excellent ventilation efficiency.
- Three-speed plus boost electronic controls with delay-off and filter clean reminder; optional remote control (ACR3).
- HeatSentry™ detects excessive heat and adjusts blower to high automatically.
- Designed to work with optional universal make-up air dampers. Fresh air wall caps are required for make-up air dampers (see pages 32 and 33).

Model No.	Finish	Size	Stock Item	Sugg. List Price	MAP/SRP‡
<i>Range Hoods with Internal iQ6 Blower</i>					
CP55IQ369SB	Stainless	34-3/8" x 19-1/4" x 11"	Yes	\$1,819.00	\$1,638.00
CP55IQ429SB	Stainless	40-3/8" x 19-1/4" x 11"	Yes	\$1,986.00	\$1,788.00
<i>Range Hoods with Internal iQ12 Blower</i>					
CP57IQ369SB	Stainless	34-3/8" x 19-1/4" x 11"	Yes	\$2,196.00	\$1,977.00
CP57IQ489SB	Stainless	46-3/8" x 19-1/4" x 11"	Yes	\$2,311.00	\$2,080.00
CP57IQ482SB	Stainless	46-3/8" x 22-1/2" x 11"	Yes	\$2,363.00	\$2,127.00
CP57IQ542SB	Stainless	52-3/8" x 22-1/2" x 11"	Yes	\$2,708.00	\$2,438.00
CP57IQ602SB	Stainless	58-3/8" x 22-1/2" x 11"	Yes	\$2,823.00	\$2,541.00
CP57IQ662SB	Stainless	64-3/8" x 22-1/2" x 11"	Yes	\$3,032.00	\$2,729.00
<i>Range Hoods with External Blower</i>					
CP57E362SB	Stainless	34-3/8" x 22-1/2" x 11"	Yes	\$1,391.00	\$1,252.00
CP57E482SB	Stainless	46-3/8" x 22-1/2" x 11"	Yes	\$1,600.00	\$1,440.00
CP57E602SB	Stainless	58-3/8" x 22-1/2" x 11"	Yes	\$1,893.00	\$1,704.00
<i>Non-Duct Kit</i>					
ANKCP55			Yes	\$167.00	\$151.00
<i>Replacement Charcoal Filter</i>					
AFCROUND2			Yes	\$88.00	\$80.00
<i>Exterior Blowers</i>					
EB6	All items are	600 CFM	Yes	\$632.00	\$569.00
EB9	Brushed	900 CFM	Yes	\$751.00	\$676.00
EB12	Stainless	1200 CFM	Yes	\$1,015.00	\$914.00
EB15		1500 CFM	Yes	\$1,265.00	\$1,139.00
<i>In-Line Blowers</i>					
ILB3	All items are	280 CFM	Yes	\$403.00	\$363.00
ILB6	Galvanized	600 CFM	Yes	\$632.00	\$569.00
ILB9		800 CFM	Yes	\$813.00	\$732.00
ILB11		1100 CFM	Yes	\$960.00	\$864.00
<i>Remote Control</i>					
ACR3			Yes	\$84.00	\$76.00

‡ Suggested Retail Price

Built-In Hoods

Coperto (CP3 Series)



Available in USA only.

- Available in brushed stainless steel.
- Two 50 watt halogen bulbs included.
- Choice of models with 290, 600 or 1200 CFM internal blowers (see chart).
- Dishwasher-safe baffle filter with handles.
- Variable speed control with last setting memory.
- Heat Sentry detects excessive heat and adjusts blower to high automatically.
- 8" or 10" round duct connector with backdraft damper. CP34 and CP35 use 8" and CP37 uses 10".
- Designed to work with optional universal make-up air dampers. Fresh air wall caps are required for make-up air dampers (see pages 32 and 33).

Model No.	Finish	Size	Stock Item	Sugg. List Price	MAP/SRP‡
<i>Range Hoods with 290 CFM Internal Blower</i>					
CP34I309SB	Stainless	28-3/8" x 19-1/4" x 11"	Yes	\$1,088.00	\$980.00
CP34I369SB	Stainless	34-3/8" x 19-1/4" x 11"	Yes	\$1,138.00	\$1,025.00
CP34I429SB	Stainless	40-3/8" x 19-1/4" x 11"	Yes	\$1,226.00	\$1,104.00
<i>Range Hoods with 600 CFM Internal Blower</i>					
CP35I309SB	Stainless	28-3/8" x 19-1/4" x 11"	Yes	\$1,088.00	\$980.00
CP35I369SB	Stainless	34-3/8" x 19-1/4" x 11"	Yes	\$1,138.00	\$1,025.00
CP35I429SB	Stainless	40-3/8" x 19-1/4" x 11"	Yes	\$1,226.00	\$1,104.00
<i>Range Hoods with 1200 CFM Internal Blower</i>					
CP37I482SB	Stainless	46-3/8" x 22-1/2" x 11"	Yes	\$1,742.00	\$1,568.00
<i>Light Bulbs</i>					
GU10 ▲		Box of 10	Yes	\$14.00	\$13.00
<i>CFM Reducer Kit</i>					
ARP8			Yes	\$40.00	\$36.00

▲ Price reflects the individual item cost.

Manto (PIK Pro-Insert)



- Professional style look and performance for custom hoods, finished in brushed stainless steel.
- 50 watt halogen bulbs included (two lamps in 33-3/4", three lamps in 45-3/4").
- Polished light-trim rings provide attractive detail.
- Choose from ten blower options, two internal (460 or 850 CFM vertical), four exterior (600 CFM, 900 CFM, 1200 CFM, or 1500 CFM) or four in-line (280 CFM, 600 CFM, 800 CFM or 1100 CFM) to provide the best in Quiet and HVI certified performance.
- Includes stainless steel baffle filters.
- Variable speed slide control.
- Heat Sentry™ detects excessive heat and adjusts blower to high automatically.
- Optional remote wall control (WCPI) for speed and light operation.
- Optional stainless steel liners to protect cabinetry for standard widths 36", 42", 48" and 60", provides adjustable depth from 22.5" to 25.5" to fit stock 24" cabinets. Optional ambient light panel (ALP) can be added to Best liners.
- Uses 3-1/4" x 10" or 3-1/4" x 14" duct w/internal blowers, 10" round w/external blowers, includes damper/adaptor.
- Designed to work with optional universal make-up air dampers. Fresh air wall caps are required for make-up air dampers (see pages 32 and 33).

Model No.	Finish	Size	Stock Item	Sugg. List Price	MAP/SRP‡
<i>Inserts for Custom Hoods</i>					
PIK33	Stainless	33-3/4" x 18-7/16" x 11-1/2"	Yes	\$851.00	\$766.00
PIK45	Stainless	45-3/4" x 18-7/16" x 11-1/2"	Yes	\$1,002.00	\$902.00
<i>Liners</i>					
L3336S (For PIK33)	Stainless	36"	Yes	\$262.00	\$236.00
L3342S (For PIK33)	Stainless	42"	Yes	\$277.00	\$250.00
L4548S (For PIK45)	Stainless	48"	Yes	\$292.00	\$263.00
L4554S (For PIK45)	Stainless	54"	Yes	\$308.00	\$278.00
L4560S (For PIK45)	Stainless	60"	Yes	\$323.00	\$291.00
<i>Ambient Light Panels</i>					
ALP36 (For L3336S)	Stainless	36"	Yes	\$268.00	\$242.00
ALP42 (For L3342S)	Stainless	42"	Yes	\$282.00	\$254.00
ALP48 (For L4548S)	Stainless	48"	Yes	\$345.00	\$311.00
ALP54 (For L4554S)	Stainless	54"	Yes	\$362.00	\$326.00
ALP60 (For L4560S)	Stainless	60"	Yes	\$376.00	\$339.00
<i>Wall-Mounted Remote Control</i>					
WCPI	Stainless		Yes	\$116.00	\$105.00
<i>Interior Blowers</i>					
P5		460 CFM (V)	Yes	\$395.00	\$356.00
P8		850 CFM (V)	Yes	\$716.00	\$645.00
<i>Exterior Blowers</i>					
EB6	All items are Brushed Aluminum	600 CFM	Yes	\$632.00	\$569.00
EB9		900 CFM	Yes	\$751.00	\$676.00
EB12		1200 CFM	Yes	\$1,015.00	\$914.00
EB15		1500 CFM	Yes	\$1,265.00	\$1,139.00
<i>In-Line Blowers</i>					
ILB3	All items are Galvanized	280 CFM	Yes	\$403.00	\$363.00
ILB6		600 CFM	Yes	\$632.00	\$569.00
ILB9		800 CFM	Yes	\$813.00	\$732.00
ILB11		1100 CFM	Yes	\$960.00	\$864.00
<i>Light Bulbs</i>					
GU10 ▲		Box of 10	Yes	\$14.00	\$13.00
<i>CFM Reducer Kit</i>					
ARP310 *			Yes	\$39.00	\$36.00

▲ Price reflects the individual item cost.

* Compatible with the P5 internal blower only.

Built-In Hoods

Proprio (CPD Series – Outdoor)



Available in USA only.

- Constructed of corrosion resistant brushed stainless steel. UL listed for use in damp locations.
- Professional-style, deep 22.5" design.
- Integrated liner simplifies installation for a finished look.
- 50 watt halogen bulbs included (two lamps in 36", three in 48" and 60").
- Internal 1200 CFM blower for powerful operation (included).
- Three-speed rotary controls.
- Heat Sentry™ detects excessive heat and adjusts blower to high automatically.
- Ducted installation uses 10" round duct.
- Designed to work with optional universal make-up air dampers. Fresh air wall caps are required for make-up air dampers (see pages 32 and 33).

Model No.	Finish	Size	Stock Item	Sugg. List Price	MAP/SRP‡
<i>Range Hoods with Internal Blower</i>					
CPDI362SB	Stainless	34-3/8" x 22-1/2" x 12"	Yes	\$1,412.00	\$1,271.00
CPDI482SB	Stainless	46-3/8" x 22-1/2" x 12"	Yes	\$1,621.00	\$1,459.00
CPDI602SB	Stainless	58-7/8" x 22-1/2" x 12"	Yes	\$2,039.00	\$1,836.00
<i>Light Bulbs</i>					
GU10 ▲		Box of 10	Yes	\$14.00	\$13.00

▲ Price reflects the individual item cost.

Velato (P195P Series)



- Constructed of brushed standard grade stainless steel.
- Perimeter induction maximizes the flow at the hood edge along with giving it a clean filterless look.
- Two 20 watt halogen bulbs included.
- Choice of internal 600 CFM (P195P1M52 or P195P1M70) or 1200 CFM (P195P2M70) blowers.
- Optional recirculating filters for non-ducted operation (only for P1951).
- Four-speed, electronic pushbutton controls with digital display with delay off and filter clean reminder. Optional remote control (ACR3).
- Heat Sentry™ detects excessive heat and adjusts blower to high automatically.
- Optional stainless steel liners to protect cabinetry for standard widths 30", 36" and 48", provides adjustable depth from 17.5" to 20.5".
- Ducted installation uses 6" round for the 1M models and 8" round for the 2M model.
- Designed to work with optional make-up air dampers MD6T, MD8T and MD10T. Fresh air wall caps are required for make-up air dampers (see pages 32 and 33).

Model No.	Finish	Size	Stock Item	Sugg. List Price	MAP/SRP‡
<i>Range Hoods with Internal Blower</i>					
P195P1M52SB6	Stainless	21-3/16" x 11-1/8" x 10-5/8"	Yes	\$854.00	\$769.00
P195P1M70SB6	Stainless	28-5/16" x 11-1/8" x 10-5/8"	Yes	\$914.00	\$823.00
P195P2M70SB	Stainless	28-5/16" x 11-1/8" x 10-5/8"	Yes	\$1,098.00	\$989.00
<i>Liners</i>					
L5230 (For P195P1M52)	Stainless	30"	Yes	\$228.00	\$206.00
L7036 (For P195P__M70)	Stainless	36"	Yes	\$262.00	\$236.00
L7048 (For P195P__M70)	Stainless	48"	Yes	\$292.00	\$263.00
<i>Ambient Light Panels</i>					
ALP30 (For L5230)	Stainless	30"	Yes	\$251.00	\$226.00
ALP36 (For L7036)	Stainless	36"	Yes	\$268.00	\$242.00
ALP48 (For L7048)	Stainless	48"	Yes	\$345.00	\$311.00
<i>Make-Up Air Dampers</i>					
MD6T		6"	Yes	\$141.00	\$127.00
MD8T		8"	Yes	\$156.00	\$141.00
MD10T		10"	Yes	\$254.00	\$229.00
<i>Recirculating Filter (for non-ducted operation)</i>					
AFCP195P52 (For 21-3/16")			Yes	\$20.00	\$18.00
AFCP195P70 (For 28-5/16")			Yes	\$21.00	\$19.00
<i>Remote Control</i>					
ACR3			Yes	\$84.00	\$76.00

‡ Suggested Retail Price

Built-In Hoods

Sopra (P195ES Series)



- Available in brushed stainless steel.
- Flush under cabinet design fits flush to custom cabinet or can be used with optional BEST liners to protect cabinetry.
- ENERGY STAR® rated for optimum energy savings in ducted applications.
- Two 13 watt fluorescent bulbs provide economical, energy-saving lighting (included).
- Efficient internal blower for quiet, dependable operation.
 - 290 CFM, 5.0 Sones (0.5 Sones normal) on P195ES52SB
 - 370 CFM, 5.0 Sones (0.3 Sones normal) on P195ES70SB
- Aluminum mesh filters effectively capture grease and are dishwasher-safe.
- Variable three-speed slider control for convenient range of ventilation choices.
- Heat Sentry™ detects excessive heat and adjusts blower speed to high automatically.
- Recirculation filters available for installations where ducting outdoors is not possible. Please note, recirculation installations will not meet ENERGY STAR® requirements.
- Uses 6" duct on P195ES52SB and 8" duct on P195ES70SB. Includes backdraft damper/adaptor.
- Will work with optional universal make-up dampers. Fresh air wall caps are required for make-up air dampers (see pages 32 and 33).

Model No.	Finish	Size	Stock Item	Sugg. List Price	MAP/SRP‡
<i>Range Hoods with Internal Blower</i>					
P195ES52SB	Stainless	20-1/2" x 11-1/4" x 9-5/8"	Yes	\$575.00	\$518.00
P195ES70SB	Stainless	27-1/2" x 11-1/4" x 9-5/8"	Yes	\$617.00	\$556.00
<i>Liners</i>					
L5230	Stainless	30"	Yes	\$228.00	\$206.00
L7030	Stainless	30"	Yes	\$228.00	\$206.00
L7036	Stainless	36"	Yes	\$262.00	\$236.00
L7048	Stainless	48"	Yes	\$292.00	\$263.00
<i>Ambient Light Panels</i>					
ALP30 (For L5230, L7030)	Stainless	30"	Yes	\$251.00	\$226.00
ALP36 (For L7036)	Stainless	36"	Yes	\$268.00	\$242.00
ALP48 (For L7048)	Stainless	48"	Yes	\$345.00	\$311.00
<i>Non-Ducted Filters*</i>					
FILTEREB40		for P195ES52SB	Yes	\$74.00	\$67.00
ROUNDFILTER		for P195ES70SB	Yes	\$77.00	\$70.00

* Please note, recirculation installations will not meet ENERGY STAR® requirements.

Built-In Hoods

Celato (PK22 Series)



- Available in brushed stainless steel.
- Under cabinet design fits flush to custom cabinet or can be used with optional BEST liners to protect cabinetry.
- Two 50 watt halogen bulbs included; three bulbs on 45".
- Powerful internal iQ12 1200 CFM Blower System™, driven by Guaranteed Performance System (GPS) Technology runs up to 2X quieter, clears smoke and odors up to 30% faster and is up to 22X more energy efficient than competitive blowers in its class.
- External (EX) versions for a choice exterior or in-line blowers from 260 to 1500 CFM.
- Hybrid stainless steel baffle and aluminum mesh filters provide quieter operation and capture grease more effectively than typical baffle filters; dishwasher safe.
- Four-speed LED pushbutton control for convenient range of ventilation choices. Optional remote control (ACR3).
- 10 minute delay-off keeps hood running after cooking to clear smoke and odors.
- Filter clean reminder ensures filters can be cleaned regularly and grease is captured at optimum levels.
- Heat Sentry™ detects excessive heat and adjusts blower speed to high automatically.
- Uses 10" duct. Optional 8" reducer (472). Note: May not calibrate when using reducer.
- Designed to work with optional MD6TU, MD8TU and MD10TU universal make-up air dampers. Fresh air wall caps are required for make-up air dampers (see pages 32 and 33).

Model No.	Finish	Size	Stock Item	Sugg. List Price	MAP/ SRP‡
<i>Range Hoods with Internal Blower</i>					
PK2230	Stainless	27-3/4" x 15-7/16" x 11	Yes	\$1,453.00	\$1,308.00
PK2239	Stainless	36-1/2" x 15-7/16" x 11	Yes	\$1,586.00	\$1,428.00
PK2245	Stainless	43-7/16" x 15-7/16" x 11	Yes	\$1,743.00	\$1,569.00
<i>Range Hoods for use with External Blower option</i>					
PKEX2239	Stainless	36-1/2" x 15-7/16" x 11	Yes	\$1,020.00	\$918.00
PKEX2245	Stainless	43-7/16" x 15-7/16" x 11	Yes	\$1,203.00	\$1,083.00
<i>Liners</i>					
AL3036 (For PK2230)	Stainless	36"	Yes	\$287.00	\$259.00
AL3042 (For PK2230)	Stainless	42"	Yes	\$303.00	\$273.00
AL3948 (For PK2239)	Stainless	48"	Yes	\$325.00	\$293.00
AL3954 (For PK2239)	Stainless	54"	Yes	\$338.00	\$305.00
AL4554 (For PK2245)	Stainless	54"	Yes	\$338.00	\$305.00
AL4560 (For PK2245)	Stainless	60"	Yes	\$356.00	\$321.00
<i>Ambient Light Panels</i>					
ALP36 (For AL3036)	Stainless	36"	Yes	\$268.00	\$242.00
ALP42 (For AL3042)	Stainless	42"	Yes	\$282.00	\$254.00
ALP48 (For AL3948)	Stainless	48"	Yes	\$345.00	\$311.00
ALP54 (For AL3954 and AL4554)	Stainless	54"	Yes	\$362.00	\$326.00
ALP60 (For AL4560)	Stainless	60"	Yes	\$376.00	\$339.00
<i>Exterior Blowers</i>					
EB6	All items are Brushed Aluminum	600 CFM	Yes	\$632.00	\$569.00
EB9		900 CFM	Yes	\$751.00	\$676.00
EB12		1200 CFM	Yes	\$1,015.00	\$914.00
EB15		1500 CFM	Yes	\$1,265.00	\$1,139.00
<i>In-Line Blowers</i>					
ILB3	All items are Galvanized	280 CFM	Yes	\$403.00	\$363.00
ILB6		600 CFM	Yes	\$632.00	\$569.00
ILB9		800 CFM	Yes	\$813.00	\$732.00
ILB11		1100 CFM	Yes	\$960.00	\$864.00
<i>Transition</i>					
472		10" - 8"	Yes	\$44.00	\$40.00
<i>Remote Control</i>					
ACR3			Yes	\$84.00	\$76.00
<i>Light Bulbs</i>					
GU10		Box of 10	Yes	\$14.00	\$13.00

Cattura™ (D49M Series)



- Chimney raises to 18" at the touch of a button.
- Choice of quiet Flex Blower System 600 CFM or external blower options sold separately.
- Provided in stainless steel finish.
- LED lighting produces bright, clean light using minimal energy and has an extra long life span, so lights may never need replacement.
- Four-speed electronic controls include 10-minute delay-off, filter clean reminder and Heat Sentry™ to provide convenient operation.
- Optional ACRD remote control button for convenient up/down operation.
- Hidden mesh grease filters are easily removed for cleaning by removal of the front panel.
- Optional end cap extension adds 1" to width for 31", 37" and 49" applications for the perfect fit, sold separately (includes left handed and right handed replacement end caps).
- Optional decorative range trim kit for use with free-standing range applications, sold separately.
- Cooktop trim seal kit recommended for use with gas cooktops, sold separately.
- Will work with optional universal make-up dampers. Fresh air wall caps are required for make-up air dampers (see pages 32 and 33).

Model No.	Finish	Size	Stock Item	Sugg. List Price	MAP/SRP‡
D49M30SB	Stainless	30"	Yes	\$1,754.00	\$1,579.00
D49M36SB	Stainless	36"	Yes	\$1,818.00	\$1,636.00
D49M48SB	Stainless	48"	Yes	\$2,107.00	\$1,896.00
Internal Blower					
PF6		600 CFM	Yes	\$300.00	\$270.00
Exterior Blowers					
EB6	All items are Brushed Aluminum	600 CFM	Yes	\$632.00	\$569.00
EB9		900 CFM	Yes	\$751.00	\$676.00
EB12		1200 CFM	Yes	\$1,015.00	\$914.00
EB15		1500 CFM	Yes	\$1,265.00	\$1,139.00
In-Line Blowers					
ILB3	All items are Galvanized	280 CFM	Yes	\$403.00	\$363.00
ILB6		600 CFM	Yes	\$632.00	\$569.00
ILB9		800 CFM	Yes	\$813.00	\$732.00
ILB11		1100 CFM	Yes	\$960.00	\$864.00
Non-Ducted Recirculation Kit (required for recirculating operation)					
ANKD			Yes	\$186.00	\$167.00
Recirculating Filter Replacement					
AFCD			Yes	\$25.00	\$23.00
Range Trim Kit					
ATKD30SB	Stainless	30"	Yes	\$59.00	\$53.00
ATKD36SB		36"	Yes	\$64.00	\$58.00
ATKD48SB		48"	Yes	\$79.00	\$71.00
Trim Accessories					
ATTD1			Yes	\$89.00	\$80.00
Remote Control					
ACRD	Stainless		Yes	\$130.00	\$117.00
Gas Cooktop Trim Seal Kit					
ATSKD30		30"	Yes	\$59.00	\$53.00
ATSKD36		36"	Yes	\$64.00	\$58.00
ATSKD48		48"	Yes	\$79.00	\$71.00
Duct Accessories					
ACVPD8		8" Round Front Panel	Yes	\$48.00	\$43.00
ACVPD10		10" Round Front Panel	Yes	\$48.00	\$43.00
AEDD2		1-7/8" x 19" x 2" Duct	Yes	\$69.00	\$62.00
AVDKD8		1-7/8" x 19" to 8" Round	Yes	\$109.00	\$98.00
AVDKD10		1-7/8" x 19" to 10" Round	Yes	\$119.00	\$107.00
AVDKD219		1-7/8" x 19" Rectangular	Yes	\$49.00	\$44.00
AVDKD8810		Two 8" to 10" Round	Yes	\$135.00	\$122.00
Extension Cable					
AEWD5			Yes	\$68.00	\$61.00

Tirare (U102 Series)



- Available in brushed stainless steel or black powder-coat.
- Modern slim design.
- Two 20 watt halogen bulbs included.
- Dishwasher-safe stainless steel and aluminum filter.
- Provides effective ventilation in an ultra-compact package — 12" retracted and 18" extended.
- Quiet, efficient internal or external blowers.
- 10-minute time-delay shut-off feature and reminder indicator for filter maintenance.
- Heat Sentry™ detects excessive heat and adjusts speed to high automatically.
- Not recommended for use with gas or electric grills.
- Optional non-ducted filter kit for recirculating operation (ductwork required).
- Uses 8" round duct, includes back-draft damper/adapter.
- Designed to work with optional universal make-up air dampers. Fresh air wall caps are required for make-up air dampers (see pages 32 and 33).

Model No.	Finish	Size	Stock Item	Sugg. List Price	MAP/SRP‡
<i>Range Hoods with Internal Blower</i>					
U10230SBI	Stainless	30"	Yes	\$1,117.00	\$1,006.00
U10236SBI	Stainless	36"	Yes	\$1,169.00	\$1,053.00
U10236BLI ■	Black	36"	—	\$1,169.00	\$1,053.00
<i>Range Hoods for Use with External Blower</i>					
U10230SBE	Stainless	30"	Yes	\$885.00	\$797.00
U10236SBE	Stainless	36"	Yes	\$937.00	\$844.00
U10242SBE	Stainless	42"	Yes	\$988.00	\$890.00
<i>Non-Ducted Recirculation Kit (required for recirculating operation)</i>					
ANKU10			Yes	\$113.00	\$102.00
<i>Charcoal Filter Replacement</i>					
ROUNDFILTER			Yes	\$77.00	\$70.00
<i>Exterior Blowers</i>					
EB6	All items are Brushed Aluminum	600 CFM	Yes	\$632.00	\$569.00
EB9		900 CFM	Yes	\$751.00	\$676.00
EB12		1200 CFM	Yes	\$1,015.00	\$914.00
EB15		1500 CFM	Yes	\$1,265.00	\$1,139.00
<i>In-Line Blowers</i>					
ILB3	All items are Galvanized	280 CFM	Yes	\$403.00	\$363.00
ILB6		600 CFM	Yes	\$632.00	\$569.00
ILB9		800 CFM	Yes	\$813.00	\$732.00
ILB11		1100 CFM	Yes	\$960.00	\$864.00
<i>Transition</i>					
414		8" to 10"	Yes	\$41.00	\$37.00
<i>CFM Reducer Kit</i>					
ARP8			Yes	\$40.00	\$36.00

■ Limited quantities available.

Accessories

24" Duct Sections

Model No.	Description	Stock Item	Sugg. List Price	MAP/SRP‡
406	6" Round	Yes	\$19.00	\$18.00
407	7" Round	Yes	\$20.00	\$18.00
408	8" Round	Yes	\$23.00	\$21.00
410	10" Round	Yes	\$26.00	\$24.00

Roof and Wall Caps

Model No.	Description	Stock Item	Sugg. List Price	MAP/SRP‡
437	10" round roof cap	Yes	\$176.00	\$159.00
441	10" round wall cap	Yes	\$86.00	\$78.00
610FA	10" aluminum fresh air inlet wall cap	Yes	\$113.00	\$102.00
634	3-1/4" x 10" or up to 8" round roof cap	Yes	\$41.00	\$37.00
639	3-1/4" x 10" wall cap	Yes	\$28.00	\$26.00
641	6" round wall cap	Yes	\$58.00	\$53.00
641FA	Aluminum fresh air inlet wall cap for 6" round duct	Yes	\$47.00	\$43.00
643	8" round wall cap	Yes	\$75.00	\$68.00
643FA	Aluminum fresh air inlet wall cap for 8" round duct	Yes	\$71.00	\$64.00
647	7" round wall cap	Yes	\$65.00	\$59.00
WC638	3-1/4" x 14" wall cap	Yes	\$74.00	\$67.00

Transitions

Model No.	Description	Stock Item	Sugg. List Price	MAP/SRP‡
412H	3-1/4" x 10" to 7" round; vertical discharge (412H replaces 412)	Yes	\$25.00	\$23.00
413	3-1/4" x 10" to 8" round; vertical discharge	Yes	\$28.00	\$26.00
414	8" to 10" round	Yes	\$41.00	\$37.00
459	3-1/4" x 14" to 8" round	Yes	\$37.00	\$34.00
472	10" to 8" round reducer	Yes	\$44.00	\$40.00
T460	3-1/4" x 14" to 7" round	Yes	\$29.00	\$27.00
T486	8" to 6" round reducer	Yes	\$28.00	\$26.00
T487	8" to 7" round reducer	Yes	\$28.00	\$26.00

Elbows

Model No.	Description	Stock Item	Sugg. List Price	MAP/SRP‡
415	7" round adjustable	Yes	\$15.00	\$14.00
418	10" round adjustable	Yes	\$36.00	\$33.00
419	6" round adjustable	Yes	\$16.00	\$15.00
432	8" round adjustable	Yes	\$26.00	\$24.00

‡ Suggested Retail Price

Dampers

Model No.	Description	Stock Item	Sugg. List Price	MAP/SRP‡
421	10" damper	Yes	\$38.00	\$35.00

Universal/Automatic Make-Up Air Dampers

Model No.	Description	Stock Item	Sugg. List Price	MAP/SRP‡
MD6S	6" make-up air slave damper (damper only)	Yes	\$143.00	\$129.00
MD8S	8" make-up air slave damper (damper only)	Yes	\$158.00	\$143.00
MD10S	10" make-up air slave damper (damper only)	Yes	\$245.00	\$221.00
MD6T	6" automatic make-up air damper	Yes	\$141.00	\$127.00
MD8T	8" automatic make-up air damper	Yes	\$156.00	\$141.00
MD10T	10" automatic make-up air damper	Yes	\$254.00	\$229.00
MD6TU	6" universal automatic make-up air damper with pressure sensor kit	Yes	\$199.00	\$180.00
MD8TU	8" universal automatic make-up air damper with pressure sensor kit	Yes	\$219.00	\$198.00
MD10TU	10" universal automatic make-up air damper with pressure sensor kit	Yes	\$288.00	\$260.00

Fresh air wall caps are required for make-up air dampers. See 610FA, 641FA and 643FA in the Roof and Wall Caps section.

MECHANICAL SPECIFICATIONS

Product		Blower	Performance		Electrical		Duct Type		Non-Ducted Capability		Height Above Cooktop s		
Series	Category	Type	CFM 1	Sones	Amps @ 120V	Connect.	Size 2	Direction	Recirc. Flue 3	Recirc. Kit 4	8' ceiling	9' ceiling w/flue ext.	10' ceiling 6
Sorpresas™ Hoods													
CC34E	EXT.	Exterior, In-Line	EB6, 9, 12, 15 or ILB3, 6, 9, 11	---	6.2	Direct	8" Rd.	V	N/A	N/A	60"	72"	---
CC34IQ	INT.	IQ System	510 (100)	8 (<0.3)		Direct	8" Rd.	H	N/A	N/A	60"	72" (no ext. necessary)	
IC35I	INT.	Internal	490 (220)	7 (2.5)	3.12	Direct	6" Rd.	V	N/A	Incl.	24" - 26"	25" - 30"	N/A
IM32I	INT.	Internal	450 Recirc.	N/A	3.38	Direct	N/A	N/A	N/A	Incl.	24"	24"	N/A
IM33I	INT.	Internal	400 (200)	7 (3)	2.81	Direct	6" Rd.	V	Incl.	Incl.	24"	24" - 30"	N/A
IM42I	INT.	Internal	250 Recirc.	N/A	2.63	Direct	N/A	N/A	N/A	Incl.	23½"	23½"	N/A
WC33I	INT.	Internal	490 (220)	8.5 (3)	3.12	Plug	6" Rd.	V	Incl.	ANKWC33	24" - 26"	24" - 30"	N/A
WM34I	INT.	Internal	490 (220)	7.5 (2)	3.12	Plug	6" Rd.	V	Incl.	ANKWM34	20" - 23"	21" - 23"	N/A
WM45I	INT.	Internal	460 (210)	8.5 (2.5)	3.12	Plug	6" Rd.	V	Incl.	ANKW45	22"	24" - 30"	N/A
Island Hoods													
IC34E	EXT.	Exterior In-Line	EB6, 9, 12, 15 ILB3, 6, 9, 11	---	7	Direct	8" Rd.	V	No	N/A	24" - 27"	27" - 36"	24" - 36" **
IC34IQ	INT.	IQ System	525 (120)	8 (0.3)	4.3	Direct	8" Rd.	V	Incl.	ANKIC34	24" - 27"	27" - 36"	24" - 36" **
IC6FIQ	INT.	IQ System	500 (120)	6.0 (0.3)	4	Direct	8" Rd.	V	Incl.	ANKICF6	24" - 27"	27" - 36"	24" - 30" **
IEX222	EXT.	Exterior In-Line	EB6, 9, 12, 15 ILB3, 6, 9, 11	---	6.9 Max	Direct	8" Rd.	V	No	N/A	24"	25" - 30" +	27" - 30" **
IP29	INT. or EXT.	Internal	IQ6, IQ12, P6, P12, P3	---	7.7 Max	Direct	See Blower Selection		No	N/A	30" - 36"	30" - 36"	30" - 36"
IPB9E	EXT.	Exterior In-Line	EB6, 9, 12, 15 ILB3, 6, 9, 11	---	7.0	Direct	10" Rd.	V	No	N/A	24" - 27"	24" - 36"	24" - 36" **
IPB9IQT	INT.	IQ System	1100 (295)	11 (0.3)	8.5	Direct	10" Rd.	V	No	N/A	24" - 27"	24" - 36"	24" - 36" **
IPP9E	EXT.	Exterior In-Line	EB6, 9, 12, 15 ILB3, 6, 9, 11	---	7.0	Direct	10" Rd.	V	No	N/A	24" - 27"	27" - 36"	24" - 34" **
IPP9IQT	INT.	IQ System	1100 (295)	10.5 (0.3)	8.5	Direct	10" Rd.	V	No	N/A	24" - 27"	27" - 36"	24" - 34" **
IS23	INT.	Internal	500	8.5	3.1	Direct	6" Rd.	V	Incl.	ROUND FILTER	24" - 27"	27" - 30" +	27" - 30" **
ISER222	INT.	Internal	1000	10	6.3	Direct	8" Rd.	V	No	N/A	24"	25" - 30" +	27" - 30" **
Chimney Hoods													
K34	INT.	Internal	500	9.5	3.2	Direct	6" Rd.	V	Incl.	FILTERK34	24"	24" - 30" +	26" - 30"
K273	INT.	Internal	500	9.5	3.2	Plug	6" Rd.	V	No	N/A	24" - 26"	24" - 30" +	26" - 30"
K3139	INT.	Internal	400	6	2.7	Plug	6" Rd.	V	Incl.	NDK3139	24" - 26"	28" - 30" +	26" - 30"
K8087	INT.	Internal	450	9	3.2	Plug	6" Rd.	V	Incl.	NDK7780	24" - 29"	25" - 30" +	24" - 30"
KEX273	EXT.	Exterior In-Line	EB6, 9, 12, 15 ILB3, 6, 9, 11	---	6.5 Max	Direct	8" Rd.	V	No	N/A	24" - 26"	24" - 30" +	26" - 30"
KEX8087	EXT.	Exterior In-Line	EB6, 9, 12, 15 ILB3, 6, 9, 11	---	6.5 Max	Direct	8" Rd.	V	No	N/A	24" - 29"	25" - 30" +	24" - 30"
WC26E	EXT.	Exterior In-Line	EB6, 9, 12, 15 ILB3, 6, 9, 11	---	7.0 Max	Direct	8" Rd.	V	No	N/A	22" - 25"	22" - 28"	22" - 28"
WC26I	INT.	Internal	480 (130)	9.5 (1.0)	3.13	Plug	6" Rd.	V	Incl.	ANKWC26	22" - 25"	22" - 28"	22" - 28"
WC34E	EXT.	Exterior In-Line	EB6, 9, 12, 15 ILB3, 6, 9, 11	---	7.0 Max	Plug	8" Rd.	V	No	N/A	24" - 30"	24" - 30"	24" - 30" **
WC34IQ	INT.	IQ System	500 (120)	7.5 (0.3)	4	Plug	8" Rd.	V	Incl.	ANKWC345	24" - 30"	24" - 30"	24" - 30" **
WC35E	EXT.	Exterior In-Line	EB6, 9, 12, 15 ILB3, 6, 9, 11	---	7.0 Max	Plug	8" Rd.	V	No	N/A	24" - 30"	27" - 30"	24" - 30" **
WC35IQ	INT.	IQ System	500 (120)	7.5 (0.3)	4	Plug	8" Rd.	V	Incl.	ANKWC345	24" - 30"	27" - 30"	24" - 30" **
WC44E	EXT.	Exterior In-Line	EB6, 9, 12, 15 ILB3, 6, 9, 11	---	7.0 Max	Plug	8" Rd.	V	No	N/A	24" - 30"	24" - 30"	24" - 30" **
WC44IQ	INT.	IQ System	500 (120)	7.5 (0.3)	4	Plug	8" Rd.	V	Incl.	ANKWC345	24" - 30"	24" - 30"	24" - 30" **
WC45E	EXT.	Exterior In-Line	EB6, 9, 12, 15 ILB3, 6, 9, 11	---	7.0 Max	Plug	8" Rd.	V	No	N/A	24" - 30"	24" - 30"	24" - 30" **
WC45IQ	INT.	IQ System	500 (120)	7.5 (0.3)	4	Plug	8" Rd.	V	Incl.	ANKWC345	24" - 30"	24" - 30"	24" - 30" **
WC46E	EXT.	Exterior In-Line	EB6, 9, 12, 15 ILB3, 6, 9, 11	---	7.0 Max	Plug	8" Rd.	V	No	N/A	24" - 30"	24" - 30"	24" - 30" **
WC46IQ	INT.	IQ System	500 (120)	7.5 (0.3)	4	Plug	8" Rd.	V	Incl.	ANKWC46	24" - 30"	24" - 30"	24" - 30" **
WPP9E	EXT.	Exterior In-Line	EB6, 9, 12, 15 ILB3, 6, 9, 11	---	7.0 Max	Direct	10" Rd.	V	No	N/A	24" - 32"	30" - 36"	24" - 33" **
WPP9IQ	INT.	IQ System	600 (140)	8.5 (0.3)	4.5	Direct	8" Rd.	V	Incl.	ANKWPP9	24" - 32"	30" - 36"	24" - 33" **
WPP9IQT	INT.	IQ System	1100 (295)	10.5 (0.3)	8.5	Direct	10" Rd.	V	No	N/A	24" - 27"	27" - 36"	24" - 34" **
WTT32	INT.	Internal	600 (30", 36" & 42") 1200 (48")	9.5 / 12.0	4.5 (30" & 36") 5.0 (42") 8.5 (48")	Plug	8" Rd. (30", 36" & 42") 10" Rd. (48")	V	Yes	ANKWTT320 ANKWTT326 N/A	24" - 30"	30" +	24" - 30"
Professional Style													
UP26M	INT. or EXT.	Internal Exterior, In-Line	IQ6, P6, P3, P5, P8 EB6, 9, 12, 15 or ILB3, 6, 9, 11	---	7.7 Max	Direct	8" Rd., 3-1/4"x10" or 14" 10" Rd.	V & H(P5,P8)	N/A	N/A	24" - 30" +	N/A	N/A
UP27M	INT. or EXT.	Internal Exterior, In-Line	IQ6, P6, P3 EB6, 9, 12, 15 or ILB3, 6, 9, 11	---	7.7 Max	Direct	8" Rd. 10" Rd.	V	Sold Separately	ANKUP	24" - 30" +	N/A	N/A
WP28M	INT. or EXT.	Internal Exterior, In-Line	IQ6, IQ12, P6, P12, P3 EB6, 9, 12, 15 or ILB3, 6, 9, 11	---	8.5 Max	Direct	8" Rd. 10" Rd.	V & H	N/A	N/A	24" - 36" +	N/A	N/A
WP29M	INT. or EXT.	Internal Exterior, In-Line	IQ6, IQ12, P6, P12, P3 EB6, 9, 12, 15 or ILB3, 6, 9, 11	---	8.5 Max	Direct	See Blower Selection	V & H	Sold Separately	ANKWP	30" - 36"	N/A	N/A
WPD38I Outdoor	INT. or EXT.	Internal Internal	1200 (P12) P12	---	9.0 Max	Direct	10" Rd.	V	N/A	N/A	36"	36" +	36" +
WPD39M Outdoor	INT. or EXT.	Internal Exterior, In-Line	P12 EB12, EB15 or ILB11	---	7.4 Max	Direct	10" Rd.	V	N/A	N/A	36"	36" +	36" +

1 Blower	Vert. Or Straight Through CFM	Horz. Or Right Angle CFM
IQ6	600	
IQ12	1200	
P3	300	
P5	460	500
P6	600	600
P8	850	900 (P8 only)
P12	1200	1200 (P12 only)
EB6	600	
EB9	900	
EB12	1200	
EB15	1500	
ILB3	280	260
ILB6	600	600
ILB9	800	700
ILB11	1100	1000

- This product was tested by Broan-NuTone for airflow performance using the ANSI/AMCA 210 Standard, which is equivalent to the Home Ventilating Institute HVI 916 - Procedure for Air Flow Testing, and tested for sound performance using the ANSI S12.51 Standard, which is equivalent to the Home Ventilating Institute HVI 915 - Procedure for Loudness Rating of Residential Fan Products.
 - Damper/adaptor is included with the product in the duct size indicated.
 - Recirculating flues have vent openings that allow for non-ducted operation, which also may be exposed in ducted applications with 9' ceilings.
 - Recirculating kits are necessary to make some models ready for non-ducted operation.
 - Range of recommended mounting heights above the cooking surface (assumes cooktop to be 36" above floor). The distance above the cooktop must not be less than 24". A maximum of 30" above the cooktop is highly recommended to maintain the best capture of cooking impurities. Distance over 30" are at the installer's and user's discretion.
 - For 10' ceilings, Chimney and Island hoods require optional flue extension.
- + The telescopic flue or device will allow installation at mounting heights greater than the indicated limit
- ** This flue extension is capable of installation in 10' to 11' ceiling heights

MECHANICAL SPECIFICATIONS

Product		Blower		Performance		Electrical		Duct Type		Non-Ducted Capability		Height Above Cooktop s		
Series	Category	Type	CFM 1 Hi (norm)	Sones Hi (norm)	Amps @ 120V	Connect.	Size 2	Direction	Recirc. Flue 3	Recirc. Kit 4	8' ceiling	9' ceiling w/flue ext.	10' ceiling 6	
Built-In Collection														
CP34	INT.	Internal	290 (130)	11.5 (3.0)	5.0	Direct	8" Rd.	V	N/A	N/A	24" - 30" +	24" - 30" +	24" - 30" +	
CP35	INT.	Internal	600 (190)	12.0 (2.0)	5.0	Direct	8" Rd.	V	N/A	N/A	24" - 30" +	24" - 30" +	24" - 30" +	
CP37	INT.	Internal	1200 (380)	13.5 (2.0)	9.0	Direct	10" Rd.	V	N/A	N/A	24" - 30" +	24" - 30" +	24" - 30" +	
CP55IQ	INT.	IQ System	600boost, 450Hi (150)	5.5 (<0.3)	4.7	Direct	8" Rd.	V	N/A	ANKCP55	24" - 30" +	24" - 30" +	24" - 30" +	
CP57E	EXT.	Exterior In-Line	EB6, 9, 12, 15 ILB3, 6, 9, 11	---	7.0 Max	Direct	10" Rd.	V	N/A	N/A	24" - 30"	24" - 30"	24" - 30"	
CP57IQT	INT.	IQ System	1100boost, 875Hi (310)	7 (<0.3)	8.3	Direct	10" Rd.	V	N/A	N/A	24" - 30" +	24" - 30" +	24" - 30" +	
CPD_outdoor	INT.	Internal	1040(480)	11.5 (3.0)	5.0	Direct	8" Rd.	V	N/A	N/A	24" - 30" +	24" - 30" +	24" - 30" +	
P195ES52	INT.	Internal	290 (120)	5 (0.5)	2.8	Plug	6" Rd.	V	N/A	FILTEREB40	24" - 30"	24" - 30"	24" - 30"	
P195ES70	INT.	Internal	370 (130)	5 (0.3)	2.9	Plug	8" Rd.	V	N/A	ROUNDFILTER	24" - 30"	24" - 30"	24" - 30"	
P195P1M	INT.	Internal	550 (200)	8 (1.0)	3.4	Direct	8" Rd.	V	Add Duct	AFCP195	24" - 30" +	24" - 30" +	24" - 30" +	
P195P2M	INT.	Internal	800 (310)	12 (2)	5.4	Direct	8" Rd.	V	N/A	N/A	24" - 30" +	24" - 30" +	24" - 30" +	
PIK	INT. or EXT.	Internal Exterior, In-Line	P5, P8 EB6, 9, 12, 15 or ILB3, 6, 9, 11	---	6.0 Max	Direct	See Blower Selection	V	N/A	N/A	24" - 30" +	24" - 30" +	24" - 30" +	
PK22	INT.	IQ System	1100 (250)	11.5 (0.6)	8.5 Max	Direct	10" Rd.	V	N/A	N/A	24" - 30"	24" - 30"	24" - 30"	
PKEX22	EXT.	Exterior In-Line	EB6, 9, 12, 15 ILB3, 6, 9, 11	---	8.5 Max	Direct	10" Rd.	V	N/A	N/A	24" - 30"	24" - 30"	24" - 30"	

1 Blower	Vert. Or Straight Through CFM	Horz. Or Right Angle CFM
IQ6	600	
IQ12	1200	
P3	300	
P5	460	500
P6	600	600
P8	850	900 (P8 only)
P12	1200	1200 (P12 only)
EB6	600	
EB9	900	
EB12	1200	
EB15	1500	
ILB3	280	260
ILB6	600	600
ILB9	800	700
ILB11	1100	1000

- This product was tested by Broan-NuTone for airflow performance using the ANSI/AMCA 210 Standard, which is equivalent to the Home Ventilating Institute HVI 916 - Procedure for Air Flow Testing, and tested for sound performance using the ANSI S12.51 Standard, which is equivalent to the Home Ventilating Institute HVI 915 - Procedure for Loudness Rating of Residential Fan Products.
- Damper/adaptor is included with the product in the duct size indicated.
- Recirculating flues have vent openings that allow for non-ducted operation, which also may be exposed in ducted applications with 9' ceilings.
- Recirculating kits are necessary to make some models ready for non-ducted operation.
- Range of recommended mounting heights above the cooking surface (assumes cooktop to be 36" above floor). The distance above the cooktop must not be less than 24". A maximum of 30" above the cooktop is highly recommended to maintain the best capture of cooking impurities. Distance over 30" are at the installer's and user's discretion.
- For 10' ceilings, Chimney and Island hoods require optional flue extension.
 - + The telescopic flue or device will allow installation at mounting heights greater than the indicated limit
 - ** This flue extension is capable of installation in 10' to 11' ceiling heights

Installation Guidelines

Easy Installation: All Best® range hoods come complete with installation instructions, and all hardware including damper, mounting brackets and screws.

Recommended Distance from Cooktop Surface: For optimal effectiveness, the distance from the cooking surface to the bottom of the range hood should be from 24" to 30", unless otherwise noted for the specific hood. To maintain satisfactory capture of smoke and odors when installing a hood at heights greater than the recommended range use the following guideline: For every 3" increase in installation height add 100 CFM to the minimum exhaust requirement and/or a minimum of 3" to the overall width of the hood or liner. It's never recommended to install a Best hood below 24".

Selecting the Appropriate CFM or Hood Design: To determine the most favorable hood design, consider the user's cooking style and the cooking product. Heavy use, increased installation heights or high BTU gas appliances would favor hood designs that have larger (deeper) capture areas. Observe the appliance manufacturers' recommendations and always consult local codes and standards. As a general rule, use the following for determining CFM (except for Down Draft):

- Under 60,000 BTU: 100 CFM per linear foot of cooktop width.
- Over 60,000 BTU: 1 CFM per 100 BTU of cooktop output.
- With grill or griddle: Add 200 CFM to your estimated needs based on BTU output of the cooktop surface. Example: 60,000 BTU cooktop = 600 CFM, with gas grill add 200 CFM, CFM total = 800.

Peak Exhaust Rates at Lowest Sound Levels: To achieve peak exhaust rates at the lowest sound levels use the following guidelines:

- Never make the size or area of the ductwork smaller than the size that originates at the hood.
- Bigger ductwork is better.
- Keep duct length less than 50 linear feet.
- Minimize use of elbows and transitions (4 or less).
- Always separate 90° elbows with at least 2 feet of straight ductwork.
- When using a remote exterior blower, using one 90° elbow will reduce noise transmission into the hood.
- Place transitions at least 1 foot from the hand outlet or remote blower inlet.

Reversible Telescope Flues: Some Best® range hoods have louvers in the upper flue that allow recirculation of filtered exhaust back into the kitchen in non-ducted applications. The upper section of the flue is reversible so the louvers can be hidden when the hood is ducted to the outside. Note that in applications with 9' ceilings the louvers will be exposed regardless of flue orientation. If the exposed louver is undesirable, order the 10' flue extension (Contact our Technical Support Department for more information at 800-637-1453).

Non-Ducted Installations: A non-ducted recirculating kit (NDK) or charcoal filter(s) is necessary where a hood is used in a non-ducted application. The recirculating kit includes charcoal filter(s), a reducer ring and an air diverter box.

Special Order Extension Flues: If the standard chimney extension or soffit flue is not adequate for the ceiling height, custom sizes are available via special order.

Special Order Timing: Allow 12 to 16 weeks for special order items.

Product Usage: Best® range hoods are designed for use with indoor residential cooking products, except when noted for outdoor use, but are not for use with charcoal grills of any kind.

Electrical Service: 120 Volt service is required. Some Best® range hoods are direct hook-up and some have pre-wired AC plugs.

Technical/Installation Documentation: Technical and installation documents are available online at www.BestRangeHoods.com, or through our Technical Support Department at 800-637-1453.



UL listed. (Underwriters Laboratories tested and approved).



UL Evaluated by UL to Canadian Standard C22.2 NO.113.

Product Specification Index

Model	UPC Code	Weight	Length	Width	Height	Cube
406	0 26715 02064 5	12.19	2.08	0.64	0.63	0.84
407	0 26715 01118 6	10.63	2.09	0.71	0.74	1.10
408	0 26715 22965 9	2.20	2.00	0.67	0.67	0.90
410	0 26715 02274 8	20.00	0.85	0.82	2.06	1.43
412H	0 26715 00268 9	1.45	0.88	0.87	0.65	0.50
413	0 26715 01599 3	1.90	1.03	1.03	0.87	0.91
414	0 26715 07547 8	1.90	1.02	1.01	0.88	0.90
415	0 26715 00796 7	6.50	1.69	1.68	0.68	1.92
418	0 26715 05945 4	3.40	1.13	1.12	0.90	1.14
419	0 26715 01600 6	1.10	0.98	0.77	0.77	0.58
421	0 26715 03900 5	0.75	0.96	0.84	0.13	0.10
432	0 26715 22966 6	1.95	1.02	1.00	0.85	0.87
437	0 26715 03907 4	12.00	2.34	0.83	1.58	3.07
441	0 26715 03908 1	3.80	1.13	1.17	0.32	0.42
459	0 26715 15379 4	1.90	1.28	0.67	0.77	0.65
472	0 26715 02281 6	2.60	0.87	0.87	0.68	0.51
610FA	0 26715 21105 0	2.50	1.13	1.13	0.90	1.13
634	0 26715 00265 8	5.10	1.60	1.21	0.63	1.22
639	0 26715 00264 1	2.50	1.12	0.82	0.54	0.50
641	0 26715 01137 7	1.30	0.79	0.79	0.67	0.42
641FA	0 26715 19206 9	1.20	0.78	0.78	0.66	0.40
643	0 26715 02294 6	2.40	1.13	1.13	0.88	1.12
643FA	0 26715 19207 6	2.40	1.13	1.13	0.89	1.14
647	0 26715 05212 7	1.40	0.78	0.79	0.68	0.42
ABWPD36SB	0 26715 16840 8	20.00	3.67	2.27	0.43	3.53
ABWPD48SB	0 26715 16841 5	24.80	4.71	2.28	0.43	4.64
ACR3	0 26715 23145 4	0.25	0.42	0.25	0.08	0.01
ACRD	0 26715 23430 1	0.60	0.73	0.27	0.28	0.05
ACVPD10	0 26715 23436 3	3.15	1.12	1.12	0.18	0.22
ACVPD8	0 26715 23499 8	3.35	1.12	1.12	0.18	0.22
ACWLWH	0 26715 18360 9	0.60	0.49	0.26	0.42	0.05
ADCW1AL	0 26715 18709 6	0.10	0.25	0.15	0.03	0.00
ADPWC33B	0 26715 19974 7	14.00	3.17	1.33	0.15	0.62
AEDD2	0 26715 23440 0	8.10	2.06	1.65	0.24	0.82
AEIC34SB	0 26715 22925 3	47.70	3.55	1.44	1.43	7.29
AEIC34SBN	0 26715 22924 6	47.00	3.58	1.44	1.43	7.36
AEIC35SB	0 26715 19932 7	23.10	2.22	0.95	2.21	4.65
AEICF6SB	0 26715 22921 5	69.00	4.17	1.65	2.08	14.29
AEIP420SB	0 26715 18047 9	78.30	3.25	4.00	2.10	27.35
AEIP422SB	0 26715 18044 8	28.20	3.25	2.17	1.08	7.63
AEIP424SB	0 26715 18046 2	42.30	3.30	1.17	2.23	8.57
AEIP428SB	0 26715 18045 5	35.40	3.30	1.17	2.21	8.50
AEIP540SB	0 26715 18051 6	83.50	3.98	3.23	2.08	26.72
AEIP542SB	0 26715 18048 6	34.60	4.29	1.15	2.25	11.10
AEIP544SB	0 26715 18050 9	51.10	4.29	1.19	2.21	11.29
AEIP548SB	0 26715 18049 3	42.60	4.29	1.15	2.25	11.10
AEIPB9SB	0 26715 22920 8	54.55	4.23	1.52	2.08	13.40
AEIPP9SB	0 26715 22794 5	54.00	3.56	1.46	1.42	7.36
AEWC26SB	0 26715 17032 6	14.80	3.55	1.43	1.39	7.08
AEWC26SBN	0 26715 17034 0	15.30	3.55	1.45	1.38	7.08
AEWC345IQSB	0 26715 22788 4	15.00	4.13	1.38	1.25	7.09
AEWC345IQSBN	0 26715 22787 7	15.00	4.15	1.38	1.25	7.13
AEWD5	0 26715 23441 7	0.80	0.73	0.27	0.28	0.05
AEWP28302SB	0 26715 22945 1	14.00	3.31	1.15	2.25	8.54
AEWP28362SB	0 26715 22946 8	14.45	3.31	1.15	2.25	8.54
AEWP28422SB	0 26715 22947 5	17.20	4.31	1.15	2.25	11.12
AEWP28482SB	0 26715 22948 2	17.90	4.31	1.15	2.25	11.12
AEWP28542SB	0 26715 22949 9	51.10	2.00	6.52	2.79	36.41
AEWP28602SB	0 26715 22950 5	51.95	2.00	6.52	2.79	36.41

Model	UPC Code	Weight	Length	Width	Height	Cube
AEWP302SB	0 26715 17678 6	14.60	3.28	1.18	2.23	8.56
AEWP306SB	0 26715 17672 4	11.90	3.26	1.23	2.23	8.94
AEWP362SB	0 26715 17679 3	15.30	3.29	1.15	2.25	8.52
AEWP366SB	0 26715 17673 1	12.30	3.29	1.17	2.22	8.51
AEWP422SB	0 26715 17680 9	29.00	4.29	1.17	2.29	11.47
AEWP426SB	0 26715 17674 8	14.80	4.29	1.15	2.25	11.10
AEWP482SB	0 26715 17681 6	19.50	4.29	1.17	2.25	11.27
AEWP486SB	0 26715 17675 5	15.60	4.29	1.15	2.25	11.10
AEWP542SB	0 26715 17682 3	50.50	6.50	2.00	2.79	36.29
AEWP546SB	0 26715 17676 2	45.00	6.52	2.00	2.79	36.38
AEWP602SB	0 26715 17683 0	52.30	6.50	2.00	2.78	36.18
AEWP606SB	0 26715 17677 9	47.30	6.50	2.00	2.78	36.08
AEWPD3054SB	0 26715 22741 9	42.45	2.38	1.38	2.91	9.50
AEWPD3054SBE	0 26715 22742 6	46.40	2.92	1.63	2.38	11.30
AEWPD318SB	0 26715 20397 0	13.10	1.53	1.13	2.21	3.82
AEWPD318SBE	0 26715 20400 7	13.30	2.21	1.54	1.38	4.68
AEWPD330SB	0 26715 20398 7	24.10	2.38	1.38	2.91	9.50
AEWPD330SBE	0 26715 20401 4	21.20	2.67	2.08	2.00	11.11
AEWPD36SB	0 26715 20396 3	5.80	2.19	1.12	0.54	1.33
AEWPD36SBE	0 26715 20399 4	4.80	2.15	0.54	1.38	1.60
AEWPP9SB	0 26715 22792 1	15.00	3.56	1.44	1.38	7.04
AEWPP9SBN	0 26715 22791 4	15.75	3.56	1.44	1.44	7.36
AEWTT328SB	0 26715 20890 6	26.46	3.33	1.25	1.67	6.94
AEWTT32SB	0 26715 20889 0	20.95	3.42	0.96	1.15	3.75
AFCD	0 26715 23432 5	0.40	1.19	0.23	0.43	0.12
AFCICF6	0 26715 22922 2	0.52	1.00	1.00	0.10	0.10
AFCIM32	0 26715 20026 9	0.40	0.86	0.73	0.17	0.10
AFCIM33	0 26715 20027 6	0.20	0.85	0.65	0.10	0.06
AFCIM42	0 26715 20421 2	0.10	0.71	0.72	0.18	0.09
AFCP195P52	0 26715 20870 8	0.10	1.02	0.58	0.02	0.01
AFCP195P70	0 26715 20871 5	0.10	1.46	0.56	0.02	0.01
AFCROUND2	0 26715 22795 2	1.60	0.69	0.69	0.38	0.18
AFCWC345	0 26715 22789 1	1.03	1.00	0.88	0.23	0.20
AFCWC46	0 26715 22918 5	0.60	0.81	1.37	0.25	0.28
AFCWM45	0 26715 20420 5	0.80	0.93	0.85	0.11	0.09
AFCWTT32	0 26715 20891 3	1.55	1.08	1.08	0.10	0.12
AFCWTT326	0 26715 20979 8	1.77	1.33	1.08	0.10	0.15
AGPCC34W	0 26715 22745 7	55.60	3.56	2.60	0.35	3.29
AL3036	0 26715 20905 7	11.50	3.71	2.27	0.42	3.51
AL3042	0 26715 20906 4	14.40	4.71	2.29	0.42	4.50
AL3948	0 26715 20907 1	14.10	4.67	2.27	0.42	4.42
AL3954	0 26715 20908 8	18.80	6.69	2.27	0.42	6.33
AL4554	0 26715 20909 5	17.80	6.69	2.27	0.42	6.33
AL4560	0 26715 20910 1	18.70	6.69	2.27	0.42	6.33
ALP30	0 26715 15771 6	7.40	4.11	0.77	0.51	1.60
ALP36	0 26715 15772 3	7.90	4.11	0.77	0.51	1.60
ALP42	0 26715 15773 0	8.10	4.11	0.77	0.51	1.60
ALP48	0 26715 15774 7	11.00	5.58	0.75	0.50	2.09
ALP54	0 26715 17309 9	11.00	5.58	0.75	0.50	2.09
ALP60	0 26715 15775 4	13.00	5.58	0.50	0.75	2.09
ANKCP55	0 26715 22914 7	5.10	1.13	1.10	1.13	1.40
ANKD	0 26715 23431 8	7.65	1.51	1.37	0.57	1.17
ANKIC34	0 26715 22927 7	6.66	2.08	0.83	1.25	2.17
ANKICF6	0 26715 22923 9	7.84	2.08	0.83	1.25	2.17
ANKU10	0 26715 16536 0	2.80	0.88	0.80	0.88	0.61
ANKUP302RSB	0 26715 22951 2	14.45	3.71	2.27	0.44	3.68
ANKUP362RSB	0 26715 22952 9	14.70	3.71	2.27	0.44	3.68
ANKUP422RSB	0 26715 22953 6	16.85	2.27	4.71	0.44	4.68
ANKUP482RSB	0 26715 22954 3	17.25	2.27	4.71	0.44	4.68

Model	UPC Code	Weight	Length	Width	Height	Cube
ANKWC26	0 26715 17036 4	4.70	1.47	0.90	0.88	1.17
ANKWC33	0 26715 19961 7	3.60	1.44	0.89	0.86	1.10
ANKWC345	0 26715 22790 7	6.65	2.10	0.83	1.31	2.30
ANKWC46	0 26715 22919 2	6.65	2.08	0.85	1.29	2.30
ANKWM34	0 26715 19931 0	4.80	1.44	0.89	0.88	1.14
ANKWM45	0 26715 20266 9	4.10	1.44	0.88	0.89	1.14
ANKWP306RSB	0 26715 22955 0	20.55	3.31	1.15	2.25	8.54
ANKWP366RSB	0 26715 22956 7	21.85	3.31	1.15	2.25	8.54
ANKWP426RSB	0 26715 22957 4	24.70	4.31	1.15	2.25	11.12
ANKWP486RSB	0 26715 22958 1	25.60	4.31	1.15	2.25	11.12
ANKWPP9	0 26715 22793 8	7.00	2.10	0.81	1.31	2.24
ANKWTT320	0 26715 20887 6	11.69	3.25	1.13	1.00	3.66
ANKWTT326	0 26715 20888 3	11.91	3.21	1.10	1.02	3.62
ARP310	0 26715 18222 0	1.25	0.68	0.52	0.40	0.14
ARP6	0 26715 18224 4	1.88	0.68	0.51	0.39	0.13
ARP8	0 26715 18225 1	2.19	1.27	0.45	0.36	0.20
ATDIP42SB	0 26715 18052 3	12.90	3.69	2.28	0.43	3.65
ATDIP54SB	0 26715 18053 0	13.00	4.67	2.25	0.42	4.37
ATKD30SB	0 26715 23433 2	0.95	2.54	0.35	0.31	0.28
ATKD36SB	0 26715 23434 9	1.10	3.04	0.35	0.31	0.33
ATKD48SB	0 26715 23435 6	1.55	4.25	0.28	0.28	0.33
ATSKD30	0 26715 24180 4	1.90	2.38	0.35	0.35	0.30
ATSKD36	0 26715 24181 1	2.50	3.02	0.44	0.44	0.58
ATSKD48	0 26715 24182 8	3.40	4.04	0.44	0.44	0.77
ATTD1	0 26715 23437 0	0.45	0.37	0.37	0.56	0.08
AVDKD10	0 26715 23459 2	3.80	2.10	1.08	1.06	2.42
AVDKD219	0 26715 23438 7	1.05	2.58	0.33	0.30	0.26
AVDKD8	0 26715 23439 4	3.50	2.10	1.08	1.06	2.42
AVDKD8810	0 26715 24190 3	3.80	1.36	1.34	1.33	2.43
AWWPD336SB	0 26715 20403 8	14.00	3.33	1.75	0.33	1.94
AWWPD348SB	0 26715 20402 1	17.10	4.21	1.71	0.38	2.76
AWWPD360SB	0 26715 20404 5	19.80	5.29	1.77	0.40	3.71
CC34E6SB	0 26715 20659 9	75.60	3.92	2.63	1.38	14.14
CC34IQSB	0 26715 22740 2	93.75	3.92	2.63	1.38	14.14
CP34I309SB	0 26715 19015 7	44.20	3.32	1.15	2.23	8.49
CP34I369SB	0 26715 19016 4	47.80	3.29	1.13	2.25	8.33
CP34I429SB	0 26715 19017 1	57.20	4.29	1.15	2.25	11.10
CP35I309SB	0 26715 18649 5	44.30	3.30	1.15	2.20	8.35
CP35I369SB	0 26715 18650 1	47.00	3.30	1.15	2.21	8.38
CP35I429SB	0 26715 18651 8	56.10	4.29	1.15	2.25	11.10
CP37I482SB	0 26715 18652 5	63.00	4.33	1.13	2.25	10.97
CP55IQ369SB	0 26715 22821 8	51.00	3.31	1.15	2.25	8.54
CP55IQ429SB	0 26715 22822 5	55.00	4.31	1.15	2.25	11.12
CP57E362SB	0 26715 22829 4	43.00	3.31	1.15	2.25	8.54
CP57E482SB	0 26715 22830 0	55.00	4.31	1.15	2.25	11.12
CP57E602SB	0 26715 22831 7	66.00	2.00	6.48	2.79	36.18
CP57IQT369SB	0 26715 22823 2	59.00	3.31	1.15	2.25	8.54
CP57IQT482SB	0 26715 22825 6	73.00	4.31	1.15	2.25	11.12
CP57IQT489SB	0 26715 22824 9	70.00	4.31	1.15	2.25	11.12
CP57IQT542SB	0 26715 22826 3	80.00	2.00	6.48	2.79	36.18
CP57IQT602SB	0 26715 22827 0	83.00	2.00	6.48	2.79	36.18
CP57IQT662SB	0 26715 22828 7	86.00	2.00	6.48	2.79	36.18
CPDI362SB	0 26715 20422 9	67.80	3.13	1.43	2.34	10.52
CPDI482SB	0 26715 20423 6	88.20	4.13	1.40	2.33	13.43
CPDI602SB	0 26715 20424 3	90.40	5.21	1.38	2.36	16.89
D49M30SB	0 26715 23420 2	67.00	2.88	2.75	0.74	5.83
D49M36SB	0 26715 23421 9	77.00	3.25	2.88	0.75	7.01
D49M48SB	0 26715 23422 6	107.00	2.98	4.45	0.81	10.72
EB12	0 26715 13943 9	40.40	3.01	1.23	2.19	8.13
EB15	0 26715 13944 6	47.30	3.01	1.23	2.19	8.13
EB6	0 26715 10653 0	32.80	2.63	0.83	2.33	5.04
EB9	0 26715 10654 7	35.20	2.63	0.83	2.34	5.07

Model	UPC Code	Weight	Length	Width	Height	Cube
EBRCONNECT	0 26715 12542 5	3.00	2.04	0.94	0.23	0.44
FEXTIS23SS	0 26715 08984 0	28.00	3.03	1.03	0.95	2.97
FEXTISER222SS	0 26715 15634 4	32.00	3.58	1.46	1.41	7.34
FEXTK273SS	0 26715 15224 7	15.50	3.06	1.02	0.98	3.06
FEXTK3139BL	0 26715 15053 3	8.10	3.27	0.90	0.85	2.50
FEXTK3139SS	0 26715 15054 0	7.60	3.24	0.87	0.82	2.29
FEXTK34SS	0 26715 17507 9	16.50	3.57	1.44	1.42	7.28
FEXTK34SSN	0 26715 17508 6	15.40	3.58	1.46	1.37	7.13
FEXTK8087SS	0 26715 15756 3	15.90	3.55	1.43	1.39	7.08
FEXTKEX273SS	0 26715 15635 1	8.60	3.03	1.04	0.97	3.05
FILTEREB40	0 26715 15235 3	1.75	0.77	0.30	0.73	0.17
FILTERK3490CM	0 26715 10915 9	0.10	1.15	1.04	0.09	0.11
FILTERSSQUARE	0 26715 15236 0	1.60	0.82	0.17	0.82	0.11
GU10	0 26715 16883 5	1.25	0.68	0.62	0.20	0.08
IC34E100SB	0 26715 22739 6	102.60	2.94	4.58	2.25	30.29
IC34IQ100SB	0 26715 22738 9	113.35	2.98	4.58	2.23	30.44
IC35I90B	0 26715 19908 2	89.50	3.33	1.95	1.68	10.91
IC35I90W	0 26715 19909 9	88.60	3.33	1.96	1.68	10.93
ICF6IQ100SB	0 26715 22737 2	139.00	3.56	2.85	2.69	27.33
IEX222SS	0 26715 15221 6	106.00	4.96	3.25	2.78	44.72
ILB11	0 26715 16928 3	69.50	2.17	1.87	2.66	10.75
ILB3	0 26715 16925 2	29.10	1.53	1.33	2.11	4.31
ILB6	0 26715 16926 9	47.60	2.12	1.38	2.44	7.11
ILB9	0 26715 16927 6	70.00	2.17	1.83	2.67	10.59
IM32I100SP	0 26715 19911 2	98.20	4.21	4.12	3.09	53.56
IM33I45SP	0 26715 19905 1	105.10	3.65	3.13	2.06	23.48
IM42I50B	0 26715 20261 4	45.00	2.92	2.00	2.50	14.58
IM42I50W	0 26715 20260 7	45.00	2.92	2.00	2.50	14.58
IP29M42SB	0 26715 17658 8	88.80	4.00	3.25	2.10	27.35
IP29M54SB	0 26715 17659 5	116.50	6.02	3.27	2.08	40.78
IPB9E48SB	0 26715 22736 5	119.85	2.98	4.58	2.27	31.01
IPB9IQT48SB	0 26715 22735 8	135.60	2.96	4.58	2.25	30.51
IPP9E42SB	0 26715 22734 1	119.71	3.98	3.13	2.77	34.45
IPP9IQT42SB	0 26715 22733 4	125.22	3.98	3.13	2.79	34.71
IQ12	0 26715 22960 4	31.00	2.35	1.29	1.25	3.80
IQ6	0 26715 22959 8	20.00	2.35	1.29	1.25	3.80
IS23SS	0 26715 08449 4	69.20	3.22	2.28	1.84	13.48
ISER222SS	0 26715 11739 0	122.36	4.92	3.25	2.77	44.28
K27342SS	0 26715 15207 0	52.90	3.74	1.54	2.08	12.02
K27390CMSS	0 26715 15204 9	46.20	3.15	1.53	2.02	9.74
K313930BL	0 26715 15045 8	36.70	2.79	1.58	2.03	8.95
K313930SS	0 26715 15043 4	34.90	2.80	1.55	2.03	8.79
K313936BL	0 26715 15047 2	41.89	3.21	1.52	2.08	10.17
K313936SS	0 26715 15378 7	35.80	3.16	1.53	2.05	9.93
K313942SS	0 26715 15048 9	40.00	3.71	1.56	2.05	11.85
K3490CMSS	0 26715 10080 4	48.30	3.18	1.53	2.03	9.80
K808730SS	0 26715 15738 9	53.80	2.78	1.53	2.03	8.68
K808736SS	0 26715 15739 6	59.70	3.37	1.73	2.38	13.84
KEX27342SS	0 26715 15211 7	40.60	3.72	1.55	2.11	12.15
KEX27390CMSS	0 26715 15210 0	39.90	3.18	1.54	2.05	10.03
KEX808736SS	0 26715 15740 2	50.20	3.37	1.73	2.38	13.84
L3336S	0 26715 16363 2	10.70	3.67	2.28	0.43	3.55
L3342S	0 26715 16364 9	14.00	4.71	2.28	0.43	4.64
L4548S	0 26715 16365 6	17.00	4.67	2.25	0.42	4.37
L4554S	0 26715 17280 1	18.80	6.67	2.28	0.40	6.07
L4560S	0 26715 16366 3	18.90	2.28	6.69	0.43	6.59
L5230	0 26715 15763 1	11.10	3.67	2.28	0.42	3.48
L7030	0 26715 15764 8	10.60	3.67	2.28	0.43	3.61
L7036	0 26715 15765 5	11.20	3.68	2.28	0.43	3.55
L7048	0 26715 15766 2	15.10	4.73	2.28	0.44	4.76
MD10S	0 26715 21104 3	5.30	0.92	0.90	1.29	1.06
MD10T	0 26715 21103 6	6.65	0.92	0.90	1.31	1.08

Model	UPC Code	Weight	Length	Width	Height	Cube
MD10TU	0 26715 21102 9	6.95	0.92	0.90	1.29	1.06
MD6S	0 26715 20418 2	3.20	0.87	0.57	0.81	0.40
MD6T	0 26715 19203 8	4.30	0.86	0.55	0.81	0.38
MD6TU	0 26715 20378 9	4.70	0.87	0.54	0.81	0.38
MD8S	0 26715 20419 9	4.10	0.85	0.73	0.96	0.60
MD8T	0 26715 19204 5	5.30	0.86	0.73	0.97	0.60
MD8TU	0 26715 20379 6	5.60	0.86	0.73	0.98	0.61
NDK3139	0 26715 15051 9	3.50	1.45	0.88	0.87	1.10
NDK7780	0 26715 15741 9	2.90	0.86	0.76	0.83	0.54
P12	0 26715 10652 3	27.30	2.05	0.99	1.27	2.57
P195ES52SB	0 26715 20667 4	19.60	2.06	1.15	1.29	3.05
P195E70SB	0 26715 20668 1	24.30	2.63	1.15	1.29	3.89
P195P1M52SB6	0 26715 23035 8	36.00	2.48	1.54	1.42	5.41
P195P1M70SB6	0 26715 23036 5	38.00	3.10	1.54	1.40	6.68
P195P2M70SB	0 26715 20666 7	45.00	3.13	1.54	1.42	6.83
P3	0 26715 22961 1	18.00	2.06	0.98	1.23	2.48
P5	0 26715 12434 3	17.60	2.33	1.33	0.50	1.56
P6	0 26715 10651 6	25.30	2.05	1.28	1.54	4.06
P8	0 26715 12435 0	25.90	2.33	1.33	0.42	1.30
PF6	0 26715 23428 8	21.60	1.33	1.20	1.21	1.93
PIK33	0 26715 15757 0	36.30	3.30	1.18	2.23	8.63
PIK45	0 26715 15758 7	47.00	4.29	1.17	2.25	11.27
PK2230	0 26715 20900 2	48.65	2.75	1.76	1.17	5.64
PK2239	0 26715 20901 9	56.00	3.50	1.75	1.17	7.15
PK2245	0 26715 20902 6	62.00	4.04	1.75	1.17	8.25
PKEX2239	0 26715 20903 3	39.00	3.50	1.79	1.17	7.32
PKEX2245	0 26715 20904 0	43.00	4.04	1.75	1.20	8.49
RMP3004	0 26715 15324 4	19.40	3.67	2.25	0.42	3.44
RMP3604	0 26715 15325 1	19.60	3.69	2.26	0.42	3.47
RMP4204	0 26715 15326 8	23.00	4.67	2.25	0.42	4.37
RMP4804	0 26715 15327 5	24.20	4.67	2.25	0.42	4.37
RMP5404	0 26715 15328 2	30.00	6.67	2.27	0.42	6.31
RMP6004	0 26715 15329 9	34.80	6.71	2.26	0.44	6.63
ROUNDFILTER	0 26715 08370 1	1.66	0.75	0.73	0.30	0.16
SMD6	0 26715 19201 4	4.80	0.87	0.56	0.81	0.39
SMD8	0 26715 19202 1	5.50	0.86	0.72	0.96	0.59
T460	0 26715 16881 1	2.00	1.30	0.77	0.67	0.66
T486	0 26715 22964 2	1.50	0.79	0.79	0.67	0.42
T487	0 26715 20786 2	1.40	0.75	0.77	0.71	0.41
U10230BLI	0 26715 16505 6	53.50	2.79	1.38	1.64	6.30
U10230SBE	0 26715 16507 0	41.30	2.79	1.36	1.65	6.26
U10230SBI	0 26715 16504 9	50.70	2.82	1.38	1.66	6.46
U10236BLI	0 26715 16511 7	56.90	3.31	1.38	1.68	7.62
U10236SBE	0 26715 16513 1	47.60	3.33	1.35	1.69	7.61
U10236SBI	0 26715 16510 0	56.10	3.32	1.37	1.68	7.63
U10242SBE	0 26715 16516 2	55.40	3.79	1.36	1.70	8.76
UP26M30SB	0 26715 22937 6	30.05	3.29	1.15	2.25	8.49
UP26M36SB	0 26715 22938 3	33.65	3.29	1.15	2.25	8.49
UP26M42SB	0 26715 22939 0	40.20	4.31	1.15	2.25	11.12
UP26M48SB	0 26715 22940 6	43.05	4.31	1.15	2.25	11.12
UP27M30SB	0 26715 22941 3	36.50	3.33	1.13	2.25	8.44
UP27M36SB	0 26715 22942 0	40.05	3.33	1.13	2.25	8.44
UP27M42SB	0 26715 22943 7	48.30	4.33	1.13	2.25	10.97
UP27M48SB	0 26715 22944 4	52.05	4.33	1.13	2.25	10.97
WC26E36SB	0 26715 17026 5	157.00	3.67	2.52	3.13	28.84

Model	UPC Code	Weight	Length	Width	Height	Cube
WC26E42SB	0 26715 17028 9	168.00	4.08	2.58	3.08	32.52
WC26E48SB	0 26715 17030 2	179.00	4.83	2.53	3.13	38.14
WC26I36SB	0 26715 17020 3	166.00	3.67	2.52	3.13	28.84
WC26I42SB	0 26715 17022 7	177.00	4.08	2.54	3.13	32.43
WC26I48SB	0 26715 17024 1	188.00	4.83	2.54	3.11	38.18
WC33I90SB	0 26715 19907 5	60.20	3.23	2.03	2.08	13.64
WC34E90SB	0 26715 22712 9	45.00	3.42	1.90	2.48	16.06
WC34I90SB	0 26715 22711 2	48.94	3.42	1.88	2.50	16.02
WC35E90SB	0 26715 22714 3	45.00	3.42	1.90	2.48	16.06
WC35I90SB	0 26715 22713 6	49.60	3.42	1.88	2.50	16.02
WC44E90SB	0 26715 22730 3	52.25	3.40	1.83	2.21	13.75
WC44I90SB	0 26715 22729 7	66.20	3.38	1.83	2.23	13.79
WC45E90SB	0 26715 22732 7	58.40	3.40	1.90	2.50	16.09
WC45I90SB	0 26715 22731 0	62.80	3.40	1.88	2.50	15.92
WC46E42SB	0 26715 22728 0	54.40	3.75	2.29	2.56	22.02
WC46E90SB	0 26715 22727 3	50.40	3.40	2.27	2.56	19.76
WC46I42SB	0 26715 22726 6	64.95	3.75	2.27	2.54	21.64
WC46I90SB	0 26715 22725 9	62.80	3.40	2.27	2.58	19.92
WC638	0 26715 17212 2	3.30	1.38	0.89	0.56	0.69
WCPI	0 26715 15776 1	1.50	0.68	0.53	0.41	0.15
WM34I80SB	0 26715 19910 5	93.60	3.63	2.50	2.18	19.76
WM45I80SB	0 26715 20259 1	68.00	3.25	3.00	1.92	18.69
WP28M30SB	0 26715 22931 4	60.20	2.00	3.52	2.79	19.66
WP28M36SB	0 26715 22932 1	65.35	2.00	3.52	2.79	19.66
WP28M42SB	0 26715 22933 8	76.25	2.00	4.52	2.79	25.24
WP28M48SB	0 26715 22934 5	80.20	2.00	4.52	2.79	25.24
WP28M54SB	0 26715 22935 2	97.40	2.00	6.52	2.79	36.41
WP28M60SB	0 26715 22936 9	103.70	2.00	6.52	2.79	36.41
WP29M304SB	0 26715 17641 0	60.50	2.04	3.50	2.79	19.95
WP29M364SB	0 26715 17642 7	73.60	3.52	2.00	2.79	19.63
WP29M424SB	0 26715 17643 4	83.50	4.52	2.00	2.79	25.22
WP29M484SB	0 26715 17644 1	90.60	4.52	2.00	2.79	25.22
WP29M544SB	0 26715 17645 8	103.00	6.50	2.00	2.79	36.29
WP29M604SB	0 26715 17646 5	107.00	6.52	2.04	2.79	37.14
WPD38I36SB	0 26715 20393 2	90.00	3.54	2.00	2.83	20.07
WPD38I48SB	0 26715 20394 9	108.00	4.54	2.00	2.79	25.36
WPD38I60SB	0 26715 20395 6	136.00	6.25	2.00	2.79	34.90
WPD39M36SB	0 26715 20660 5	90.00	3.50	2.00	3.08	21.58
WPD39M48SB	0 26715 20661 2	108.00	4.50	2.04	3.04	27.95
WPD39M60SB	0 26715 20662 9	136.00	6.58	2.04	3.00	40.32
WPP9E36SB	0 26715 22721 1	53.79	3.40	1.81	2.21	13.59
WPP9E42SB	0 26715 22722 8	62.61	3.96	1.83	2.21	16.03
WPP9E48SB	0 26715 22723 5	73.63	1.81	4.38	2.19	17.35
WPP9E54SB	0 26715 22724 2	82.23	1.81	4.88	2.21	19.51
WPP9I36SB	0 26715 22715 0	58.42	3.40	1.79	2.21	13.44
WPP9I42SB	0 26715 22717 4	66.80	3.90	1.83	2.21	15.77
WPP9IQT36SB	0 26715 22716 7	63.27	3.38	1.83	2.21	13.66
WPP9IQT42SB	0 26715 22718 1	70.99	3.92	1.83	2.21	15.86
WPP9IQT48SB	0 26715 22719 8	77.60	1.83	4.40	2.21	17.80
WPP9IQT54SB	0 26715 22720 4	86.42	1.83	4.92	2.21	19.91
WTT32I30SB	0 26715 20883 8	49.60	2.98	1.50	2.38	10.61
WTT32I36SB	0 26715 20884 5	52.25	3.46	1.52	2.33	12.27
WTT32I42SB	0 26715 20885 2	58.87	3.96	1.48	2.38	13.91
WTT32I48SB	0 26715 20886 9	78.71	4.46	1.52	2.35	15.96

All sales are governed by the Terms and Conditions available at
www.BestRangeHoods.com/salesterms.com. Buyer's additional or different terms are hereby rejected.

best

A Broan Company

926 W. State Street, Hartford, WI 53027
In U.S.A. call 1-800-558-1711
www.BestRangeHoods.com

BEST® reserves the right to change specifications at any time without notice.

99850530AA