



Joe Malale
Vice President Sales—Wholesale









InSinkErator
4700 21st Street
Racine, WI 53406
T (262) 554-3541
F (800) 558-5712 x3545
Joe.Malale@Emerson.com











May 5, 2017

To Our Valued Customer,

InSinkErator® is pleased to announce the expansion of our line of water dispensers with the addition of our two newest dispensers, Melea™ and Iris™. Both Melea and Iris will be available in single function hot only and cold only starting May 10, 2017 for immediate shipment. Melea is a transitional water dispenser and will be available in five finishes including chrome, satin nickel, polished nickel, matte black and classic oil-rubbed bronze. Iris is a traditional water dispenser and will be available in four finishes including chrome, satin nickel, polished nickel and classic oil-rubbed bronze. The tank and filtration systems are sold separately.

To assist with the incorporation of these faucets into your systems, please consult the table below for model Numbers, UPC's, finish availability, functionality and list pricing.

Description	Model Number	UPC	Finish	Functionality	List Price
 Melea Cold Only	F-C1400C	05037502110	Chrome	Cold Only	\$269.80
 Melea Cold Only	F-C1400SN	05037502111	Satin Nickel	Cold Only	\$310.20
 Melea Cold Only	F-C1400PN	05037502112	Polished Nickel	Cold Only	\$310.20
 Melea Cold Only	F-C1400MBLK	05037502113	Matte Black	Cold Only	\$364.20
 Melea Cold Only	F-C1400CRB	05037502114	Classic Oil-Rubbed Bronze	Cold Only	\$364.20
 Melea Hot Only	F-H1400C	05037502105	Chrome	Hot Only	\$415.00
 Melea Hot Only	F-H1400SN	05037502106	Satin Nickel	Hot Only	\$477.20
 Melea Hot Only	F-H1400PN	05037502107	Polished Nickel	Hot Only	\$477.20

	Melea Hot Only	F-H1400MBLK	05037502108	Matte Black	Hot Only	\$560.00
	Melea Hot Only	F-H1400CRB	05037502109	Classic Oil-Rubbed Bronze	Hot Only	\$560.00
	Iris Cold Only	F-C2300C	05037502100	Chrome	Cold Only	\$341.30
	Iris Cold Only	F-C2300SN	05037502101	Satin Nickel	Cold Only	\$384.50
	Iris Cold Only	F-C2300PN	05037502102	Polished Nickel	Cold Only	\$384.50
	Iris Cold Only	F-C2300CRB	05037502104	Classic Oil-Rubbed Bronze	Cold Only	\$460.70
	Iris Hot Only	F-H2300C	05037502095	Chrome	Hot Only	\$525.00
	Iris Hot Only	F-H2300SN	05037502096	Satin Nickel	Hot Only	\$603.70
	Iris Hot Only	F-H2300PN	05037502097	Polished Nickel	Hot Only	\$603.70
	Iris Hot Only	F-H2300CRB	05037502099	Classic Oil-Rubbed Bronze	Hot Only	\$708.60

Enclosed is a sell sheet and specification sheets to assist in the promotion of these new water dispensers. InSinkErator appreciates your continued support of our products. If you have any questions, please contact your Regional Sales Manager or local representative.


Sincerely,



Joe Malale
Vice President Sales – Wholesale

* The dual functioning hot and cold faucets will be available early 2018. An announcement will be sent at that time.





Melea™


Cool Filtered Water Dispenser Faucet

F-C1400

Features

- Dispenses cool, filtered water
- Single hole installation
- Spout swivels 360-degrees for convenience
- Flexible connectors for easy installation
- Constructed of high quality, low lead brass
- 40° turn ceramic disc valve
- 0.75 gallons per minute maximum flow rate at 60 psi
- For use with InSinkErator® filtration system (sold separately)
- Unit not for commercial/industrial use

Dimensions



Supply Connection	3/8" Compression
Required Sink Hole Diameter	1 1/4" - 1 1/2" Standard Sink Hole
Required supply pressure	25-125 psi (172-862 kPa or 1.7-8.6 bar)
Backsplash Clearance	Minimum 2" required from sink hole center to backsplash
Counter Thickness	Maximum of 3"

Finishes:


Chrome, Satin Nickel, Matte Black, Oil-Rubbed Bronze and Polished Nickel

Warranty:

We Come To You® 5-Year In-Home Limited Warranty. Covers parts and labor.

* The complete InSinkErator warranty is included in the Care & Use booklet with each unit.


Job Specifications



USA
1-800-558-5700
www.insinkerator.com

InSinkErator may make improvements and/or changes in the specifications at any time, in its sole discretion, without notice or obligation and further reserves the right to change or discontinue models.

© 2017 InSinkErator, InSinkErator® is a business unit of Emerson Electric Co. All Rights Reserved.



Melea™


Instant Hot Water Dispenser Faucet

F-H1400

Features

- Dispenses near-boiling, filtered water
- Efficient and time saving
- Single hole installation
- Spout swivels 360-degrees for convenience
- Flexible connectors for easy installation
- Constructed of high quality, low lead brass
- 40° turn ceramic disc valve
- 0.8 gallons per minute maximum flow rate at 60 psi
- For use with InSinkErator® hot water tank and filtration system (sold separately)
- Unit not for commercial/industrial use

Dimensions



Supply Connection	3/8" Compression
Required Sink Hole Diameter	1-1/4" - 1-1/2" Standard Sink Hole
Required supply pressure	25-125 psi (172-862 kPa or 1.7-8.6 bar)
Backsplash Clearance	Minimum 2" required from sink hole center to backsplash
Counter Thickness	Maximum of 3"

Finishes:


Chrome, Satin Nickel, Matte Black, Oil-Rubbed Bronze and Polished Nickel

Warranty:

We Come To You® 5-Year In-Home Limited Warranty. Covers parts and labor.

* The complete InSinkErator warranty is included in the Care & Use booklet with each unit.


Job Specifications



USA
1-800-558-5700
www.insinkerator.com

InSinkErator may make improvements and/or changes in the specifications at any time, in its sole discretion, without notice or obligation and further reserves the right to change or discontinue models.

© 2016 InSinkErator, InSinkErator® is a business unit of Emerson Electric Co. All Rights Reserved.



Iris™


Cool Filtered Water Dispenser Faucet

F-C2300

Features

- Dispenses cool, filtered water
- Single hole installation
- Spout swivels 360-degrees for convenience
- Flexible connectors for easy installation
- Constructed of high quality, low lead brass
- 40° turn ceramic disc valve
- 0.75 gallons per minute maximum flow rate at 60 psi
- For use with InSinkErator® filtration system (sold separately)
- Unit not for commercial/industrial use

Dimensions



Supply Connection	3/8" Compression
Required Sink Hole Diameter	1 1/4" - 1 1/2" Standard Sink Hole
Required supply pressure	25-125 psi (172-862 kPa or 17-8.6 bar)
Back-splash Clearance	Minimum 2" required from sink hole center to back-splash
Counter Thickness	Maximum of 3"

Finishes:


Chrome, Satin Nickel, Oil-Rubbed Bronze and Polished Nickel

Warranty:


We Come To You® 5-Year In-Home Limited Warranty. Covers parts and labor.

* The complete InSinkErator warranty is included in the Care & Use booklet with each unit.

Job Specifications



USA
1-800-558-5700
www.InSinkErator.com




Iris™

Instant Hot Water Dispenser Faucet F-H2300

Features

- Dispenses near-boiling, filtered water
- Efficient and time saving
- Single hole installation
- Spout swivels 360-degrees for convenience
- Flexible connectors for easy installation
- Constructed of high quality, low lead brass
- 40° turn ceramic disc valve
- 0.8 gallons per minute maximum flow rate at 60 psi
- For use with InSinkErator® hot water tank and filtration system (sold separately)
- Unit not for commercial/industrial use

Dimensions



Supply Connection	3/8" Compression
Required Sink Hole Diameter	1 1/4" - 1 1/2" Standard Sink Hole
Required supply pressure	25-125 psi (172-862 kPa or 17-8.6 bar)
Backsplash Clearance	Minimum 2" required from sink hole center to backsplash
Counter Thickness	Maximum of 3"

Finishes:


Chrome, Satin Nickel, Oil-Rubbed Bronze and Polished Nickel

Warranty:

We Come To You® 5-Year In-Home Limited Warranty.
Covers parts and labor.

* The complete InSinkErator warranty is included in the Care & Use booklet with each unit.

Job Specifications



USA
1-800-558-5700
www.insinkerator.com