

2018



PRICES EFFECTIVE



 **ASKO**

Inspired by Scandinavia

**Contents**

Dishwashers . . . . . 3  
Warranty . . . . . 11

Model numbers, specifications and prices are subject to change at any time without notice. Visit [askona.com/specs](http://askona.com/specs), for the most up-to-date information.

**IMPORTANT NOTE:** Throughout this price list, dimensions in parentheses are in millimeters unless otherwise specified.




## Asko Dishwashers

At Asko, we design and manufacture premium quality dishwashers with a special Scandinavian touch for design and function. Our products meet the highest demands in performance and durability, as well as environmental awareness. They clean better, use less water and last longer. We are proud that all of our built-in dishwashers have earned the ENERGY STAR® label and some have earned ENERGY STAR® Most Efficient.

- Stainless models feature TouchProof™ stainless steel.
- Tubular and pro handles match Sub-Zero and Wolf products.
- Panel ready models accept custom panel and handle.
- Stainless steel wrapped outdoor model is UL approved for outdoor use.
- Large interior capacity and maximum loading height makes room for larger dinnerware.
- Multi-spray wash system with separate spray nozzles cleans pot & pans and continuously sprays cutlery basket.
- LCD display.
- Non XXL models are ADA height compliant.
- Energy saving features give all models ENERGY STAR® qualified rating and some have earned ENERGY STAR® Most Efficient.

### DISHWASHER MODELS

#### INTEGRATED HANDLE MODELS



DBI663IS  
DBI663ISSOF




DBI664IXXLS  
DBI664IXLSSOF



DBI675IXXLS

#### TUBULAR HANDLE



DBI663THS




DBI664THXXLS




DBI675THXXLS

#### PRO HANDLE



DBI663PHS




DBI664PHXXLS



DBI675PHXXLS

#### PANEL READY



DFI663  
DFI663XXL




DFI664  
DFI664XXL  
DFI664XXLSOF




DFI675XXL

#### OUTDOOR




DOD651PHXXLS



D5956OUTDOORPH

PRICES EFFECTIVE

Integrated Handle



Model DBI663IS

MODEL	MSRP
DBI663IS	\$949
DBI663ISSOF	\$1,059

SPECIFICATIONS


Overall Width	23 <sup>7</sup> / <sub>8</sub> " (606)
Overall Height*	32 <sup>3</sup> / <sub>4</sub> " (832) – 34 <sup>3</sup> / <sub>4</sub> " (883)
Overall Depth	22" (559)
Shipping Weight	115 lbs (52 kg)

\*Can be reduced to 32<sup>1</sup>/<sub>4</sub>" (819) by removing top trim and lowering side trim.

FEATURES

- Condensation drying
- 16 place-setting capacity
- 44 dB(A)
- 8 spray zones
- 11 wash programs
- Delayed start
- 9" clearance in upper rack
- 13<sup>7</sup>/<sub>8</sub>" clearance in lower rack
- 2 racks / 1 top tray
- Extra dry
- Water softener (SOF only)
- ADA height compliant

Integrated Handle



Model DBI664IXXLS

MODEL	MSRP
DBI664IXXLS	\$1,369
DBI664IXXLSSOF	\$1,479


SPECIFICATIONS

Overall Width	23 <sup>7</sup> / <sub>8</sub> " (606)
Overall Height	34" (864) – 35 <sup>3</sup> / <sub>4</sub> " (908)
Overall Depth	22" (559)
Shipping Weight	115 lbs (52 kg)

FEATURES

- Turbo Drying™
- 16 place-setting capacity
- 42 dB(A)
- 9 spray zones
- 11 wash programs
- Delayed start
- 9" clearance in upper rack
- 15<sup>3</sup>/<sub>8</sub>" clearance in lower rack
- 2 racks / 1 top tray
- Extra dry
- Status light
- Water softener (SOF only)

Integrated Handle



Model DBI675IXXLS

MODEL	MSRP
DBI675IXXLS	\$1,689


SPECIFICATIONS

Overall Width	23 <sup>7</sup> / <sub>8</sub> " (606)
Overall Height	34" (864) – 35 <sup>3</sup> / <sub>4</sub> " (908)
Overall Depth	22" (559)
Shipping Weight	115 lbs (52 kg)

FEATURES

- Turbo Drying™
- 17 place-setting capacity
- 40 dB(A)
- 9 spray zones
- 11 wash programs
- Interior LED lights (4 spots)
- 9" clearance in upper rack
- 11<sup>1</sup>/<sub>2</sub>" clearance in lower rack
- 3 racks
- Extra dry
- Delayed start
- Status light

Tubular and Pro Handle



Model DBI663

MODEL	MSRP
DBI663THS	\$1,109
DBI663PHS	\$1,159

SPECIFICATIONS

Overall Width	23 <sup>7</sup> / <sub>8</sub> " (606)
Overall Height*	32 <sup>3</sup> / <sub>4</sub> " (832) – 34 <sup>3</sup> / <sub>4</sub> " (883)
Overall Depth	22" (559)
Shipping Weight	115 lbs (52 kg)


\*Can be reduced to 32<sup>1</sup>/<sub>4</sub>" (819) by removing top trim and lowering side trim.

FEATURES

- Condensation drying
- 16 place-setting capacity
- 44 dB(A)
- 8 spray zones
- 11 wash programs
- 9" clearance in upper rack
- 13<sup>7</sup>/<sub>8</sub>" clearance in lower rack
- 2 racks / 1 top tray
- Extra dry
- Delayed start
- ADA height compliant

PRICES EFFECTIVE

Tubular and Pro Handle



Model DBI664XXLS

MODEL	MSRP
DBI664THXXLS	\$1,479
DBI664PHXXLS	\$1,529


SPECIFICATIONS

Overall Width	23 <sup>7</sup> / <sub>8</sub> " (606)
Overall Height	34" (864) – 35 <sup>3</sup> / <sub>4</sub> " (908)
Overall Depth	22" (559)
Shipping Weight	115 lbs (52 kg)

FEATURES

- Turbo Drying™
- 16 place-setting capacity
- 42 dB(A)
- 9 spray zones
- 11 wash programs
- 9" clearance in upper rack
- 15<sup>3</sup>/<sub>8</sub>" clearance in lower rack
- 2 racks / 1 top tray
- Extra dry
- Delayed start

Tubular and Pro Handle



Model DBI675XXLS

MODEL	MSRP
DBI675THXXLS	\$1,739
DBI675PHXXLS	\$1,739


SPECIFICATIONS

Overall Width	23 <sup>7</sup> / <sub>8</sub> " (606)
Overall Height	34" (864) – 35 <sup>3</sup> / <sub>4</sub> " (908)
Overall Depth	22" (559)
Shipping Weight	115 lbs (52 kg)

FEATURES

- Turbo Drying™
- 17 place-setting capacity
- 40 dB(A)
- 9 spray zones
- 11 wash programs
- Interior LED lights (4 spots)
- 9" clearance in upper rack
- 11<sup>1</sup>/<sub>2</sub>" clearance in lower rack
- 3 racks
- Extra dry
- Delayed start
- Status light

Panel Ready



Model DFI663

MODEL	MSRP
DFI663	\$949

SPECIFICATIONS

Overall Width	23 <sup>5</sup> / <sub>8</sub> " (600)
Overall Height*	32 <sup>3</sup> / <sub>4</sub> " (832) – 34 <sup>3</sup> / <sub>4</sub> " (883)
Overall Depth	22" (559)
Shipping Weight	115 lbs (52 kg)

\*Can be reduced to 32<sup>1</sup>/<sub>4</sub>" (819).


FEATURES

- Condensation drying
- 16 place-setting capacity
- 44 dB(A)
- 8 spray zones
- 11 wash programs
- 9" clearance in upper rack
- 13<sup>7</sup>/<sub>8</sub>" clearance in lower rack
- 2 racks / 1 top tray
- Extra dry
- Delayed start
- ADA height compliant

Accessories

DESCRIPTION	NUMBER	MSRP
<b>STAINLESS STEEL PANEL</b>		
4" Toe Kick, Tubular Handle	462507	\$455
4" Toe Kick, Pro Handle	462811	\$475
<b>STAINLESS STEEL HANDLE</b>		
Tubular Handle	825190	\$145
Pro Handle	825191	\$170

Panel Ready



Model DFI663XXL

MODEL	MSRP
DFI663XXL	\$1,059

SPECIFICATIONS

Overall Width	23 <sup>5</sup> / <sub>8</sub> " (600)
Overall Height	34" (864) – 35 <sup>3</sup> / <sub>4</sub> " (908)
Overall Depth	22" (559)
Shipping Weight	115 lbs (52 kg)

FEATURES


- Condensation drying
- 16 place-setting capacity
- 44 dB(A)
- 8 spray zones
- 11 wash programs
- 9" clearance in upper rack
- 15<sup>3</sup>/<sub>8</sub>" clearance in lower rack
- 2 racks / 1 top tray
- Extra dry
- Delayed start

Accessories

DESCRIPTION	NUMBER	MSRP
<b>STAINLESS STEEL PANEL</b>		
4" Toe Kick, Tubular Handle	462507	\$455
4" Toe Kick, Pro Handle	462811	\$475
<b>STAINLESS STEEL HANDLE</b>		
Tubular Handle	825190	\$145
Pro Handle	825191	\$170

PRICES EFFECTIVE

Panel Ready



Model DFI664

MODEL	MSRP
DFI664	\$1,319

SPECIFICATIONS

Overall Width	23 <sup>5</sup> / <sub>8</sub> " (600)
Overall Height*	32 <sup>3</sup> / <sub>4</sub> " (832) – 34 <sup>3</sup> / <sub>4</sub> " (883)
Overall Depth	22" (559)
Shipping Weight	115 lbs (52 kg)

\*Can be reduced to 32<sup>1</sup>/<sub>4</sub>" (819).


FEATURES

- Turbo Drying™
- 16 place-setting capacity
- 42 dB(A)
- 9 spray zones
- 11 wash programs
- 9" clearance in upper rack
- 13<sup>7</sup>/<sub>8</sub>" clearance in lower rack
- 2 racks / 1 top tray
- Extra dry
- Delayed start
- ADA height compliant

Accessories

DESCRIPTION	NUMBER	MSRP
<b>STAINLESS STEEL PANEL</b>		
4" Toe Kick, Tubular Handle	462507	\$455
4" Toe Kick, Pro Handle	462811	\$475
<b>STAINLESS STEEL HANDLE</b>		
Tubular Handle	825190	\$145
Pro Handle	825191	\$170

Panel Ready



Model DFI664XXL

MODEL	MSRP
DFI664XXL	\$1,369
DFI664XXLSOF	\$1,479

SPECIFICATIONS

Overall Width	23 <sup>5</sup> / <sub>8</sub> " (600)
Overall Height	34" (864) – 35 <sup>3</sup> / <sub>4</sub> " (908)
Overall Depth	22" (559)
Shipping Weight	115 lbs (52 kg)


FEATURES

- Turbo Drying™
- 16 place-setting capacity
- 42 dB(A)
- 9 spray zones
- 11 wash programs
- 9" clearance in upper rack
- 15<sup>3</sup>/<sub>8</sub>" clearance in lower rack
- 2 racks / 1 top tray
- Extra dry
- Delayed start
- Water softener (SOF only)

Accessories

DESCRIPTION	NUMBER	MSRP
<b>STAINLESS STEEL PANEL</b>		
4" Toe Kick, Tubular Handle	462507	\$455
4" Toe Kick, Pro Handle	462811	\$475
<b>STAINLESS STEEL HANDLE</b>		
Tubular Handle	825190	\$145
Pro Handle	825191	\$170

Panel Ready



Model DFI675XXL

MODEL	MSRP
DFI675XXL	\$1,689

SPECIFICATIONS

Overall Width	23 <sup>5</sup> / <sub>8</sub> " (600)
Overall Height	34" (864) – 35 <sup>3</sup> / <sub>4</sub> " (908)
Overall Depth	22" (559)
Shipping Weight	115 lbs (52 kg)


FEATURES

- Turbo Drying™
- 17 place-setting capacity
- 40 dB(A)
- 9 spray zones
- 11 wash programs
- Interior LED lights (4 spots)
- 9" clearance in upper rack
- 11<sup>1</sup>/<sub>2</sub>" clearance in lower rack
- 3 racks
- Extra dry
- Delayed start
- Status light

Accessories

DESCRIPTION	NUMBER	MSRP
<b>STAINLESS STEEL PANEL</b>		
4" Toe Kick, Tubular Handle	462507	\$455
4" Toe Kick, Pro Handle	462811	\$475
<b>STAINLESS STEEL HANDLE</b>		
Tubular Handle	825190	\$145
Pro Handle	825191	\$170

Outdoor Model



Model DOD651

MODEL	MSRP
DOD651PHXXLS	\$3,209

SPECIFICATIONS


Overall Width	24 <sup>5</sup> / <sub>8</sub> " (625)
Overall Height	35" (889) – 35 <sup>3</sup> / <sub>4</sub> " (908)
Overall Depth	25" (635)
Shipping Weight	174 lbs (79 kg)

FEATURES

- Condensation drying
- 15 place-setting capacity
- 48 dB(A)
- 7 Spray™ wash system
- 9 wash programs
- 15<sup>3</sup>/<sub>8</sub>" clearance in lower rack
- 9" clearance in upper rack
- 2 racks
- Extra dry
- Delayed start
- Stainless steel wrap
- Knife rack
- UL approved outdoor

PRICES EFFECTIVE

Outdoor Model



Model D5956

MODEL	MSRP
D5956OUTDOORPH*	\$3,159

\*Consult your local Distributor for Availability

SPECIFICATIONS

Overall Width	24 <sup>5</sup> / <sub>8</sub> " (625)
Overall Height	35" (889) – 35 <sup>3</sup> / <sub>4</sub> " (908)
Overall Depth	25" (635)
Shipping Weight	174 lbs (79 kg)

FEATURES

- Condensation drying
- 15 place-setting capacity
- 48 dB(A)
- 7 Spray™ wash system
- 9 wash programs
- 15<sup>3</sup>/<sub>8</sub>" clearance in lower rack
- 9" clearance in upper rack
- 2 racks
- Extra dry
- Delayed start
- Stainless steel wrap
- Knife rack
- UL approved outdoor

# Asko Residential Limited Warranty

## RESIDENTIAL APPLIANCES

ASKO Distribution North America, LLC. (“ASKO”) warrants to the original purchaser (the “ASKO Customer”) of the ASKO product (the “ASKO Product”), who purchased the ASKO Product from a distributor, dealer, manufacturer’s representative or other seller who has been authorized by ASKO, that this ASKO Product is free of defects in materials and/or workmanship, subject to the terms and conditions set forth herein. This Limited Warranty covers parts and labor, except as set forth in this Limited Warranty. Service must be provided by an authorized ASKO service company. YOUR SOLE AND EXCLUSIVE REMEDY UNDER THIS LIMITED WARRANTY SHALL BE PRODUCT REPAIR AS PROVIDED HEREIN. This Limited Warranty is valid only when the ASKO Product is used in the country in which it was purchased. Proof of original purchase date is required to obtain service under this Limited Warranty.

Residential ASKO Products Used Exclusively for Household/Personal Purposes:

Two (2) Years Limited Warranty—Any warranty service claims for residential ASKO Products must be filed with ASKO within two (2) years from date of purchase. Service will be provided during normal business hours.

Residential ASKO Products Not Used Exclusively for Household/Personal Purposes or used Commercially or used in Marine, Mobile or Aeronautical Applications:

One (1) Year Limited Warranty—Any warranty service claims for ASKO Products not used exclusively for household and personal use, or used commercially or used in marine, mobile, or aeronautical applications must be filed with ASKO within one (1) year from date of purchase. Service will be provided during normal business hours.

### ITEMS EXCLUDED FROM WARRANTY

This Limited Warranty does not cover:

- 1) Replacement parts or repair labor if the ASKO Product is used in a manner that is inconsistent with published user or operator instructions and/or installation instructions.
- 2) Service calls to correct the installation of the ASKO Product, to instruct you on how to use the ASKO Product, to replace or repair house fuses, or to correct house wiring or plumbing.
- 3) Consumable items and parts, such as filters.
- 4) Damage resulting from accident, alteration, misuse, abuse, negligence, fire, flood, acts of God, improper use, improper installation, installation not in accordance with electrical or plumbing codes, or use of products not approved by ASKO, as well as any attempted repair by other than authorized ASKO service companies.
- 5) Cosmetic damage, including scratches, dents, chips or other damage to the finish of the ASKO Product, unless such damage results from defects in materials or workmanship and is reported to ASKO within 5 days from date of purchase.
- 6) Pickup and delivery. The ASKO Product is intended to be repaired in your home.
- 7) Repairs to parts or systems resulting from unauthorized modifications made to the ASKO Product.
- 8) Expenses for travel and transportation for product service if the ASKO Product is located in a remote area where service by an authorized ASKO service company is not available.
- 9) The removal and reinstallation of the ASKO Product if it is installed in an inaccessible location or is not installed in accordance with ASKO’s published installation instructions.
- 10) Replacement parts or repair labor on ASKO Products with original model/serial numbers that have been removed, altered or cannot be easily determined.

### DISCLAIMER

YOUR SOLE AND EXCLUSIVE REMEDY UNDER THIS LIMITED WARRANTY SHALL BE PRODUCT REPAIR AS PROVIDED HEREIN. EXPRESSLY DISCLAIMED ARE ALL OTHER EXPRESS AND IMPLIED WARRANTIES, INCLUDING ANY IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow exclusion or limitations regarding warranty rights. This Limited Warranty gives you specific legal rights and you may have other rights that vary from jurisdiction to jurisdiction. Attempted repair by any person other than an authorized ASKO service company will void this Limited Warranty.

### LIMITATION OF LIABILITY

IN NO EVENT SHALL ASKO OR THE MANUFACTURER AND THEIR RESPECTIVE PARENTS, SUBSIDIARIES AND AFFILIATES BE LIABLE FOR CONSEQUENTIAL, INCIDENTAL, EXEMPLARY, PUNITIVE OR SPECIAL DAMAGES. IN NO EVENT SHALL ASKO OR THE MANUFACTURER AND THEIR RESPECTIVE PARENTS, SUBSIDIARIES AND AFFILIATES BE LIABLE FOR DAMAGES OTHER THAN ACTUAL DAMAGES AND IN NO EVENT FOR DAMAGES IN EXCESS OF THE PRICE PAID FOR THE ASKO PRODUCT AS TO WHICH A CLAIM IS MADE. Some jurisdictions do not allow the exclusion or limitation of incidental, consequential or other damages, so these limitations and exclusions may not apply to you. This Limited Warranty gives you specific legal rights. You also may have other rights that vary from jurisdiction to jurisdiction.

### TROUBLESHOOTING AND ASKO CUSTOMER CARE

If you think you need repair service, first see the “Troubleshooting” section of the Use & Care Guide. If you are unable to resolve the problem after checking “Troubleshooting,” then additional help can be obtained by calling ASKO Customer Care at 1-800-898-1879. Read the “Troubleshooting” chapter before contacting the Customer Care Center. Make a note of the details on the rating plate positioned on the right inside the dishwasher. Make a note of the (1) service number, (2) item number and (3) serial number.

### SERVICE AFTER EXPIRATION OF LIMITED WARRANTY

For information about obtaining parts and labor after expiration of this Limited Warranty or arising outside the scope of this Limited Warranty, please contact ASKO Customer Care at 1-800-898-1879. After your purchase and prior to first use of the ASKO Product, register your ASKO Product with ASKO by utilizing the address information below. Should you need further assistance as well, contact us at the address information below:

ASKO Distribution North America, LLC Customer Care Center PO Box 44848 MADISON WI 53744 1-800- 898-1879 www.askona.com

2018



Inspired by Scandinavia

ASKO DISTRIBUTION NORTH AMERICA, LLC MADISON, WI 53744 800-222-7820 ASKONA.COM