

# STEAM BATH PRODUCTS



amerec<sup>®</sup>  
STEAM. SAUNA. SOLUTIONS.

# BETTER LIVING

We find inspiration in the lush forests, roaring rivers and breathtaking vistas that surround us. The incredible combination of adrenaline, exhilaration and meditative peace make us get out there and run, bike, ski and play. But reflection and refueling is what keeps us going. We believe in well-rounded health routines – optimizing downtime to spark new adventures. We are proud to make wellness products that truly improve lives on many levels. Come and explore wellness in a whole new way with us. We simply call it Better Living.

To us better living starts and ends in the luxury of your own custom spa. Combining steam bathing and sauna time maximizes the rewards: deeper relaxation and general stress relief as well as reduced aches and pains from exercise and arthritis.



---


QUALITY & DESIGN

---

CLEAN THINKING

---

CUSTOMER SUPPORT



---

At Amerrec, we understand the quality of your steam and sauna experience is directly related to the quality of the products we design. Since every home is different, every life is different and every dream is different, we focus on finding the optimal solution based on your specific requirements.

---

We have a strong commitment to the nature that surrounds us. We continually challenge industry standards in sustainability and performance and we succeed in delivering products of the highest quality, while being mindful of what materials we use and the foot print it leaves.

---

Whatever your request is, we will go out of our way to realize your innermost spa desires. We make sure that you get straight answers right away. We take pride in being easy to deal with. For more information about Amerrec or to find your local dealer, please contact us at 1-800-331-0349 or send an email at [design@amerec.com](mailto:design@amerec.com).

# WE LIKE TO MAKE IT EASY



*Screen shot of Amerec steam builder on [www.amerec.com](http://www.amerec.com)*

## STEAM DESIGN TOOL

Since your home, its layout as well as your taste is most likely different from that of your neighbor's, we realize there is no standard solution for your home spa. To make things easier for you, we provide an easy web based planning tool with which you can create an outline of your space. All you have to do is enter a few specifications and choose accessories in order to get a picture of what your new home steam room would look like, along with a quote for your purchases.

## PERSONAL HELP

We are known in the business to be easy to deal with and make sure that you get straight answers right away. Contact us at our Department of Solutions and talk to one of our personal spa planners. We are experts in the field and are standing by to guide and inspire you. Together we create the ideal solution for your home.

Get in touch with Amerec, and we'll assist you with your design needs. We have hundreds of dealers across the US and Canada.



*To make things easier for you to create your dream steam or sauna solution, we have a number of services and bundled packages for your convenience.*

## CUSTOM SOLUTIONS

We are industry leaders in steam and sauna solutions. Every home is different, every life is different and every dream is different. That's why we aren't limited to standard solutions. Most home steam baths or sauna rooms are custom built on-site to your specific requirements. The functionality of our solutions stand out in comparison with the competition and we know how to create a perfect spa environment. Together we make sure that you are able to indulge in a spa that is optimized for your personal requirements and desires.



## BUNDLED PACKAGES

Make your installation stress free and easy right from the get go with our popular packages. The Olympic Package combines reliability and low maintenance of the AX generator with ADX Auto Drain and ADP Drip Pan with the innovative A6 Touch Control and ComfortFlo steam head. The Cascade Package includes all of this, plus both aromatherapy and chromatherapy features. All you have to do is tell us about the characteristics of your existing shower and select the finish of the steam head you'd like, and your steam system package is ready.





## RESIDENTIAL STEAM GENERATOR AX SERIES GENERATOR

We have designed our AX series generators for long lasting performance and reliability. Consistent and even flow of steam are unique Amerrec features that set our generators apart. For a truly first class steam bath experience, integrate it with your existing smart home solution by using the AmerrecConnect™ feature. AmerrecConnect app is a Free download for Android and IOS. It provides on off control via Wi-Fi with your A6 control on AX steam units. A PC version is also available.



## AX SERIES WITH A6 AND A3 TOUCH CONTROLS AND AUTO DRAIN

### Performance Features of Amerec AX Generators

- Sequential Temperature Control delivers a more consistent flow of Soft Steam and a more stable, comfortable steam bath experience.
- 4 sizes handle a range of steam bath sizes up to 550 cubic feet.
- AX generators can be connected together to heat steam baths larger than 550 cubic feet.
- Warm Start, a feature used in Day Spas and for use with A6 control only, maintains a tank water temperature at just below boiling, which reduces heating time by 2-3 minutes. Warm Start cables must be ordered separately.
- 240 and 208 volt models can be wired in the field for 1 or 3 phase power.
- Stainless steel tank and water level probes provide years of trouble-free operation.
- Removable heating elements provide easy and economical service.

### Codes/Standards

- ETL listed for USA and Canada
- Tested to IEC standards

### Sizing and Rough-In Guide

Model	Steam Room Cu Ft				1 Phase		3 Phase	
	Min.	Max.	Voltage	Watts	Amps	Breaker	Amps	Breaker
AX4.5	60	90	240	4500	19	30	11	15
AX4.5	60	90	208	4500	22	30	13	20
AX7.5	80	200	240	7500	31	40	18	30
AX7.5	80	200	208	7510	36	50	21	30
AX11	175	375	240	11000	46	60	26	40
AX11	175	375	208	11240	18 & 36	30 & 50	31	40
AX14	350	550	240	14000	21 & 38	30 & 50	34	50
AX14	350	550	208	13580	24 & 42	30 & 50	38	50

To calculate the generator size required, multiply the length x width x height of the steam room.

For rooms made of natural stone, multiply the cubic volume by 1.75 (stone requires more power to heat)

(Maximum recommended ceiling height is 8 feet.)

For rooms exceeding 550 cubic feet, generators may be ganged together to achieve required capacity.

Each generator will require its own power source as described in the chart above.

Example: Room size 750 cu ft, power available 240V 1 phase:

Use two AX11 generators.


Requires one 60A circuit for each AX11 steamer (total of two circuits)

Example: Room size 925 cu ft power available 240V 1 phase:

Use one AX11 ( requires one 60A circuit) plus one AX14 (requires 2 circuits, one 30A + one 50A)

One control required, regardless of quantity of generators. Additional controls may be connected

AX steamers are compatible with Amerec's A6 control and or A3 control. Dual control options: A6+Wi-Fi app, A6+A6, A6+A3.



### Required Steam Head

ComfortFlo Steam Head, Available in Chrome, Polished Brass, Polished Nickel, Brushed Nickel, Oil Rubbed Bronze, and white.

### Electrical Service Information

Dedicated circuit required. See specification chart. All electrical wiring to be installed by a licensed electrician in accordance with local and national codes.

### Plumbing Information

- Water Inlet - 3/8" NPT
- Pressure Relief Valve - 3/4" NPT
- Steam Outlet - 1/2" NPT
- Drain Outlet - 3/4" NPT
- Follow local plumbing codes.

### Generator Shipping Weight & Dimensions

AX 4.5 - AX 14: 35 Lbs.

Shipping Box: 22" x 20" x 10-1/2"

### Installation Information

- Mount in dry, well ventilated area, not exposed to freezing temperatures.
- Mount generator level, on its base or hung on a wall.
- Provide adequate access for serviceability.
- Run 3/8" copper cold water line. Install shut off valve, but do not use a saddle valve.
- Run 1/2" copper steam line, insulate lines longer than 20 ft. in length. Slope pipe to avoid condensation build up. Do not create traps.
- Run 3/4" copper pressure relief line and terminate in accordance with local and national codes.
- Run 3/4" copper drain line, sloping pipe to gravity flow drain. Do not terminate drain into the steam room.
- Steam head to be mounted 18" above floor or 12" above rim of bathtub and as far away from seating area as possible.

# CONTROLS

## RESIDENTIAL AX STEAM GENERATORS

### A6 TOUCH SCREEN CONTROL

---

The A6 touch control panel displays the temperature and run time. It can be programmed to start up to 24 hours in advance, and can run from 15 minutes up to 24 hours. It allows you to regulate all existing features in your steam room such as lighting, temperature settings and different languages, with even more advanced functions.

It is designed to be wall mounted outside or inside the room for ease of use. You have the choice of surface or flush mounting through the use of a recessed mounting box, with a trim ring to match the selected finish, that is included in the kit. You can connect it to an external switch or even link it to most smart home solutions.



### A6 TOUCH CONTROL

---

**Intelligent Start**  
Pre-heat steam bath for you

**Calendar Programming**  
Tell your steam bath to work according to your schedule

**User Favorites**  
The A6 control remembers individual user preferences for time and temperature settings plus fragrance and lighting options.

### A3 TOUCH CONTROL PANEL

---

The A3 control panel offers a simple and convenient solution for complete control of your steam bath. The panel blends discretely and elegantly into the space with its clean lines and refined design. The easy-to-read display provides a full overview of power-on time, temperature and lighting. Program your steam bath for up to one hour of use or use the delayed start function allowing you to turn the generator on with a delay of 1-10 hours.





A6 Surface Mount



A6 Recessed Mount  
with Trim Ring



Brushed  
Nickel



Polished  
Chrome



Oil Rubbed  
Bronze



Polished  
Nickel



Relax even before you go into your steam bath. With our mobile version of the amerecConnect™ app, you can control your home spa from within your home wi-fi network on your Apple and Android devices. Also available as a PC app. The apps are free of charge with purchase of A6.

For ease of use and convenience, we have developed the amerecConnect™ functionality for smart phones and tablets. Take total control over your steam bath experience from the palm of your hand. Configure and set it to your individual desires for optimal performance.



# COMFORTFLO™ STEAM HEAD

The ComfortFlo™ steam head is designed for optimal steam dispersion providing more even heat throughout the steam room and reducing the time required to reach the desired room temperature. It ensures that each steam bath is perfect and invigorating. Steam is delivered into the room emitting a soft pink noise, which is a component inducing a higher state of relaxation and better sleep. The ComfortFlo™ steam head features a fragrance reservoir allowing the bather to enjoy the benefits of aromatherapy using their favorite fragrance.



**Available finishes:**

- Polished Chrome
- Polished Brass
- Polished Nickel
- Brushed Nickel
- Oil Rubbed Bronze
- White



# “WARM START” INSTANT STEAM OPTION

For AX Generator and A6 Control Only

Imagine being able to step into the gentle, healthy heat of cleansing steam within 60 seconds of turning the generator on. The “Warm Start” option keeps water in the tank preheated to a temperature just below a boil, reducing the time required to heat the bath by several minutes. And if you won’t be using the steam bath for an extended period, a simple on/off switch lets you deactivate the preheating option to save on power consumption.



## AUTOMATIC DRAIN SYSTEM

Your AX and AK generators include an optional automatic drain and flushing system for added convenience and worry-free performance. The automatic drain empties the generator tank after every bath and refills the tank with clean, fresh water before your next steam bath. In addition to reducing sediment build up and providing longer element life, the drain ensures that the steam for each new bath is generated from pure, freshly-sourced water.



# BUNDLED AX STEAM PACKAGES

Taking it easy by making it easy. Leave it to the experts by choosing one of our packages curated from our most popular options.



# OLYMPIC PACKAGE

---



- 1. A6 Control
- 2. ComfortFlo Steam Head
- 3. Auto Drain
- 4. Drip Pan

# CASCADE PACKAGE

---



- 1. A6 Control
- 2. ComfortFlo Steam Head
- 3. Auto Drain
- 4. Drip Pan
- 5. Chromatherapy Lights (2)
- 6. Aromatherapy Pump



## RESIDENTIAL STEAM GENERATOR AK SERIES GENERATOR

The soothing and purifying effects of steam bathing are a direct result of the bath's ability to minimize temperature variations and maintain an even flow of steam. Amerrec AK generators were purpose-designed for home use, transforming your shower or bathing room into a daily invitation to comfort. An AK generator uses full power to quickly heat up the steam room to its preset temperature, then cuts power by 1/3 or 2/3 of its heating elements. The result is a more consistent flow of soft steam and more stable temperature – the perfect conditions for relaxing and recharging whenever the mood strikes you.



## MODEL: AK SERIES WITH K60 AND KT60 DIGITAL CONTROLS OR R30K ON/OFF CONTROL AND AUTO DRAIN

### Performance Features of Amerec AX Generators

- Sequential Temperature Control delivers a more consistent flow of Soft experience.
- 4 sizes handle a range of steam bath sizes up to 550 cubic feet.
- AK generators can be connected together to heat steam baths larger than 550 cubic feet.
- 240 and 208 volt models can be wired in the field for 1 or 3 phase power.
- Stainless steel tank and water level probes provide years of trouble-free operation.
- Removable heating elements provide easy and economical service.

### Codes/Standards

- ETL listed for USA and Canada
- Tested to IEC standards

### Sizing and Rough-In Guide

Model	Steam Room Cu Ft				1 Phase		3 Phase	
	Min.	Max.	Voltage	Watts	Amps	Breaker	Amps	Breaker
AK4.5	60	90	240	4500	19	30	11	15
AK4.5	60	90	208	4500	22	30	13	20
AK7.5	80	200	240	7500	31	40	18	30
AK7.5	80	200	208	7510	36	50	21	30
AK11	175	375	240	11000	46	60	26	40
AK11	175	375	208	11240	18 & 36	30 & 50	31	40
AK14	350	550	240	14000	21 & 38	30 & 50	34	50
AK14	350	550	208	13580	24 & 42	30 & 50	38	50

To calculate the generator size required, multiply the length x width x height of the steam room.

For rooms made of natural stone, multiply the cubic volume by 1.75 (stone requires more power to heat)

(Maximum recommended ceiling height is 8 feet.)


For rooms exceeding 550 cubic feet, generators may be ganged together to achieve required capacity.

Each generator will require its own power source as described in the chart above.

Example: Room size 750 cu ft, power available 240V 1 phase:  
Use two AK11 generators.  
Requires one 60A circuit for each AK11 steamer (total of two circuits)  
Example: Room size 925 cu ft power available 240V 1 phase:  
Use one AK11 ( requires one 60A circuit) plus one AK14 (requires 2 circuits, one 30A + one 50A)

One control required, regardless of quantity of generators. Additional controls may be connected

AK steamers are compatible with Amerec's K60 control and or KT60 or R30K control.



### Required Steam Head

ComfortFlo Steam Head, Available in Chrome, Polished Nickel, Brushed Nickel, and Oil Rubbed Bronze.

### Electrical Service Information

Dedicated circuit required. See specification chart. All electrical wiring to be installed by a licensed electrician in accordance with local and national codes.

### Plumbing Information

- Water Inlet - 3/8" NPT
- Pressure Relief Valve - 3/4" NPT
- Steam Outlet - 1/2" NPT
- Drain Outlet - 3/4" NPT
- Follow local plumbing codes.

### Generator Shipping Weight & Dimensions

AK 4.5 - AK 14: 35 Lbs.  
Shipping Box: 22" x 20" x 10-1/2"

### Installation Information

- Mount in dry, well ventilated area, not exposed to freezing temperatures.
- Mount generator level, on its base or hung on a wall.
- Provide adequate access serviceability.
- Run 3/8" copper cold water line. Install shut off valve, but do not use a saddle valve.
- Run 1/2" copper steam line, insulate lines longer than 20 ft. in length. Slope pipe to avoid condensation build up. Do not create traps.
- Run 3/4" copper pressure relief line and terminate in accordance with local and national codes.
- Run 3/4" copper drain line, sloping pipe to gravity flow drain. Do not terminate drain into the steam room.
- Steam head to be mounted 18" above floor or 6" above rim of bathtub and as far away from seating area as possible.

# CONTROLS

## RESIDENTIAL AK STEAM GENERATORS

Amerrec offers a wide variety of control options for AK generators that let you tailor your own steam bath experience to your exact personal specifications. Each unit comes in your choice of metal cover finishes (polished chrome, polished nickel, brushed nickel and oil-rubbed bronze). All kits include the ComfortFlo™ steam head and all the cables needed to connect the control to the generator.

### KT60 – DIGITAL CONTROL WITH BUILT-IN TEMPERATURE SENSOR



- Digital display alternates between room temperature and time remaining
- 3-button panel with on/off, temperature setting and time duration setting adjustable up to 60 minutes
- Integral temperature sensor simplifies installation
- Must be mounted inside the steam room

### K60 – DIGITAL CONTROL WITH REMOTE TEMPERATURE SENSOR



- Digital display alternates between room temperature and time remaining
- 3-button panel with on/off, temperature setting and time duration setting adjustable up to 60 minutes
- Remote temperature sensor must be mounted inside steam room
- Can be mounted inside or outside the steam room

### R30K - ON/OFF NON-THERMOSTATIC CONTROL



- R30K basic on/off control
- Green indicator light illuminates during generator operation
- Control can be mounted inside or outside steam room
- Control kit includes R30K control, cable and ComfortFlo steam head

### FINISH OPTIONS



*Polished Chrome*



*Polished Nickel*



*Brushed Nickel*



*Oil Rubbed Bronze*

# AX & AK SERIES GENERATOR GANGING

## FOR LARGER STEAM ROOMS

Amerrec steam generators may be ganged together to supply steam to rooms larger than what a single 14 kW unit can accommodate. When ganging generators, only one has a control and temperature sensor connected. Secondary units mimic the primary unit, making the operation of the system as simple as controlling a single generator.

- Each secondary Steamer requires one or more ComfortFlo steam head.
- Each unit will need its own automatic drain valve kit
- Each unit will need its own drip pan.



### POWERFULLY SMALL

Don't let the size of steam generators fool you. Each provides more than enough power to heat and steam the room dimensions it was designed for. Their relatively compact size gives you installation options for more effective use of space at your facility.

### TEAM WORK

AX and AK Series generators are purpose-designed for easy coupling – multiple units can be connected together to effectively heat large steam rooms up to 1,650 cubic feet. Maintenance and access is very easy, and includes power-saving features that help keep electricity bills low.

Ganged System Rating

Room Size MAX cu. ft.	kW	Units Used
750	22.0	11kW + 11kW
1100	28.0	14kW + 14kW
1300	36.0	14kW + 11kW + 11kW
1650	42.0	14kW + 14kW + 14kW

Individual Steam Generator Ratings

Model	kW	Room Size cu. ft.	
		MIN	MAX
AK/AX 4.5	4.5	60	90
AK/AX 7.5	7.5	80	200
AK/AX 11	11	175	375
AK/AX 14	14	350	550

# RESIDENTIAL STEAM GENERATOR ACCESSORIES

We all have different criteria for measuring comfort. Amerrec makes it easy to personalize your experience with a range of steam bath accessories that add to your sense of well-being. Whether you prefer the mood-soothing effects of soft color light, the peace of mind of insulated steam outlets or the ultimate convenience of an automatic drainage system, Amerrec has a solution for making your steam bath exactly right for you.

## CHROMATHERAPY LIGHTING OPTION

---



Colors have a documented effect on our moods and using colored light to enhance feelings of inner peace and well-being is now an accepted practice. Enhance the soothing and revitalizing effect of your steam bath with our ceiling mounted color light therapy kit.

## FRAGRANCE INJECTOR OPTION

---



The injector eliminates the need to add aromatherapy oils onto the steam head by introducing oils directly into the steam line. The fragrance injector kit allows the bather to control the frequency and amount of aromatherapy oil pumped into the room

## COMFORTFLO™ STEAM HEAD

---

The ComfortFlo steam head is designed with a unique steam dispersion pattern that provides more even heat throughout the steam room and reduces the time required to reach the desired room temperature. Amerrec ComfortFlo steam heads ensure each steam bath is a safe and pleasurable experience. Steam is delivered into the room through an internal Ryton plastic insulator, preventing the exterior metal surface from reaching high temperatures. The ComfortFlo steam head features a fragrance reservoir that allows the bather to enjoy the benefits of aromatherapy by adding their favorite fragrance to the reservoir.



## FRAGRANCE, EUCALYPTUS

---



Suprema Grade, 100% Pure. The fragrance injector kit allows the bather

## WHITE RELAX SHOWER SEAT

---



The Relax shower seat is an affordable seating option for steam baths and showers. It provides bathers a place to relax and enjoy the soothing benefits of steam. Constructed of easy to clean plastic, the Relax seat can be folded-up against the wall when not in use. Seat dimensions are 13" x 9".

## TEAK SHOWER SEAT

---



Featuring the beauty and durability of Teak wood, this sturdy seat is an affordable seating option for baths and showers. The Teak seat provides bathers a place to relax and enjoy the soothing benefits of steam. Easy to clean, the Teak seat can be folded-up against the wall when not in use. Seat dimensions are 20" x 13".

## STEAM SHOWER SOUND SYSTEM WITH BLUECUBE

---



The BlueCube Steam Shower Sound System offers superior sound quality for your personal steam shower. The BlueCube hideaway stereo is designed to be out of the way and play music wirelessly via a Bluetooth device or smartphone. Includes wireless remote control and a pair of waterproof flush-mount speakers.

## DUAL SUMP/ CARTRIDGE WATER TREATMENT SYSTEM

---



With replaceable cartridge featuring a ScaleX2 filter to reduce scale build-up common in boilers. The Water Treatment System will also reduce chlorine and sediment from water by trapping particulates in a second filter as water passes through.

## STAINLESS STEEL DRIP PAN

---



Designed for use with Amerc AX and AK steam generators. When properly installed and connected to an appropriate drain line, the ADP drip pan catches and drains away any water leaks. Features stainless steel construction with welded corners and a 3/4" stainless fitting

## AUTOMATIC DRAIN VALVE

---



Automatic Drain Valve for AX and AK generators.



## COMMERCIAL STEAM BOILER AMEREC AI SERIES

AI boilers are the steam generators of choice for large commercial steam rooms and can help you create an inviting, relaxing environment that adds real value and generates positive word of mouth and returns for your business. The AI Series is specially designed for easy on-site maintenance and hands-off, automated operation. From their corrosion-resistant exteriors to their multiple safety features, AI boilers provide a welcome, genuine steam bath experience at less cost and with less hassle.





### BUILT TO LAST

AI boilers feature all-steel construction with powder coat exterior, brass fittings and stainless steel feet to prevent corrosion. Designed to minimize downtime, AI boilers are easy to access and service, with integrated diagnostic systems alert you to any problems using LED indicator lights.



### PROTECTING YOUR INVESTMENT

AI boilers come with multiple safety features to minimize service costs and downtime. Standard features include water level sight glass, 3-level water sensing system with low water cut off.

- Powerful dependable steam boiler for large commercial spaces
- One or two room operation, each controlled individually by low voltage on/off switches for maximum ease of use
- Low service and maintenance requirements, saving time and other costs
- ASME H-stamped Low-Pressure Vessel, National Board Registered
- UL Listed

AI SERIES BOILER					
Type	Power (kw)	Volts	Phase	Max. Cu. Ft.	Size (WxHxL - inch)
AI 12*	12	*	1/3	550	22"x20"x24-1/2"
AI 18*	18	*	1/3	900	22"x20"x24-1/2"
AI 24*	24	*	1/3	1200	22"x20"x24-1/2"
AI 30**	30	**	3	1500	28"x20"x24-1/2"
AI 36**	36	**	3	1800	28"x20"x24-1/2"
AI 42**	42	**	3	2100	28"x20"x24-1/2"
AI 48***	48	***	3	2400	28"x20"x24-1/2"

\* Available in 208 V and 240 V in 1 phase and 208, 240, 415 and 480 V in 3 phase.

\*\* Available in 208, 240, 415 and 480 V in 3 phase.

\*\*\* Available in 240, 415 and 480 V in 3 phase.

It is recommended that one steam head is installed for every 12kW.



### IT1/IT2 CONTROLS

IT thermostats (1 for one room installation, 2 for two room installations) are temperature controls designed to be easy-to-understand and use. A separate

thermostat is required for each steam room.



### UPGRADE YOUR BOILER WITH T100 TOUCH SCREEN CONTROL

#### T100 TOUCH CONTROL FEATURES:

- Touch screen operation for easy control of temperature and time settings
- Large screen displays steam bath temperature and time of day
- Displays temperature in Fahrenheit or Celsius
- Sleep mode with integral sensor to activate screen when approached
- Delayed start feature to pre-heat steam room at selected time up to 24 hours in advance
- Multiple language settings include English and Spanish
- Remote mounted sensor allows the Touch control to be mounted inside or outside the steam shower or steam room
- Flush-mount, low-profile installation
- Installed dimensions 6-3/8"H x 4"W

# CONTROLS & ACCESSORIES

For AI Commercial Boiler

Being able to consistently offer your customers the highest quality steam bath experience is always a good investment. With additional controls and time and cost-savings accessories, you can enhance quality even further while minimizing maintenance time, effort and expenses.



- T100**
- Touch screen operation
  - Set operating time and temperature
  - Delayed start
  - Up to 24-hours operating time
  - Flush mount



- IT1**
- Thermostat for 1 room installation.
  - Remote or boiler mounted.
  - Required with each boiler.



- IT2**
- Thermostat for 2 room installation.
  - Remote or boiler mounted.



- IDS**
- In-Room "refresh" control for a quick burst of steam delivered on demand.



- I60**
- 60 Minute Timer to control steam flow in steam rooms with intermittent use.



- 124/7**
- 7-Day Time Clock with 2 hour on/off segments.



- 124/1**
- 24-Hour Time Clock with 30 minute on/off segments.



- D24/7**
- 24-Hour 7-Day Digital Time Clock with battery backup.



#### ADI CoolFlush™

A drain and flush system that automatically performs recommended daily draining and flushing of the boiler tank to reduce build-up of solids such as scale and sludge. Uses a computer controlled drain cycle to add and drain water in steps, rinsing the tank and draining water at or below 140° F. Available with optional Digital Run Clock and is installed at the factory.



**AI Outlet 3/4"**  
Polished Chrome steam head for use with AI series boilers.



#### ASX200 Dual Sump/Cartridge System

With replaceable cartridges featuring a ScaleX2 filter to reduce scale build-up common in boilers. The ASX200 will also reduce chlorine and sediment from water by trapping particulates in a second filter as water passes through.

## Amerrec Commercial Steam Doors

### Club 190 Steam Door

The steam door features 1/4" tempered glass with a sturdy aluminum frame, excellent for high volume use commercial applications.

Optional 1" insulated glass panel provides increased thermal efficiency. Push-pull handles and hydraulic closer included.

- Door is 36" x 84"; frame size is 39 1/2" x 85 3/4"
- Custom sizes available. Please call for quote.
- Vinyl sweep.
- Hydraulic closer included. Closer to be mounted on exterior side of door.
- Push - Pull handles included.
- 31 3/8" x 70 1/8" clear 1/4" tempered glass.
- Optional 1" insulated glass provides increased thermal efficiency.





A modern bathroom with a large window overlooking a lush green lawn and a large tree. The room features a dark vanity with two white sinks and a mirror above them. The floor is dark and textured. The window provides a view of a well-maintained lawn and a large, mature tree with a thick trunk and dense foliage.

## HOW TO BUY AND SERVICE

At Amerrec, we pride ourselves on providing exceptional customer service. Our knowledgeable staff is happy to answer your questions and help plan your personal steam bath. Our exclusive “On Site” technical support ensures the installation and start up of your Amerrec steam system will go smoothly and efficiently. For more information about Amerrec or to find your local dealer, please contact us at 1-800-331-0349.



**amerec**<sup>®</sup>  
STEAM. SAUNA. SOLUTIONS.

Find your nearest dealer at [www.amerec.com](http://www.amerec.com)

AMEREC | P.O.Box 2258 | 17683 128th Place NE, #C | Woodinville, WA 98072, USA  
Toll Free 1-800-331-0349 | [amerec@amerec.com](mailto:amerec@amerec.com) | [www.amerec.com](http://www.amerec.com)

Amerrec reserves the right to change specifications and design without notice.

©2017 Amerrec Steam  
4220-41 9/17