

December 2017

1 - New Suction Cover for Collection Systems

Please note that as of November 10th, the suction cover design for the below Collection systems has changed.

Impacted Collection systems when single suction is installed:

004 and 008 (Hydromax whirlpool system)

054 (Hydrofeel whirlpool system)

056 (Combined Hydrofeel and Aerofeel)

094 (Combined Hydromax and Aerofeel)




Please contact the Customer Care department for any additional information.

2 - Storage Solution - Souvenir Freestanding Bathtub

Please note that the Storage solution (sold separately) is highly recommended when a Souvenir freestanding bathtub with apron (**100084**) is purchased with a system. *(page 49)*
When systems are installed, the pump/blower is exposed and there is no cover provided to conceal the mechanical systems, which makes it loud. The storage solution would act as a cover and thus reduce the noise.

Available storage solutions can be found in the accessories section: *(page 139)*

- 10007311** Mahogany storage cabinet
- 10007312** Chestnut storage cabinet
- 10007313** Natural (non-treated) storage cabinet



The Storage Solution covering the mechanical part of the bathtub system.

Please contact the Customer Care department for any additional information.

Professional

3 - 2017 Price List Update

Please note that some modifications were made to the MAAX Professional National USA price list. These changes include the update of a few technical drawings as well as minor corrections on some product information. The updated PDF version of the price list is available to download on the [Pros Corner](#).

The most crucial changes were made to the new Radia doors product pages (p.418-424), where the technical information regarding minimum and maximum widths, the access, the adjustment and so forth, as well as the technical drawings, have been modified to ensure accuracy. Please note these changes are not reflected in the printed version, and we therefore recommend you print out the Radia doors pages in order to guarantee you have the most up-to-date technical information.

Effective change date: Immediately (October 10, 2017)

*Printed 2017 Price Book
page #*

Impacted Models:

Model #	Product name	Improvement
<i>p.418</i> 137440	Radia Neo-Angle 36 x 36	Updated technical information and technical drawings
<i>"</i> 137441	Radia Neo-Angle 38 x 38	
<i>419</i> 137442	Radia Neo-Angle 40 x 40	
<i>420</i> 137443	Radia Neo-Round 32 x 32	
<i>"</i> 137444	Radia Neo-Round 36 x 36	
<i>421</i> 137445	Radia Neo-Round 40 x 40	
<i>422</i> 137446	Radia Round 36 x 36	
<i>423</i> 137447	Radia Square 32 x 32	
<i>"</i> 137448	Radia Square 36 x 36	

Please contact the Customer Care department for any additional information.

Radia Neo-Angle

AVAILABLE SUMMER 2017

- 6 mm tempered glass with Lotus glass protection
- Magnetic and aluminium extrusion for a better watertight closure and provides panel rigidity
- Easy to detach the bottom wheels to clean the track (Clip and Push)
- Panels are pre-assembled with hardware and side jamba

Regional Availability



FRAMELESS SHOWER DOORS



RADIA NEO-ANGLE 36 X 36 X 71 1/2 IN. 6 MM

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
137440-900-084	Central	Clear (900)	Chrome (084)	5.12 ft ³	99 lb	\$ 770
137440-900-305	Central	Clear (900)	Brushed Nickel (305)	5.12 ft ³	99 lb	\$ 828
137440-981-084	Central	Mistelite (981)	Chrome (084)	5.12 ft ³	99 lb	\$ 809
137440-981-305	Central	Mistelite (981)	Brushed Nickel (305)	5.12 ft ³	99 lb	\$ 870

Panel width minimum: 14 9/16 in.
Panel width maximum: 15 1/4 in.

Standard Height: 71 5/8 in.
Adjustment: 3/4 in.

Access: 18 5/16 in.
Door Opening: Central

RADIA NEO-ANGLE 38 X 38 X 71 1/2 IN. 6 MM

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
137441-900-084	Central	Clear (900)	Chrome (084)	5.58 ft ³	104 lb	\$ 800
137441-900-305	Central	Clear (900)	Brushed Nickel (305)	5.58 ft ³	104 lb	\$ 860
137441-981-084	Central	Mistelite (981)	Chrome (084)	5.58 ft ³	104 lb	\$ 840
137441-981-305	Central	Mistelite (981)	Brushed Nickel (305)	5.58 ft ³	104 lb	\$ 903

Panel width minimum: 16 1/8 in.
Panel width maximum: 16 13/16 in.

Standard Height: 71 5/8 in.
Adjustment: 3/4 in.

Access: 18 5/16 in.
Door Opening: Central

Radia Neo-Angle (cont'd)

RADIA NEO-ANGLE 40 X 40 X 71 1/2 IN. 6 MM



No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
137442-900-084	Central	Clear (900)	Chrome (084)	6.18 ft ³	110 lb	\$ 830
137442-900-305	Central	Clear (900)	Brushed Nickel (305)	6.18 ft ³	110 lb	\$ 893
137442-981-084	Central	Mistelite (981)	Chrome (084)	6.18 ft ³	110 lb	\$ 872
137442-981-305	Central	Mistelite (981)	Brushed Nickel (305)	6.18 ft ³	110 lb	\$ 938

Panel width minimum: 18 3/16 in.
 Panel width maximum: 18 7/8 in.

Standard Height: 71 5/8 in.
 Adjustment: 3/4 in.

Access: 18 5/16 in.
 Door Opening: Central

STANDARD



Code	Description	H	M	L	P Adjustable	F	Door Opening	Wall Adjustment
137440	RADIA N-A 36" X 36" X 71.5"	71 5/8"	35 5/8"	34 1/2"	14 9/16" - 15 1/4"	26 3/8"	18 5/16"	3/4"
137441	RADIA N-A 38" X 38" X 71.5"	71 5/8"	37 7/8"	35 5/8"	16 1/8" - 16 13/16"	26 7/16"	18 5/16"	3/4"
137442	RADIA N-A 40" X 40" X 71.5"	71 5/8"	40 15/16"	37 13/16"	18 3/16" - 18 7/8"	26 1/2"	18 5/16"	3/4"

All dimensions are approximate. Structure measurements must be verified against the unit to ensure proper fit.

Radia Neo-Round


AVAILABLE SUMMER 2017

- 6 mm tempered glass with Lotus glass protection
- Magnetic and PVC extrusion for a better watertight closure
- Easy to detach the bottom wheels to clean the track (Clip and Push)
- Panels are pre-assembled with hardware and side jambs
- 3/4 in. of out of plumb adjustment for those not so perfect walls

Regional Availability



FRAMELESS SHOWER DOORS



RADIA NEO-ROUND 32 X 32 X 71 1/2 IN. 6 MM

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
137443-900-084	Central	Clear (900)	Chrome (084)	5.33 ft ³	93 lb	\$ 790
137443-900-305	Central	Clear (900)	Brushed Nickel (305)	5.33 ft ³	93 lb	\$ 850
137443-981-084	Central	Mistelite (981)	Chrome (084)	5.33 ft ³	93 lb	\$ 830
137443-981-305	Central	Mistelite (981)	Brushed Nickel (305)	5.33 ft ³	93 lb	\$ 893

Panel width minimum: 11 11/16 in.
Panel width maximum: 12 3/8 in.

Standard Height: 71 5/8 in.
Adjustment: 3/4 in.

Access: 17 1/8 in.
Door Opening: Central

RADIA NEO-ROUND 36 X 36 X 71 1/2 IN. 6 MM

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
137444-900-084	Central	Clear (900)	Chrome (084)	6.04 ft ³	100 lb	\$ 820
137444-900-305	Central	Clear (900)	Brushed Nickel (305)	6.04 ft ³	100 lb	\$ 882
137444-981-084	Central	Mistelite (981)	Chrome (084)	6.04 ft ³	100 lb	\$ 861
137444-981-305	Central	Mistelite (981)	Brushed Nickel (305)	6.04 ft ³	100 lb	\$ 927

Panel width minimum: 12 1/4 in.
Panel width maximum: 13 in.

Standard Height: 71 5/8 in.
Adjustment: 3/4 in.

Access: 20 7/8 in.
Door Opening: Central

Radia Neo-Round (cont'd)

RADIA NEO-ROUND 40 X 40 X 71 1/2 IN. 6 MM



No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
137445-900-084	Central	Clear (900)	Chrome (084)	6.29 ft ³	110 lb	\$ 850
137445-900-305	Central	Clear (900)	Brushed Nickel (305)	6.29 ft ³	110 lb	\$ 914
137445-981-084	Central	Mistelite (981)	Chrome (084)	6.29 ft ³	110 lb	\$ 893
137445-981-305	Central	Mistelite (981)	Brushed Nickel (305)	6.29 ft ³	110 lb	\$ 960

Panel width minimum: 15 13/16 in.
Panel width maximum: 16 1/2 in.

Standard Height: 71 5/8 in.
Adjustment: 3/4 in.

Access: 22 in.
Door Opening: Central

STANDARD



Code	Description	H	M	L	P Adjustable	R	Door Opening	Wall Adjustment
137443	RADIA N-R 32" X 32" X 71.5"	71 5/8"	36 1/8"	29 15/16"	11 11/16" - 12 3/8"	14 9/16"	17 1/8"	3/4"
137444	RADIA N-R 36" X 36" X 71.5"	71 5/8"	39 5/8"	34 3/16"	12 1/4" - 13"	20 11/16"	20 7/8"	3/4"
137445	RADIA N-R 40" X 40" X 71.5"	71 5/8"	44 9/16"	37 11/16"	15 13/16" - 16 1/2"	20 11/16"	22"	3/4"

All dimensions are approximate. Structure measurements must be verified against the unit to ensure proper fit.

Radia Round

AVAILABLE SUMMER 2017

- 6 mm tempered glass with Lotus glass protection
- Magnetic and PVC extrusion for a better watertight closure
- Easy to detach the bottom wheels to clean the track (Clip and Push)
- Product is reversible for a opening on the left and on the right
- 3/4 in. of out of plumb adjustment for those not so perfect walls

Regional Availability



FRAMELESS SHOWER DOORS

NEW



RADIA ROUND 36 X 36 X 71 1/2 IN. 6 MM


No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
137446-900-084	Lateral	Clear (900)	Chrome (084)	8.51 ft ³	115 lb	\$ 950
137446-900-305	Lateral	Clear (900)	Brushed Nickel (305)	8.51 ft ³	115 lb	\$ 1,022

Panel width minimum: 33 3/4 in.
Panel width maximum: 34 in.

Standard Height: 71 5/8 in.
Adjustment: 1/2 in.

Access: 21 11/16 in.
Door Opening: Lateral

STANDARD



Code	Description	M	L	P Adjustable	Door Opening	Wall Adjustment
137444	RADIA Neo-Round 36" X 36" X 71.5"	43 3/8"	33 13/16"	33 3/4" - 34"	21 11/16"	1/2"


All dimensions are approximate. Structure measurements must be verified against the unit to ensure proper fit.

Radia Square

AVAILABLE SUMMER 2017

- 6 mm tempered glass with Lotus glass protection
- Magnetic and aluminum extrusion for a better watertight closure and provides panel rigidity
- Easy to detach the bottom wheels to clean the track (Clip and Push)
- Panels are pre-assembled with hardware and side jambs

Regional Availability



FRAMELESS SHOWER DOORS

RADIA SQUARE 32 X 32 X 71 1/2 IN. 6 MM

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
137447-900-084	Central	Clear (900)	Chrome (084)	4.66 ft ³	105 lb	\$ 850
137447-900-305	Central	Clear (900)	Brushed Nickel (305)	4.66 ft ³	105 lb	\$ 914
137447-981-084	Central	Mistelite (981)	Chrome (084)	4.66 ft ³	105 lb	\$ 893
137447-981-305	Central	Mistelite (981)	Brushed Nickel (305)	4.66 ft ³	105 lb	\$ 960

Panel width minimum: 29 7/8 in.

Panel width maximum: 30 5/8 in.

Standard Height: 71 5/8 in.

Adjustment: 3/4 in.

Access: 15 3/16 in.

Door Opening: Central

RADIA SQUARE 36 X 36 X 71 1/2 IN. 6 MM

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
137448-900-084	Central	Clear (900)	Chrome (084)	5.09 ft ³	117 lb	\$ 880
137448-900-305	Central	Clear (900)	Brushed Nickel (305)	5.09 ft ³	117 lb	\$ 946
137448-981-084	Central	Mistelite (981)	Chrome (084)	5.09 ft ³	117 lb	\$ 924
137448-981-305	Central	Mistelite (981)	Brushed Nickel (305)	5.09 ft ³	117 lb	\$ 994

Panel width minimum: 32 15/16 in.

Panel width maximum: 33 3/4 in.

Standard Height: 71 5/8 in.



Adjustment: 3/4 in.

Access: 17 5/16 in.

Door Opening: Central

Radia Square (cont'd)

STANDARD



Code	Description	H	L Adjustable	M	Door Opening	Wall Adjustment
137447	RADIA Square 32" X 32" X 71.5"	71 5/8"	29 7/8" - 30 5/8"	42 5/8"	15 3/16"	3/4"
137448	RADIA Square 36" X 36" X 71.5"	71 5/8"	32 15/16" - 33 3/4"	48 1/4"	17 5/16"	3/4"

All dimensions are approximate. Structure measurements must be verified against the unit to ensure proper fit.

Download Digital Price Lists



Download the Price List

Technical drawings may be subject to change without notice; you should therefore always confirm the technical information you have with the latest drawings on www.maax.com.

Please contact the Customer Care department for any additional information.

www.maax.com



1-877-GET-MAAX (1-877-438-6229)

MAAX[®]
Enjoy the experience