

New Product Guide

Effective Date: May 1, 2018



California Faucets®




Descanso | 30 Series

Model #: 3002K-BBU
shown with knurled lever handles



Descanso | 30 Series

Model #: 3001K-I-PC
shown with knurled lever handles



Descanso | 30 Series

Model #: 3002XF-BBU
shown with carbon fiber cross handles

More Exciting New Products Inside...

- Kitchen Pot Fillers
- Combination Hot/Cold Water Dispensers
- Multi-Function Brass Showerheads
- Rincon Bay | 45 Series with new Cross Handle
- Burnished Brass & Burnished Nickel Finishes
- And much more...



California Faucets®

For your convenience, here's a brief overview of the new product:

Descanso™ | 30 Series

Influenced by the forms and ethos of early industrialization, the Descanso Series features classic tubular shapes, easy-to-grip knurled accents, and hexagonal nut and bolt adornments.

Available in both lever and cross handle versions.

Available with Knurled, Smooth or Carbon Fiber handle accents.

Single Hole version features “Joystick” handle with all above handle accent options.

Rincon Bay® | 45 Series with Cross Handle

Addition of cross handle option to our popular Rincon Bay series.

Excellent handle option for a variety of mix/match combinations.

Kitchen Pot Fillers

Available in both traditional and contemporary styles to perfectly match California Faucets kitchen faucet offerings.

Handle options to match all California Faucets kitchen faucets as well as most other manufacturers' styles.

Super secure and robust wall mounting system.

Combination Hot & Cold Water Dispensers

Single handle design for an elegant, uncluttered look: rotate handle forward for cold filtered water; backward for instant hot water.

Available in both traditional and contemporary styles with handle options to perfectly match California Faucets kitchen faucet offerings.

Brass Multi-Function and Single-Function Showerheads

Available in both traditional and contemporary styles

All brass construction available in all California Faucets finishes.

Choice of Multi-Function (rain, air, massage) or Single-Function options.

Substantial 5-5/8” diameter body for striking visual look.

Available in 2.5, 2.0 and 1.8 GPM flow rates.

Multi-Function versions at 2.0 GPM meets the current WaterSense standard.

New Finishes: Burnished Brass and Burnished Nickel

Natural, Uncoated Burnished Brass (BBU) or Burnished Nickel (BNU)

Neither polished nor brushed; burnished finishes are lightly abraded to create a worn, naturally aged look.

These “Living Finishes” are priced in the SPECIAL finish category.

Table of Contents

Kitchen Pot Fillers
 Traditional & Contemporary 1-4



Descanso 30 Series
 Cross & Lever Handles7-28



Multi & Single Function Brass Shower Heads
 Traditional & Contemporary 40



Wall Mounted Tub Fillers 43



Pull Down Kitchen Faucets High & Low Spouts. 47-48



Hot & Cold Water Dispensers
 Traditional & Contemporary 5-6




Rincon Bay 45 Series
 Cross & Lever Handles29-39



Ultra Thin Brass Shower Heads
 Round and Square 41-42



9" Hand Towel Bars 44-46



New Finishes: Burnished Brass and Burnished Nickel





POT FILLERS | MULTI SERIES

	MODEL #	DESCRIPTION	FINISH	PRICE
	K10-200-XX	POT FILLER - DUAL HANDLE WALL MOUNT - TRADITIONAL <ul style="list-style-type: none"> • all brass construction • 22-3/16" wall to center • 1/4 turn ceramic disc cartridge(s) • dual jointed swing spout • 1/2" FIP inlet quick connect for ease of installation • max flow rate: 4.0 gpm at 60 psi • replace XX with desired handle style shown below <p>(model K10-200-33 shown)</p> <p>See below for handle options</p>	polished chrome	895
			special	1119
			ultra stainless steel	1181
			premium	1421

Handle Options:

Replace XX with desired handle style.
e.g. pictured above: K10-200-33



33 Series
Metal Lever



35 Series
Porcelain Lever



40 Series
Porcelain Lever



42 Series
Standard
Metal Lever



48 Series
Metal Lever




55 Series
Metal Lever



64 Series
Metal Lever



CLEV
Crystal handle
upcharge applies

	K10-201-XX	POT FILLER - DUAL HANDLE WALL MOUNT - TRADITIONAL <ul style="list-style-type: none"> • all brass construction • 22-3/16" wall to center • 1/4 turn ceramic disc cartridge(s) • dual jointed swing spout • 1/2" FIP inlet quick connect for ease of installation • max flow rate: 4.0 gpm at 60 psi • replace XX with desired handle style shown below <p>(model K10-201-60 shown)</p> <p>See facing page for handle options</p>	polished chrome	895
			special	1119
			ultra stainless steel	1181
			premium	1421

NOTES:

- K10-201-XX available with the following handle options:



33 Series



34 Series



35 Series



38 Series



42 Series



46 Series



47 Series



48 Series



50 Series



55 Series



59 Series



60 Series



63 Series



64 Series



67 Series



68 Series




69 Series

crystal handle upcharge applies

Also available, not pictured:

- 36
- 48X
- CLEV
- CBALL

POT FILLERS | MULTI SERIES

	MODEL #	DESCRIPTION	FINISH	PRICE
	K50-200-XX	POT FILLER - DUAL HANDLE WALL MOUNT - CONTEMPORARY <ul style="list-style-type: none"> • all brass construction • 22-3/16" wall to center • 1/4 turn ceramic disc cartridge(s) • dual jointed swing spout • 1/2" FIP inlet quick connect for ease of installation • max flow rate: 4.0 gpm at 60 psi • replace XX with desired handle style shown below <p>(model K50-200-ST shown)</p>	polished chrome	895
			special	1119
			ultra stainless steel	1181
			premium	1421

Handle Options:


Replace XX with desired handle style.
e.g. pictured above: K50-200-ST



ST
Stick



BST
Black Stick

	K51-200-XX	POT FILLER - DUAL HANDLE WALL MOUNT - CONTEMPORARY <ul style="list-style-type: none"> • all brass construction • 22-3/16" wall to center • 1/4 turn ceramic disc cartridge(s) • dual jointed swing spout • 1/2" FIP inlet quick connect for ease of installation • max flow rate: 4.0 gpm at 60 psi • replace XX with desired handle style shown below <p>(model K51-201-ST shown)</p>	polished chrome	895
			special	1119
			ultra stainless steel	1181
			premium	1421

Handle Options:

Replace XX with desired handle style.
e.g. pictured above: K51-200-ST



ST
Stick




FB
Finished Blade



BST
Black Stick



BFB
Black Blade

	K51-201-XX	POT FILLER - DUAL HANDLE WALL MOUNT - CONTEMPORARY <ul style="list-style-type: none"> • all brass construction • 22-3/16" wall to center • 1/4 turn ceramic disc cartridge(s) • dual jointed swing spout • 1/2" FIP inlet quick connect for ease of installation • max flow rate: 4.0 gpm at 60 psi • replace XX with desired handle style shown below <p>(model K51-201-65 shown)</p>	polished chrome	895
			special	1119
			ultra stainless steel	1181
			premium	1421

NOTES:

- K51-201-XX available with the following handle options:



44 Series



45 Series



65 Series



66 Series



70 Series



71 Series



72 Series



73 Series



74 Series



77 Series



E4 Series



HOT & COLD WATER DISPENSERS

MODEL #	DESCRIPTION	FINISH	PRICE
9623-K10 Available Summer 2018	TRADITIONAL STYLE SINGLE HANDLE COMBO HOT & COLD WATER DISPENSER <ul style="list-style-type: none"> • all brass construction • 4-3/4" spout center to center • 10-3/4" overall spout height • 7-11/16" spout clearance • 2-5/16" base diameter • 3-5/8" max counter thickness • insulated body and spout to reduce heat to faucet • self closing for hot water • max flow rate: 1.0 gpm; may vary based on hot water tank used • replace XX with desired handle style shown below <p>(model 9623-K10-33 shown)</p> <p>REQUIRES HOT WATER TANK: 9628SS</p>	polished chrome special ultra stainless steel premium	529 661 688 846



Handle Options:

Replace XX with desired handle style.
 e.g. pictured above: 9623-K10-33



33 Series
 Metal Lever



35 Series
 Porcelain Lever



42 Series
 Standard
 Metal Lever

Also available, not pictured: 48 Series

HOT & COLD WATER DISPENSERS

	MODEL #	DESCRIPTION	FINISH	PRICE
	9623-K50 Available Summer 2018	CONTEMPORARY STYLE SINGLE HANDLE HOT/COLD WATER DISPENSER <ul style="list-style-type: none"> • all brass construction • 4-3/4" spout center to center • 10-3/4" overall spout height • 7-11/16" spout clearance • 2-5/16" base diameter • 3-5/8" max counter thickness • insulated body and spout to reduce heat to faucet • self closing for hot water • max flow rate: 1.0 gpm; may vary based on hot water tank used • replace XX with desired handle style shown below (model 9623-K50-ST shown) REQUIRES HOT WATER TANK: 9628SS	polished chrome	529
			special	661
			ultra stainless steel	688
			premium	846




ST
Stick

Handle Options:
 Replace XX with desired handle style.
 e.g. pictured above: 9623-K50-ST



BST
Black Stick

	9623-K51 Available Summer 2018	CONTEMPORARY STYLE SINGLE HANDLE COMBO HOT & COLD WATER DISPENSER <ul style="list-style-type: none"> • all brass construction • 4-3/4" spout center to center • 10-3/4" overall spout height • 7-11/16" spout clearance • 2-5/16" base diameter • 3-5/8" max counter thickness • insulated body and spout to reduce heat to faucet • self closing for hot water • max flow rate: 1.0 gpm; may vary based on hot water tank used • replace XX with desired handle style shown below (model 9623-K51-ST shown) REQUIRES HOT WATER TANK: 9628SS	polished chrome	529
			special	661
			ultra stainless steel	688
			premium	846



ST
Stick



FB
Finished Blade


Handle Options:
 Replace XX with desired handle style.
 e.g. pictured above: 9623-K51-ST



BST
Black Stick



BFB
Black Blade




	9628SS	INSTANT HOT WATER TANK <ul style="list-style-type: none"> • provides 190 degree water instantly; heats 60 cups per hour • tank capacity 5/8 gallon (2-1/2 quarts) • power 1300 watts uses less energy than a 40w light bulb • all stainless steel tubes, heating coil, tank and outer case • mounting bracket included • for use with Hot Water Dispensers: 9623-XX and 9625-XX 		579






ADA








(lever handles only)





DESCANSO™ | 30 SERIES

	MODEL #	DESCRIPTION	FINISH	PRICE
	3002	8" WIDESPREAD LAVATORY FAUCET <ul style="list-style-type: none"> • 5-7/16" spout center to center • 1/4 turn ceramic disc cartridge(s) • 1-1/4" all brass touch style pop-up drain assembly • 1.2 gpm water saving aerator 	polished chrome special premium	659 890 1054
	3002ZB	UPGRADE WITH ZERODRAIN (9050ZB) <ul style="list-style-type: none"> • replaces pop-up drain <p><i>See page 415 for more ZeroDrain options</i></p>	polished chrome special premium	700 945 1119
	3002K	8" WIDESPREAD LAVATORY FAUCET - KNURL <ul style="list-style-type: none"> • 5-7/16" spout center to center • 1/4 turn ceramic disc cartridge(s) • 1-1/4" all brass touch style pop-up drain assembly • 1.2 gpm water saving aerator 	polished chrome special premium	659 890 1054
	3002KZB	UPGRADE WITH ZERODRAIN (9050ZB) <ul style="list-style-type: none"> • replaces pop-up drain <p><i>See page 415 for more ZeroDrain options</i></p>	polished chrome special premium	700 945 1119
	3002F	8" WIDESPREAD LAVATORY FAUCET - CARBON FIBER <ul style="list-style-type: none"> • 5-7/16" spout center to center • 1/4 turn ceramic disc cartridge(s) • 1-1/4" all brass touch style pop-up drain assembly • 1.2 gpm water saving aerator 	polished chrome special premium	729 960 1124
	3002FZB	UPGRADE WITH ZERODRAIN (9050ZB) <ul style="list-style-type: none"> • replaces pop-up drain <p><i>See page 415 for more ZeroDrain options</i></p>	polished chrome special premium	770 1015 1189




	MODEL #	DESCRIPTION	FINISH	PRICE
	3002X	8" WIDESPREAD LAVATORY FAUCET <ul style="list-style-type: none"> • 5-7/16" spout center to center • 1/4 turn ceramic disc cartridge(s) • 1-1/4" all brass touch style pop-up drain assembly • 1.2 gpm water saving aerator 	polished chrome special premium	659 890 1054
	3002XZB	UPGRADE WITH ZERODRAIN (9050ZB) <ul style="list-style-type: none"> • replaces pop-up drain <p><i>See page 415 for more ZeroDrain options</i></p>	polished chrome special premium	700 945 1119
	3002XK	8" WIDESPREAD LAVATORY FAUCET - KNURL <ul style="list-style-type: none"> • 5-7/16" spout center to center • 1/4 turn ceramic disc cartridge(s) • 1-1/4" all brass touch style pop-up drain assembly • 1.2 gpm water saving aerator 	polished chrome special premium	659 890 1054
	3002XKZB	UPGRADE WITH ZERODRAIN (9050ZB) <ul style="list-style-type: none"> • replaces pop-up drain <p><i>See page 415 for more ZeroDrain options</i></p>	polished chrome special premium	700 945 1119
	3002XF	8" WIDESPREAD LAVATORY FAUCET - CARBON FIBER <ul style="list-style-type: none"> • 5-7/16" spout center to center • 1/4 turn ceramic disc cartridge(s) • 1-1/4" all brass touch style pop-up drain assembly • 1.2 gpm water saving aerator 	polished chrome special premium	729 960 1124
	3002XFZB	UPGRADE WITH ZERODRAIN (9050ZB) <ul style="list-style-type: none"> • replaces pop-up drain <p><i>See page 415 for more ZeroDrain options</i></p>	polished chrome special premium	700 945 1119
	3001-I	SINGLE HOLE LAVATORY FAUCET <ul style="list-style-type: none"> • 8-1/4" overall height • 4-5/8" spout center to center • ceramic joystick mixing cartridge • 1-1/4" all brass touch style pop-up drain assembly • 1.2 gpm water saving aerator <p>Available Summer 2018</p>	polished chrome special premium	529 714 846
	3001K-I	SINGLE HOLE LAVATORY FAUCET - KNURL <ul style="list-style-type: none"> • 8-1/4" overall height • 4-5/8" spout center to center • ceramic joystick mixing cartridge • 1-1/4" all brass touch style pop-up drain assembly • 1.2 gpm water saving aerator <p>Available Summer 2018</p>	polished chrome special premium	529 714 846
	3001F-I	SINGLE HOLE LAVATORY FAUCET - CARBON FIBER <ul style="list-style-type: none"> • 8-1/4" overall height • 4-5/8" spout center to center • ceramic joystick mixing cartridge • 1-1/4" all brass touch style pop-up drain assembly • 1.2 gpm water saving aerator <p>Available Summer 2018</p>	polished chrome special premium	564 749 881




DESCANSO™ | 30 SERIES

	MODEL #	DESCRIPTION	FINISH	PRICE
	3001-2 Available Summer 2018	SINGLE HOLE LAVATORY FAUCET <ul style="list-style-type: none"> • 14-1 1/16" overall height • 4-5/8" spout center to center • ceramic joystick mixing cartridge • 1-1/4" all brass touch style pop-up drain assembly • 1.2 gpm water saving aerator 	polished chrome special premium	629 849 1006
	3001-2K Available Summer 2018	SINGLE HOLE LAVATORY FAUCET - KNURL <ul style="list-style-type: none"> • 14-1 1/16" overall height • 4-5/8" spout center to center • ceramic joystick mixing cartridge • 1-1/4" all brass touch style pop-up drain assembly • 1.2 gpm water saving aerator 	polished chrome special premium	629 849 1006
	3001-2F Available Summer 2018	SINGLE HOLE LAVATORY FAUCET - CARBON FIBER <ul style="list-style-type: none"> • 14-1 1/16" overall height • 4-5/8" spout center to center • ceramic joystick mixing cartridge • 1-1/4" all brass touch style pop-up drain assembly • 1.2 gpm water saving aerator 	polished chrome special premium	664 884 1041
	TO-V3002-7	VESSEL LAVATORY FAUCET TRIM ONLY <ul style="list-style-type: none"> • 6-1/4" spout wall to center • 1/4 turn ceramic disc cartridge(s) • 1.2 gpm water saving aerator • order drain separately, see pages 427-430 for all drains, including ZeroDrain <p>REQUIRES ROUGH VALVE: VL-R</p>	polished chrome special premium	419 566 670
	TO-V3002K-7	SAME AS ABOVE WITH KNURL HANDLE <ul style="list-style-type: none"> • same as above but with a 6-7/16" spout wall to center 	polished chrome special premium	419 566 670
	TO-V3002F-7	SAME AS ABOVE WITH CARBON FIBER HANDLE <ul style="list-style-type: none"> • same as above but with a 6-1/4" spout wall to center 	polished chrome special premium	489 636 740
	TO-V3002X-7	VESSEL LAVATORY FAUCET TRIM ONLY <ul style="list-style-type: none"> • 6-1/4" spout wall to center • 1/4 turn ceramic disc cartridge(s) • 1.2 gpm water saving aerator • order drain separately, see pages 427-430 for all drains, including ZeroDrain <p>REQUIRES ROUGH VALVE: VL-R</p>	polished chrome special premium	419 566 670

MODEL #	DESCRIPTION	FINISH	PRICE
	TO-V3002XK-7 SAME AS ABOVE WITH KNURL HANDLE <ul style="list-style-type: none"> same as above but with a 6-7/16" spout wall to center 	polished chrome 419 special 566 premium 670	
	TO-V3002XF-7 SAME AS ABOVE WITH CARBON FIBER HANDLE <ul style="list-style-type: none"> same as above but with a 6-1/4" spout wall to center 	polished chrome 489 special 636 premium 740	
	TO-V3002-9 VESSEL LAVATORY FAUCET TRIM ONLY <ul style="list-style-type: none"> 8-5/16" spout wall to center 1/4 turn ceramic disc cartridge(s) 1.2 gpm water saving aerator order drain separately, see pages 427-430 for all drains, including ZeroDrain <p style="text-align: center;">REQUIRES ROUGH VALVE: VL-R</p>	polished chrome 429 special 580 premium 686	
	TO-V3002K-9 SAME AS ABOVE WITH KNURL HANDLE <ul style="list-style-type: none"> same as above but with a 8-7/16" spout wall to center 	polished chrome 429 special 580 premium 686	
	TO-V3002F-9 SAME AS ABOVE WITH CARBON FIBER HANDLE <ul style="list-style-type: none"> same as above but with a 8-5/16" spout wall to center 	polished chrome 499 special 650 premium 759	
	TO-V3002X-9 VESSEL LAVATORY FAUCET TRIM ONLY <ul style="list-style-type: none"> 8-5/16" spout wall to center 1/4 turn ceramic disc cartridge(s) 1.2 gpm water saving aerator order drain separately, see pages 427-430 for all drains, including ZeroDrain <p style="text-align: center;">REQUIRES ROUGH VALVE: VL-R</p>	polished chrome 429 special 580 premium 686	
	TO-V3002XK-9 SAME AS ABOVE WITH KNURL HANDLE <ul style="list-style-type: none"> same as above but with a 8-7/16" spout wall to center 	polished chrome 429 special 580 premium 686	
	TO-V3002XF-9 SAME AS ABOVE WITH CARBON FIBER HANDLE <ul style="list-style-type: none"> same as above but with a 8-5/16" spout wall to center 	polished chrome 499 special 650 premium 759	
		TO-V3002XF-9 SAME AS ABOVE WITH CARBON FIBER HANDLE <ul style="list-style-type: none"> same as above but with a 8-5/16" spout wall to center 	polished chrome 499 special 650 premium 759

DESCANSO™ | 30 SERIES




	MODEL #	DESCRIPTION	FINISH	PRICE
	TO-THFN-74	STYLETHERM 3/4" THERMOSTATIC TRIM ONLY <ul style="list-style-type: none"> all brass construction 5-1/4" square faceplate; flat profile separate volume control required <p>See Shower & Luxury Drain Sections to complete shower</p> <p>REQUIRES ROUGH VALVE: TH75-R</p>	polished chrome special premium	397 516 635
	TO-THFN-30K	SAME AS ABOVE WITH KNURL HANDLE	polished chrome special premium	397 516 635
	TO-THFN-30F	SAME AS ABOVE WITH CARBON FIBER HANDLE	polished chrome special premium	432 551 670
	TO-THN-74	STYLETHERM 3/4" THERMOSTATIC TRIM ONLY <ul style="list-style-type: none"> all brass construction 7-1/4" round faceplate separate volume control required <p>See Shower & Luxury Drain Sections to complete shower</p> <p>REQUIRES ROUGH VALVE: TH75-R</p>	polished chrome special premium	275 371 440
	TO-THN-30K	SAME AS ABOVE WITH KNURL HANDLE	polished chrome special premium	275 371 440
	TO-THN-30F	SAME AS ABOVE WITH CARBON FIBER HANDLE	polished chrome special premium	310 406 475
	TO-THCN-74	STYLETHERM 3/4" THERMOSTATIC TRIM ONLY <ul style="list-style-type: none"> all brass construction 7-7/8" by 5-5/8" rectangular faceplate separate volume control required <p>See Shower & Luxury Drain Sections to complete shower</p> <p>REQUIRES ROUGH VALVE: TH75-R</p>	polished chrome special premium	305 412 488
	TO-THCN-30K	SAME AS ABOVE WITH KNURL HANDLE	polished chrome special premium	305 412 488
	TO-THCN-30F	SAME AS ABOVE WITH CARBON FIBER HANDLE	polished chrome special premium	340 447 523

MODEL #	DESCRIPTION	FINISH	PRICE
	TO-THFN-30X STYLETHERM 3/4" THERMOSTATIC TRIM ONLY <ul style="list-style-type: none"> all brass construction 5-1/4" square faceplate; flat profile separate volume control required <p>See Shower & Luxury Drain Sections to complete shower</p> <p>REQUIRES ROUGH VALVE: TH75-R</p>	polished chrome 397 special 516 premium 635	
	TO-THFN-30XK SAME AS ABOVE WITH KNURL HANDLE	polished chrome 397 special 516 premium 635	
	TO-THFN-30XF SAME AS ABOVE WITH CARBON FIBER HANDLE	polished chrome 432 special 551 premium 670	
	TO-THN-30X STYLETHERM 3/4" THERMOSTATIC TRIM ONLY <ul style="list-style-type: none"> all brass construction 7-1/4" round faceplate separate volume control required <p>See Shower & Luxury Drain Sections to complete shower</p> <p>REQUIRES ROUGH VALVE: TH75-R</p>	polished chrome 275 special 371 premium 440	
	TO-THN-30XK SAME AS ABOVE WITH KNURL HANDLE	polished chrome 275 special 371 premium 440	
	TO-THN-30XF SAME AS ABOVE WITH CARBON FIBER HANDLE	polished chrome 310 special 406 premium 475	
	TO-THCN-30X STYLETHERM 3/4" THERMOSTATIC TRIM ONLY <ul style="list-style-type: none"> all brass construction 7-7/8" by 5-5/8" rectangular faceplate separate volume control required <p>See Shower & Luxury Drain Sections to complete shower</p> <p>REQUIRES ROUGH VALVE: TH75-R</p>	polished chrome 305 special 412 premium 488	
	TO-THCN-30XK SAME AS ABOVE WITH KNURL HANDLE	polished chrome 305 special 412 premium 488	
	TO-THCN-30XF SAME AS ABOVE WITH CARBON FIBER HANDLE	polished chrome 340 special 447 premium 523	




DESCANSO™ | 30 SERIES










	MODEL #	DESCRIPTION	FINISH	PRICE
	TO-THFIL-74	STYLETHERM 3/4" THERMOSTATIC TRIM ONLY <ul style="list-style-type: none"> all brass construction single integral volume control 5-1/4" square faceplate, flat profile <p>See Shower & Luxury Drain Sections to complete shower</p> <p>REQUIRES ROUGH VALVE: TH51-R or TH51D2-R</p>	polished chrome 435 special 566 premium 696	
	TO-THFIL-30K	SAME AS ABOVE WITH KNURL HANDLE	polished chrome 435 special 566 premium 696	
	TO-THFIL-30F	SAME AS ABOVE WITH CARBON FIBER HANDLE	polished chrome 465 special 601 premium 731	
	TO-THIL-74	STYLETHERM TRIM ONLY WITH SINGLE VOLUME CONTROL <ul style="list-style-type: none"> all brass construction single integral volume control 7-1/4" round faceplate <p>See Shower & Luxury Drain Sections to complete shower</p> <p>REQUIRES ROUGH VALVE: TH51-R or TH51D2-R</p>	polished chrome 280 special 378 premium 448	
	TO-THIL-30K	SAME AS ABOVE WITH KNURL HANDLE	polished chrome 280 special 378 premium 448	
	TO-THIL-30F	SAME AS ABOVE WITH CARBON FIBER HANDLE	polished chrome 315 special 413 premium 483	
	TO-THCIL-74	STYLETHERM TRIM ONLY WITH SINGLE VOLUME CONTROL <ul style="list-style-type: none"> all brass construction single integral volume control 7-7/8" by 5-5/8" rectangular faceplate <p>See Shower & Luxury Drain Sections to complete shower</p> <p>REQUIRES ROUGH VALVE: TH51-R or TH51D2-R</p>	polished chrome 310 special 418 premium 496	
	TO-THCIL-30K	SAME AS ABOVE WITH KNURL HANDLE	polished chrome 310 special 418 premium 496	
	TO-THCIL-30F	SAME AS ABOVE WITH CARBON FIBER HANDLE	polished chrome 345 special 453 premium 531	

DESCANSO™ | 30 SERIES




	MODEL #	DESCRIPTION	FINISH	PRICE
	TO-THF IL-30X	STYLETHERM 3/4" THERMOSTATIC TRIM ONLY <ul style="list-style-type: none"> • all brass construction • single integral volume control • 5-1/4" square faceplate, flat profile <p>See Shower & Luxury Drain Sections to complete shower</p> <p>REQUIRES ROUGH VALVE: TH5 I-R or TH5 ID2-R</p>	polished chrome 435 special 566 premium 696	
	TO-THF IL-30XK	SAME AS ABOVE WITH KNURL HANDLE	polished chrome 435 special 566 premium 696	
	TO-THF IL-30XF	SAME AS ABOVE WITH CARBON FIBER HANDLE	polished chrome 465 special 601 premium 731	
	TO-TH I L-30X	STYLETHERM TRIM ONLY WITH SINGLE VOLUME CONTROL <ul style="list-style-type: none"> • all brass construction • single integral volume control • 7-1/4" round faceplate <p>See Shower & Luxury Drain Sections to complete shower</p> <p>REQUIRES ROUGH VALVE: TH5 I-R or TH5 ID2-R</p>	polished chrome 280 special 378 premium 448	
	TO-TH I L-30XK	SAME AS ABOVE WITH KNURL HANDLE	polished chrome 280 special 378 premium 448	
	TO-TH I L-30XF	SAME AS ABOVE WITH CARBON FIBER HANDLE	polished chrome 315 special 413 premium 483	
	TO-THC I L-30X	STYLETHERM TRIM ONLY WITH SINGLE VOLUME CONTROL <ul style="list-style-type: none"> • all brass construction • single integral volume control • 7-7/8" by 5-5/8" rectangular faceplate <p>See Shower & Luxury Drain Sections to complete shower</p> <p>REQUIRES ROUGH VALVE: TH5 I-R or TH5 ID2-R</p>	polished chrome 310 special 418 premium 496	
	TO-THC I L-30XK	SAME AS ABOVE WITH KNURL HANDLE	polished chrome 310 special 418 premium 496	
	TO-THC I L-30XF	SAME AS ABOVE WITH CARBON FIBER HANDLE	polished chrome 345 special 453 premium 531	

DESCANSO™ | 30 SERIES

	MODEL #	DESCRIPTION	FINISH	PRICE
	TO-THF2L-74	STYLETHERM TRIM ONLY WITH DUAL VOLUME CONTROL <ul style="list-style-type: none"> • all brass construction • dual integral volume control • 6" by 5-1/14" rectangular faceplate <p>See Shower & Luxury Drain Sections to complete shower</p> <p>REQUIRES ROUGH VALVE: TH52-R or TH52D2-R</p>	polished chrome special premium	497 671 795
	TO-THF2L-30K	SAME AS ABOVE WITH KNURL HANDLE	polished chrome special premium	497 671 795
	TO-THF2L-30F	SAME AS ABOVE WITH CARBON FIBER HANDLE	polished chrome special premium	532 706 830
	TO-TH2L-74	STYLETHERM TRIM ONLY WITH DUAL VOLUME CONTROL <ul style="list-style-type: none"> • all brass construction • dual integral volume control • 7-1/4" round faceplate <p>See Shower & Luxury Drain Sections to complete shower</p> <p>REQUIRES ROUGH VALVE: TH52-R or TH52D2-R</p>	polished chrome special premium	305 412 488
	TO-TH2L-30K	SAME AS ABOVE WITH KNURL HANDLE	polished chrome special premium	305 412 488
	TO-TH2L-30F	SAME AS ABOVE WITH CARBON FIBER HANDLE	polished chrome special premium	340 447 523
	TO-THC2L-74	STYLETHERM TRIM ONLY WITH DUAL VOLUME CONTROL <ul style="list-style-type: none"> • all brass construction • dual integral volume control • 7-7/8" by 5-5/8" rectangular faceplate <p>See Shower & Luxury Drain Sections to complete shower</p> <p>REQUIRES ROUGH VALVE: TH52-R or TH52D2-R</p>	polished chrome special premium	335 452 536
	TO-THC2L-30K	SAME AS ABOVE WITH KNURL HANDLE	polished chrome special premium	335 452 536
	TO-THC2L-30F	SAME AS ABOVE WITH CARBON FIBER HANDLE	polished chrome special premium	370 487 571




MODEL #	DESCRIPTION	FINISH	PRICE
	TO-THF2L-30X STYLETHERM TRIM ONLY WITH DUAL VOLUME CONTROL <ul style="list-style-type: none"> • all brass construction • dual integral volume control • 6" by 5-1/14" rectangular faceplate <p>See Shower & Luxury Drain Sections to complete shower</p> <p>REQUIRES ROUGH VALVE: TH52-R or TH52D2-R</p>	polished chrome	497
		special	671
		premium	795
	TO-THF2L-30XK SAME AS ABOVE WITH KNURL HANDLE	polished chrome	497
		special	671
		premium	795
	TO-THF2L-30XF SAME AS ABOVE WITH CARBON FIBER HANDLE	polished chrome	532
		special	706
		premium	830
	TO-TH2L-30X STYLETHERM TRIM ONLY WITH DUAL VOLUME CONTROL <ul style="list-style-type: none"> • all brass construction • dual integral volume control • 7-1/4" round faceplate <p>See Shower & Luxury Drain Sections to complete shower</p> <p>REQUIRES ROUGH VALVE: TH52-R or TH52D2-R</p>	polished chrome	305
		special	412
		premium	488
	TO-TH2L-30XK SAME AS ABOVE WITH KNURL HANDLE	polished chrome	305
		special	412
		premium	488
	TO-TH2L-30XF SAME AS ABOVE WITH CARBON FIBER HANDLE	polished chrome	340
		special	447
		premium	523
	TO-THC2L-30X STYLETHERM TRIM ONLY WITH DUAL VOLUME CONTROL <ul style="list-style-type: none"> • all brass construction • dual integral volume control • 7-7/8" by 5-5/8" rectangular faceplate <p>See Shower & Luxury Drain Sections to complete shower</p> <p>REQUIRES ROUGH VALVE: TH52-R or TH52D2-R</p>	polished chrome	335
		special	452
		premium	536
	TO-THC2L-30XK SAME AS ABOVE WITH KNURL HANDLE	polished chrome	335
		special	452
		premium	536
	TO-THC2L-30XF SAME AS ABOVE WITH CARBON FIBER HANDLE	polished chrome	370
		special	487
		premium	571




DESCANSO™ | 30 SERIES

	MODEL #	DESCRIPTION	FINISH	PRICE
	TO-30-W	WALL OR DECK HANDLE TRIM ONLY <ul style="list-style-type: none"> base dimension 2-5/16" use for wall stop, wall diverter or deck diverter <p>REQUIRES ROUGH VALVE: 50-W-R, 75-W-R, WDV-R, WDV-NS-R or DDV-R</p>	polished chrome special premium	159 215 254
	TO-30K-W	SAME AS ABOVE WITH KNURL HANDLE	polished chrome special premium	159 215 254
	TO-30F-W	SAME AS ABOVE WITH CARBON FIBER HANDLE	polished chrome special premium	194 250 259
	TO-30X-W	WALL OR DECK HANDLE TRIM ONLY <ul style="list-style-type: none"> base dimension 2-5/16" use for wall stop, wall diverter or deck diverter <p>REQUIRES ROUGH VALVE: 50-W-R, 75-W-R, WDV-R, WDV-NS-R or DDV-R</p>	polished chrome special premium	159 215 254
	TO-30XK-W	SAME AS ABOVE WITH KNURL HANDLE	polished chrome special premium	159 215 254
	TO-30XF-W	SAME AS ABOVE WITH CARBON FIBER HANDLE	polished chrome special premium	194 250 289
	TO-PBL-74	PRESSURE BALANCE TRIM ONLY <ul style="list-style-type: none"> screwless faceplate 7-1/4" round faceplate <p>See Shower & Luxury Drain Sections to complete shower</p> <p>REQUIRES ROUGH VALVE: PB-R</p>	polished chrome special premium	235 317 376
	TO-PBL-30K	SAME AS ABOVE WITH KNURL HANDLE	polished chrome special premium	235 317 376
	TO-PBL-30F	SAME AS ABOVE WITH CARBON FIBER HANDLE	polished chrome special premium	270 352 411

MODEL #	DESCRIPTION	FINISH	PRICE
	TO-PBL-30X PRESSURE BALANCE TRIM ONLY <ul style="list-style-type: none"> • screwless faceplate • 7-1/4" round faceplate <p>See Shower & Luxury Drain Sections to complete shower</p> <p>REQUIRES ROUGH VALVE: PB-R</p>	polished chrome 235 special 317 premium 376	
	TO-PBL-30XK SAME AS ABOVE WITH KNURL HANDLE	polished chrome 235 special 317 premium 376	
	TO-PBL-30XF SAME AS ABOVE WITH CARBON FIBER HANDLE	polished chrome 270 special 352 premium 411	
	TO-3008 ROMAN TUB TRIM SET <ul style="list-style-type: none"> • 8-5/8" spout center to center • max flow rate: 1.6 gpm at 60 psi <p>NEW: Now offering optional ZeroDrain for tubs! See page 439-440 for tub drain options</p> <p>REQUIRES ROUGH VALVE: 08-75-99</p>	polished chrome 599 special 809 premium 958	
	TO-3008K SAME AS ABOVE WITH KNURL HANDLE	polished chrome 599 special 809 premium 958	
	TO-3008F SAME AS ABOVE WITH CARBON FIBER HANDLE	polished chrome 669 special 879 premium 1028	
	TO-3008X ROMAN TUB TRIM SET <ul style="list-style-type: none"> • 8-5/8" spout center to center • max flow rate: 1.6 gpm at 60 psi <p>NEW: Now offering optional ZeroDrain for tubs! See page 439-440 for tub drain options</p> <p>REQUIRES ROUGH VALVE: 08-75-99</p>	polished chrome 599 special 809 premium 958	
	TO-3008XK SAME AS ABOVE WITH KNURL HANDLE	polished chrome 599 special 809 premium 958	
	TO-3008XF SAME AS ABOVE WITH CARBON FIBER HANDLE	polished chrome 669 special 879 premium 1028	

DESCANSO™ | 30 SERIES








	MODEL #	DESCRIPTION	FINISH	PRICE
	TO-30.15S.20	CONTEMPORARY HANDSHOWER & DIVERTER TRIM ONLY FOR ROMAN TUB <ul style="list-style-type: none"> • HS-15S handshower • max flow rate: 2.0 gpm <p>REQUIRES ROUGH VALVE: DDV-R</p>	polished chrome special premium	333 450 532
	TO-30K.15S.20	SAME AS ABOVE WITH KNURL HANDLE	polished chrome special premium	333 450 532
	TO-30F.15S.20	SAME AS ABOVE WITH CARBON FIBER HANDLE	polished chrome special premium	368 444 519
	TO-30X.15S.20	CONTEMPORARY HANDSHOWER & DIVERTER TRIM ONLY FOR ROMAN TUB <ul style="list-style-type: none"> • HS-15S handshower • max flow rate: 2.0 gpm <p>REQUIRES ROUGH VALVE: DDV-R</p>	polished chrome special premium	333 450 532
	TO-30XK.15S.20	SAME AS ABOVE WITH KNURL HANDLE	polished chrome special premium	333 450 532
	TO-30XF.15S.20	SAME AS ABOVE WITH CARBON FIBER HANDLE	polished chrome special premium	368 444 519
	TO-3003L	3 HANDLE TUB AND SHOWER TRIM ONLY <ul style="list-style-type: none"> • less head, arm, flange and spout <p>See Shower & Luxury Drain Sections to complete shower See page 432 for recommended tub spout</p> <p>REQUIRES ROUGH VALVE: 3-VR</p>	polished chrome special premium	477 645 762
	TO-3003KL	SAME AS ABOVE WITH KNURL HANDLE	polished chrome special premium	477 645 762
	TO-3003FL	SAME AS ABOVE WITH CARBON FIBER HANDLE	polished chrome special premium	582 750 867

MODEL #	DESCRIPTION	FINISH	PRICE
	TO-3003XL 3 HANDLE TUB AND SHOWER TRIM ONLY <ul style="list-style-type: none"> less head, arm, flange and spout <p>See Shower & Luxury Drain Sections to complete shower See page 432 for recommended tub spout</p> <p>REQUIRES ROUGH VALVE: 3-VR</p>	polished chrome special premium	477 645 762
	TO-3003XKL SAME AS ABOVE WITH KNURL HANDLE	polished chrome special premium	477 645 762
	TO-3003XFL SAME AS ABOVE WITH CARBON FIBER HANDLE	polished chrome special premium	582 750 867
	TO-3006L 2 HANDLE TUB AND SHOWER TRIM ONLY <ul style="list-style-type: none"> less head, arm, flange and spout <p>See Shower & Luxury Drain Sections to complete shower See page 432 for recommended tub spout</p> <p>REQUIRES ROUGH VALVE: 2-VR</p>	polished chrome special premium	318 430 508
	TO-3006KL SAME AS ABOVE WITH KNURL HANDLE	polished chrome special premium	318 430 508
	TO-3006FL SAME AS ABOVE WITH CARBON FIBER HANDLE	polished chrome special premium	388 500 578
	TO-3006XL 2 HANDLE TUB AND SHOWER TRIM ONLY <ul style="list-style-type: none"> less head, arm, flange and spout <p>See Shower & Luxury Drain Sections to complete shower See page 432 for recommended tub spout</p> <p>REQUIRES ROUGH VALVE: 2-VR</p>	polished chrome special premium	318 430 508
	TO-3006XKL SAME AS ABOVE WITH KNURL HANDLE	polished chrome special premium	318 430 508
	TO-3006XFL SAME AS ABOVE WITH CARBON FIBER HANDLE	polished chrome special premium	388 500 578

DESCANSO™ | 30 SERIES

	MODEL #	DESCRIPTION	FINISH	PRICE
	TS-30-30	WALL TUB SPOUT <ul style="list-style-type: none"> • 6-5/16" wall to center • max flow rate: 1.6 gpm at 60 psi • for use with StyleTherm, 3-VR, or 2-VR valves <p>See page 432-438 for additional tub spout options</p>	polished chrome special premium	195 242 312
	TO-30K-30	SAME AS ABOVE WITH KNURL TIP	polished chrome special premium	195 242 312
	9206	CONTEMPORARY DIVERTER TUB SPOUT FOR PRESSURE BALANCE <ul style="list-style-type: none"> • all brass construction • 6" wall to center • includes decorative base ring • for use with pressure balance valve or any diverter spout applications <p>See page 432-438 for additional tub spout options</p>	polished chrome special premium	142 192 227
	3004	BIDET SET <ul style="list-style-type: none"> • 1/4 turn ceramic disc cartridge(s) • vertical spray and rim flush • anti-siphon atmospheric vacuum breaker diverter • 1-1/4" all brass lift rod style pop-up drain assembly 	polished chrome special premium	1025 1384 1640
	3004K	SAME AS ABOVE WITH KNURL HANDLE	polished chrome special premium	1025 1384 1640
	3004F	SAME AS ABOVE WITH CARBON FIBER HANDLE	polished chrome special premium	1095 1454 1710
	3004X	BIDET SET <ul style="list-style-type: none"> • 1/4 turn ceramic disc cartridge(s) • vertical spray and rim flush • anti-siphon atmospheric vacuum breaker diverter • 1-1/4" all brass lift rod style pop-up drain assembly 	polished chrome special premium	1025 1384 1640
	3004XK	SAME AS ABOVE WITH KNURL HANDLE	polished chrome special premium	1025 1384 1640
	3004XF	SAME AS ABOVE WITH CARBON FIBER HANDLE	polished chrome special premium	1095 1454 1710

DESCANSO™ | 30 SERIES

	MODEL #	DESCRIPTION	FINISH	PRICE
	3004-MONO	MONOBLOCK BIDET SET <ul style="list-style-type: none"> • 4" spout center to center • 1/4 turn ceramic disc cartridge(s) • swivel end spray • 1-1/4" all brass touch style pop-up drain assembly 	polished chrome special premium	579 782 926
	Available Summer 2018			
	3004K-MONO	SAME AS ABOVE WITH KNURL HANDLE	polished chrome special premium	579 782 926
	Available Summer 2018			
	3004F-MONO	SAME AS ABOVE WITH CARBON FIBER HANDLE	polished chrome special premium	614 817 961
	Available Summer 2018			
	30-18	18" TOWEL BAR	polished chrome special premium	177 239 283
	30-24	24" TOWEL BAR	polished chrome special premium	185 250 296
	30K-18	18" TOWEL BAR WITH KNURL ACCENT	polished chrome special premium	197 266 315
	30K-24	24" TOWEL BAR WITH KNURL ACCENT	polished chrome special premium	198 267 317
	30-RH	ROBE HOOK	polished chrome special premium	79 107 127
	30K-RH	SAME AS ABOVE WITH KNURL ACCENT	polished chrome special premium	89 121 143

DESCANSO™ | 30 SERIES

	MODEL #	DESCRIPTION	FINISH	PRICE
	30-DRH	DOUBLE ROBE HOOK	polished chrome special premium	97 131 156
	30K-DRH	SAME AS ABOVE WITH KNURL ACCENT	polished chrome special premium	107 145 172
	30-STP	SINGLE POST TOILET PAPER / HAND TOWEL HOLDER	polished chrome special premium	119 161 194
	30K-STP	SAME AS ABOVE WITH KNURL ACCENT	polished chrome special premium	129 175 207
	30-VTP	VERTICAL SPARE TOILET PAPER HOLDER	polished chrome special premium	129 175 207
	30K-VTP	SAME AS ABOVE WITH KNURL ACCENT	polished chrome special premium	139 189 223
	30-TR	TOWEL RING	polished chrome special premium	129 175 207
	30K-TR	SAME AS ABOVE WITH KNURL ACCENT	polished chrome special premium	139 189 223

	MODEL #	DESCRIPTION	FINISH	PRICE
	0903-XX.20	<p>CONTEMPORARY FLOOR MOUNT TUB FILLER</p> <ul style="list-style-type: none"> • 8-15/16" spout center to center • 7" floor leg center to center • 1/4 turn ceramic disc cartridge(s) • spout max flow rate: 15 gpm • handshower max flow rate: 2.0 gpm • handshower bracket may be placed on COLD or HOT side of body • replace XX with desired handle series number (model 0903-30K.20 shown) <p>REQUIRES ROUGH: 9516</p>	<p>polished chrome special premium</p>	<p>1979 2672 3166</p>
	0906-XX.20	<p>CONTEMPORARY WALL MOUNT TUB FILLER</p> <ul style="list-style-type: none"> • 8-15/16" spout center to center • 6-1/16" to 7-15/16" inlet center to center • 1/4 turn ceramic disc cartridge(s) • spout max flow rate: 15 gpm • handshower max flow rate: 2.0 gpm • handshower bracket mounts to wall • replace XX with desired handle series number (model 0906-30K.20 shown) 	<p>polished chrome special premium</p>	<p>1299 1754 2078</p>
	0908-XX.20	<p>CONTEMPORARY DECK MOUNT TUB FILLER</p> <ul style="list-style-type: none"> • 8-15/16" spout center to center • 7" floor leg center to center • 1/4 turn ceramic disc cartridge(s) • spout max flow rate: 15 gpm • handshower max flow rate: 2.0 gpm • handshower bracket may be placed on COLD or HOT side of body • replace XX with desired handle series number (model 0908-30K.20 shown) 	<p>polished chrome special premium</p>	<p>1359 1835 2174</p>

DESCANSO™ | 30 SERIES

NOTES:

- available with the following handle options:



Floor Mount - 0903-30.20
Wall Mount - 0906-30.20
Deck Mount - 0908-30.20



Floor Mount - 0903-30K.20
Wall Mount - 0906-30K.20
Deck Mount - 0908-30K.20



Floor Mount - 0903-30F.20
Wall Mount - 0906-30F.20
Deck Mount - 0908-30F.20
Carbon Fiber Upcharge \$105
(all finishes)





Floor Mount - 0903-30X.20
Wall Mount - 0906-30X.20
Deck Mount - 0908-30X.20








Floor Mount - 0903-30XK.20
Wall Mount - 0906-30XK.20
Deck Mount - 0908-30XK.20






Floor Mount - 0903-30XF.20
Wall Mount - 0906-30XF.20
Deck Mount - 0908-30XF.20
Carbon Fiber Upcharge \$105
(all finishes)

	MODEL #	DESCRIPTION	FINISH	PRICE
	VL-R	VESSEL WALL MOUNT FAUCET ROUGH IN VALVE <ul style="list-style-type: none"> • 1/4 turn ceramic disc cartridge(s) • adjustable stem rotation for exact handle alignment • 8" handle center to center • 1/2" FIP - 2 inlet • 1/2" FIP - 1 outlet 		268
	TH75-R	STYLETHERM 3/4" ROUGH VALVE <ul style="list-style-type: none"> • forged brass construction • max flow rate: 18.2 gpm at 60 psi • integral service stops and check valves • thermoplastic polymer cartridge limits limescale buildup • 3/4" FIP - 2 inlet, 2 outlet 		415
	TH51-R	STYLETHERM 1/2" THERMOSTATIC ROUGH VALVE WITH INTEGRAL SINGLE VOLUME CONTROL <ul style="list-style-type: none"> • forged brass construction • flow rate: 10.5 gpm at 60 psi • integral service stops and check valves • 1/4 turn ceramic disc volume control cartridge • thermoplastic polymer cartridge limits limescale buildup • 1/2" FIP - 2 inlet • 1/2" MIP or 1/2" nominal sweat, 1 outlet 		314
	TH51D2-R	STYLETHERM 1/2" THERMOSTATIC ROUGH VALVE WITH INTEGRAL DUAL NON-SHARED OUTLETS <ul style="list-style-type: none"> • forged brass construction • flow rate: 7.2 gpm at 60 psi from each non-shared outlet • integral service stops and check valves • 1/4 turn ceramic disc volume control cartridge • thermoplastic polymer cartridge limits limescale buildup • 1/2" FIP - 2 inlet • 1/2" MIP or 1/2" nominal sweat, 2 outlet 		429
	TH52-R	STYLETHERM 1/2" THERMOSTATIC ROUGH VALVE WITH INTEGRAL DUAL VOLUME CONTROL <ul style="list-style-type: none"> • compatible with all dual volume control trim sets • forged brass construction • flow rate: 10 gpm or combined 14.3 gpm at 60 psi for each • integral service stops and check valves • 1/4 turn ceramic disc volume control cartridge • thermoplastic polymer cartridge limits limescale buildup • 1/2" FIP - 2 inlet • 1/2" MIP or 1/2" nominal sweat, 2 outlet 		362
	TH52D2-R	STYLETHERM 1/2" THERMOSTATIC ROUGH VALVE WITH INTEGRAL NON-SHARED DUAL OUTLETS AND INTEGRAL SINGLE VOLUME CONTROL <ul style="list-style-type: none"> • compatible with all dual volume control trim sets • forged brass construction • flow rate: 7.2 gpm at 60 psi from each non-shared outlet • flow rate: 10.5 gpm at 60 psi at single volume control • integral service stops and check valves • 1/4 turn ceramic disc volume control cartridge • thermoplastic polymer cartridge limits limescale buildup • 1/2" FIP - 2 inlet • 1/2" MIP or 1/2" nominal sweat, 3 outlet 		495



DESCANSO™ | 30 SERIES

	MODEL #	DESCRIPTION	FINISH	PRICE
	50-W-R	1/2" WALL STOP VALVE ONLY <ul style="list-style-type: none"> • forged brass construction • 1/4 turn ceramic disc cartridge(s) • adjustable stem rotation for exact handle alignment • flow rate: 10.5 gpm at 60 psi at single volume control • 1/2" FIP - inlet/outlet 		98
	75-W-R	3/4" WALL STOP VALVE ONLY <ul style="list-style-type: none"> • forged brass construction • 1/4 turn ceramic disc cartridge(s) • adjustable stem rotation for exact handle alignment • flow rate: 10.5 gpm at 60 psi at single volume control • 3/4" FIP - inlet/outlet 		132
	WDV-R	IN WALL DIVERTER WITH SHARED PORTS <ul style="list-style-type: none"> • forged brass construction • 1/2" MIP or 1/2" nominal sweat - 1 inlet • 1/2" MIP or 1/2" nominal sweat - 2 or 3 outlet 		215
	WDV-NS-R	IN WALL DIVERTER WITH NON-SHARED PORTS <ul style="list-style-type: none"> • forged brass construction • 1/2" MIP or 1/2" nominal sweat - 1 inlet • 1/2" MIP or 1/2" nominal sweat - 2 or 3 outlet <div style="border: 1px solid black; padding: 5px; display: inline-block; margin-top: 10px;"> CALGREEN compliant </div>		225
	PB-R	PRESSURE BALANCE VALVE <ul style="list-style-type: none"> • flow rate: 4.2 gpm for shower port, 5 gpm for tub port at 60 psi • integral service stops and check valves • reversible cartridge for back to back installation • adjustable high-temp limit stop • 1/2" FIP - 2 inlet, 2 outlet <p style="text-align: center; margin-top: 10px;">Must use diverter tub spout for tub purposes. See page 432</p>		226
	08-75-99	ROMAN TUB ROUGH IN KIT WITH QC-99 QUICK CONNECT <ul style="list-style-type: none"> • all brass construction • 1/4 turn ceramic disc cartridge(s) • includes a pair of roman tub valves • includes quick connect QC-99 • 3/4" MIP - inlet/outlet • quick connect: 3/4" MIP - inlet • quick connect: 3/8" FIP - test plug outlet 		307
	DDV-R	DECK DIVERTER ROUGH IN VALVE - ANTI-SIPHON <ul style="list-style-type: none"> • forged brass construction • half turn composite cartridge with integral backflow • 3/4" MIP or 3/4" nominal sweat - 1 inlet • 3/4" MIP or 3/4" nominal sweat - 1 outlet • 1/2" MIP or 3/8" FIP - 1 outlet 		229

	MODEL #	DESCRIPTION	FINISH	PRICE
	3-VR	3 HANDLE TUB AND SHOWER VALVE <ul style="list-style-type: none"> • 1/4 turn ceramic disc cartridge(s) • adjustable stem rotation for exact handle alignment • 8" handle center to center • 1/2" MIP or 1/2" nominal sweat - 2 inlet • 1/2" MIP or 1/2" nominal sweat - 2 outlet 		398
	2-VR	2 HANDLE TUB AND SHOWER VALVE <ul style="list-style-type: none"> • 1/4 turn ceramic disc cartridge(s) • adjustable stem rotation for exact handle alignment • 8" handle center to center • 1/2" FIP - 2 inlet • 1/2" FIP - 2 outlet 		264
	9516	ROUGH FOR FLOOR MOUNT TUB FILLER <ul style="list-style-type: none"> • provides solid support for installation in concrete or wood subflooring • 5" x 10" x 1/8" rigid plate with pre-drilled screw holes to mount to underlying wood framing • adjustable height 4" brass nipples with 3/4" MIP or 3/4" nominal sweat inlets • mudguard included • 1/2" FIP - 2 outlet 		270









RINCON BAY™ | 45 SERIES







MODEL #	DESCRIPTION	FINISH	PRICE
	4502X 8" WIDESPREAD LAVATORY FAUCET <ul style="list-style-type: none"> • 5-1/16" spout center to center • 1/4 turn ceramic disc cartridge(s) • 1-1/4" all brass lift rod style pop-up drain assembly • 1.2 gpm water saving aerator 	polished chrome special premium	649 876 1038
	4502XZB UPGRADE WITH ZERODRAIN (9050ZB) <ul style="list-style-type: none"> • replaces pop-up drain <p style="text-align: center;"><i>See page 415 for more ZeroDrain options</i></p>	polished chrome special premium	690 931 1103
	4502 8" WIDESPREAD LAVATORY FAUCET <ul style="list-style-type: none"> • 5-1/16" spout center to center • 1/4 turn ceramic disc cartridge(s) • 1-1/4" all brass lift rod style pop-up drain assembly • 1.2 gpm water saving aerator 	polished chrome special premium	649 876 1038
	4502ZB UPGRADE WITH ZERODRAIN (9050ZB) <ul style="list-style-type: none"> • replaces pop-up drain <p style="text-align: center;"><i>See page 415 for more ZeroDrain options</i></p>	polished chrome special premium	690 931 1103
	TO-V4502X-7 VESSEL LAVATORY FAUCET TRIM ONLY <ul style="list-style-type: none"> • 6-1/2" spout wall to center • 1/4 turn ceramic disc cartridge(s) • 1.2 gpm water saving aerator • Order drain separately, see pages 427-430 for all drains, including ZeroDrain <p style="text-align: center;">REQUIRES ROUGH VALVE: VL-R</p>	polished chrome special premium	419 566 670

RINCON BAY™ | 45 SERIES






	MODEL #	DESCRIPTION	FINISH	PRICE
	TO-V4502-7	VESSEL LAVATORY FAUCET TRIM ONLY <ul style="list-style-type: none"> • 6-1/2" spout wall to center • 1/4 turn ceramic disc cartridge(s) • 1.2 gpm water saving aerator • Order drain separately, see pages 427-430 for all drains, including ZeroDrain <p>REQUIRES ROUGH VALVE: VL-R</p>	polished chrome special premium	419 566 670
	TO-V4502X-9	VESSEL LAVATORY FAUCET TRIM ONLY <ul style="list-style-type: none"> • 8-1/2" spout wall to center • 1/4 turn ceramic disc valves • 1.5 gpm water saving aerator • order drain separately, see pages 245-247 <p>REQUIRES ROUGH VALVE: VL-R</p>	polished chrome special premium	429 580 686
	TO-V4502-9	VESSEL LAVATORY FAUCET TRIM ONLY <ul style="list-style-type: none"> • 8-1/2" spout wall to center • 1/4 turn ceramic disc valves • 1.5 gpm water saving aerator • order drain separately, see pages 245-247 <p>REQUIRES ROUGH VALVE: VL-R</p>	polished chrome special premium	429 580 686
	TO-THN-45X	STYLETHERM 3/4" THERMOSTATIC TRIM ONLY <ul style="list-style-type: none"> • all brass construction • 100° F safety stop button with manual override • 7-1/4" round faceplate <p>See Shower & Luxury Drain Sections to complete shower</p> <p>REQUIRES ROUGH VALVE: TH75-R</p>	polished chrome special premium	275 371 440
	TO-THN-45	STYLETHERM 3/4" THERMOSTATIC TRIM ONLY <ul style="list-style-type: none"> • all brass construction • 100° F safety stop button with manual override • 7-1/4" round faceplate <p>See Shower & Luxury Drain Sections to complete shower</p> <p>REQUIRES ROUGH VALVE: TH75-R</p>	polished chrome special premium	275 371 440
	TO-THCN-45X	STYLETHERM 3/4" THERMOSTATIC TRIM ONLY <ul style="list-style-type: none"> • all brass construction • 100° F safety stop button with manual override • 7-7/8" by 5-5/8" rectangular faceplate <p>See Shower & Luxury Drain Sections to complete shower</p> <p>REQUIRES ROUGH VALVE: TH75-R</p>	polished chrome special premium	305 412 488
	TO-THCN-45	STYLETHERM 3/4" THERMOSTATIC TRIM ONLY <ul style="list-style-type: none"> • all brass construction • 100° F safety stop button with manual override • 7-7/8" by 5-5/8" rectangular faceplate <p>See Shower & Luxury Drain Sections to complete shower</p> <p>REQUIRES ROUGH VALVE: TH75-R</p>	polished chrome special premium	305 412 488

RINCON BAY™ | 45 SERIES

	MODEL #	DESCRIPTION	FINISH	PRICE
	TO-THFN-45X	STYLETHERM 3/4" THERMOSTATIC TRIM ONLY <ul style="list-style-type: none"> • all brass construction • 100° F safety stop button with manual override • 5-1/4" square faceplate, flat profile <p>See Shower & Luxury Drain Sections to complete shower</p> <p>REQUIRES ROUGH VALVE: TH75-R</p>	polished chrome special premium	397 516 635
	TO-THFN-45	STYLETHERM 3/4" THERMOSTATIC TRIM ONLY <ul style="list-style-type: none"> • all brass construction • 100° F safety stop button with manual override • 5-1/4" square faceplate, flat profile <p>See Shower & Luxury Drain Sections to complete shower</p> <p>REQUIRES ROUGH VALVE: TH75-R</p>	polished chrome special premium	397 516 635
	TO-THIL-45X	STYLETHERM TRIM ONLY WITH SINGLE VOLUME CONTROL <ul style="list-style-type: none"> • all brass construction • 100° F safety stop button with manual override • single integral volume control • 7-1/4" round faceplate <p>See Shower & Luxury Drain Sections to complete shower</p> <p>REQUIRES ROUGH VALVE: TH51-R OR TH51D2-R</p>	polished chrome special premium	280 378 448
	TO-THIL-45	STYLETHERM TRIM ONLY WITH SINGLE VOLUME CONTROL <ul style="list-style-type: none"> • all brass construction • 100° F safety stop button with manual override • single integral volume control • 7-1/4" round faceplate <p>See Shower & Luxury Drain Sections to complete shower</p> <p>REQUIRES ROUGH VALVE: TH51-R OR TH51D2-R</p>	polished chrome special premium	280 378 448
	TO-THCIL-45X	STYLETHERM TRIM ONLY WITH SINGLE VOLUME CONTROL <ul style="list-style-type: none"> • all brass construction • 100° F safety stop button with manual override • single integral volume control • 7-7/8" by 5-5/8" rectangular faceplate • less head, arm and flange <p>See Shower & Luxury Drain Sections to complete shower</p> <p>REQUIRES ROUGH VALVE: TH51-R OR TH51D2-R</p>	polished chrome special premium	310 418 496
	TO-THCIL-45	STYLETHERM TRIM ONLY WITH SINGLE VOLUME CONTROL <ul style="list-style-type: none"> • all brass construction • 100° F safety stop button with manual override • single integral volume control • 7-7/8" by 5-5/8" rectangular faceplate • less head, arm and flange <p>See Shower & Luxury Drain Sections to complete shower</p> <p>REQUIRES ROUGH VALVE: TH51-R OR TH51D2-R</p>	polished chrome special premium	310 418 496

	MODEL #	DESCRIPTION	FINISH	PRICE
	TO-THFIL-45X	STYLETHERM 3/4" THERMOSTATIC TRIM ONLY <ul style="list-style-type: none"> • all brass construction • 100° F safety stop button with manual override • single integral volume control • 5-1/4" square faceplate, flat profile • less head, arm, flange <p>See Shower & Luxury Drain Sections to complete shower</p> <p>REQUIRES ROUGH VALVE: TH5 I-R OR TH5 I D2-R</p>	polished chrome special premium	435 566 696
	TO-THFIL-45	STYLETHERM 3/4" THERMOSTATIC TRIM ONLY <ul style="list-style-type: none"> • all brass construction • 100° F safety stop button with manual override • single integral volume control • 5-1/4" square faceplate, flat profile • less head, arm, flange <p>See Shower & Luxury Drain Sections to complete shower</p> <p>REQUIRES ROUGH VALVE: TH5 I-R OR TH5 I D2-R</p>	polished chrome special premium	435 566 696
	TO-TH2L-45X	STYLETHERM TRIM ONLY WITH DUAL VOLUME CONTROL <ul style="list-style-type: none"> • all brass construction • 100° F safety stop button with manual override • dual integral volume control • 7-1/4" round faceplate • less head, arm, flange <p>See Shower & Luxury Drain Sections to complete shower</p> <p>REQUIRES ROUGH VALVE: TH52-R OR TH52 D2-R</p>	polished chrome special premium	305 412 488
	TO-TH2L-45	STYLETHERM TRIM ONLY WITH DUAL VOLUME CONTROL <ul style="list-style-type: none"> • all brass construction • 100° F safety stop button with manual override • dual integral volume control • 7-1/4" round faceplate • less head, arm, flange <p>See Shower & Luxury Drain Sections to complete shower</p> <p>REQUIRES ROUGH VALVE: TH52-R OR TH52 D2-R</p>	polished chrome special premium	305 412 488
	TO-THC2L-45X	STYLETHERM TRIM ONLY WITH DUAL VOLUME CONTROL <ul style="list-style-type: none"> • all brass construction • 100° F safety stop button with manual override • dual integral volume control • 7-7/8" by 5-5/8" rectangular faceplate • less head, arm, flange <p>See Shower & Luxury Drain Sections to complete shower</p> <p>REQUIRES ROUGH VALVE: TH52-R OR TH52 D2-R</p>	polished chrome special premium	335 452 536
	TO-THC2L-45	STYLETHERM TRIM ONLY WITH DUAL VOLUME CONTROL <ul style="list-style-type: none"> • all brass construction • 100° F safety stop button with manual override • dual integral volume control • 7-7/8" by 5-5/8" rectangular faceplate • less head, arm, flange <p>See Shower & Luxury Drain Sections to complete shower</p> <p>REQUIRES ROUGH VALVE: TH52-R OR TH52 D2-R</p>	polished chrome special premium	335 452 536







RINCON BAY™ | 45 SERIES

	MODEL #	DESCRIPTION	FINISH	PRICE
	TO-THF2L-45X	STYLETHERM TRIM ONLY WITH DUAL VOLUME CONTROL <ul style="list-style-type: none"> all brass construction 100° F safety stop button with manual override dual integral volume control 6" by 5-1/4" rectangular faceplate; flat profile less head, arm, flange <p>See Shower & Luxury Drain Sections to complete shower</p> <p>REQUIRES ROUGH VALVE: TH52-R OR TH52D2-R</p>	polished chrome special premium	497 646 795
	TO-THF2L-45	STYLETHERM TRIM ONLY WITH DUAL VOLUME CONTROL <ul style="list-style-type: none"> all brass construction 100° F safety stop button with manual override dual integral volume control 6" by 5-1/4" rectangular faceplate; flat profile less head, arm, flange <p>See Shower & Luxury Drain Sections to complete shower</p> <p>REQUIRES ROUGH VALVE: TH52-R OR TH52D2-R</p>	polished chrome special premium	497 646 795
	TO-45X-W	WALL OR DECK HANDLE TRIM ONLY <ul style="list-style-type: none"> base dimension 2-5/16" use for wall stop, wall diverter or deck diverter <p>REQUIRES ROUGH VALVE: 50-W-R, 75-W-R, WDV-R, WDV-NS-R or DDV-R</p>	polished chrome special premium	131 177 210
	TO-45-W	WALL OR DECK HANDLE TRIM ONLY <ul style="list-style-type: none"> base dimension 2-5/16" use for wall stop, wall diverter or deck diverter <p>REQUIRES ROUGH VALVE: 50-W-R, 75-W-R, WDV-R, WDV-NS-R or DDV-R</p>	polished chrome special premium	131 177 210
	TO-PBL-45X	PRESSURE BALANCE TRIM ONLY <ul style="list-style-type: none"> screwless faceplate 7-1/14" round faceplate less head, arm, flange <p>See Shower & Luxury Drain Sections to complete shower</p> <p>REQUIRES ROUGH VALVE: PB-R</p>	polished chrome special premium	235 317 376
	TO-PBL-45	PRESSURE BALANCE TRIM ONLY <ul style="list-style-type: none"> screwless faceplate 7-1/14" round faceplate less head, arm, flange <p>See Shower & Luxury Drain Sections to complete shower</p> <p>REQUIRES ROUGH VALVE: PB-R</p>	polished chrome special premium	235 317 376






RINCON BAY™ | 45 SERIES

	MODEL #	DESCRIPTION	FINISH	PRICE
	TO-4508X	ROMAN TUB TRIM SET <ul style="list-style-type: none"> • 8-1/16" spout center to center • max flow rate: 16 gpm at 60 psi <p><i>NEW: Now offering ZeroDrain for tubs! See page 439-440 for tub options</i></p> <p>REQUIRES ROUGH VALVE: 08-75-99</p>	polished chrome special premium	589 795 942
	TO-4508	ROMAN TUB TRIM SET <ul style="list-style-type: none"> • 8-1/16" spout center to center • max flow rate: 16 gpm at 60 psi <p><i>NEW: Now offering ZeroDrain for tubs! See page 439-440 for tub options</i></p> <p>REQUIRES ROUGH VALVE: 08-75-99</p>	polished chrome special premium	589 795 942
	TO-45X.62.20	CONTEMPORARY HANDSHOWER & DIVERTER TRIM ONLY FOR ROMAN TUB <ul style="list-style-type: none"> • HS-62 handshower • max flow rate: 2.0 gpm <p>REQUIRES ROUGH VALVE: DDV-R</p>	polished chrome special premium	303 409 484
	TO-45.62.20	CONTEMPORARY HANDSHOWER & DIVERTER TRIM ONLY FOR ROMAN TUB <ul style="list-style-type: none"> • HS-62 handshower • max flow rate: 2.0 gpm <p>REQUIRES ROUGH VALVE: DDV-R</p>	polished chrome special premium	303 409 484
	TO-4503XL	3 HANDLE TUB AND SHOWER TRIM ONLY <ul style="list-style-type: none"> • less head, arm, flange and spout <p><i>See Shower & Luxury Drain Sections to complete shower See page 432 for recommended tub spout</i></p> <p>REQUIRES ROUGH VALVE: 3-VR</p>	polished chrome special premium	393 531 630
	TO-4503L	3 HANDLE TUB AND SHOWER TRIM ONLY <ul style="list-style-type: none"> • less head, arm, flange and spout <p><i>See Shower & Luxury Drain Sections to complete shower See page 432 for recommended tub spout</i></p> <p>REQUIRES ROUGH VALVE: 3-VR</p>	polished chrome special premium	393 531 630
	TO-4506XL	2 HANDLE TUB AND SHOWER TRIM ONLY <ul style="list-style-type: none"> • less head, arm, flange and spout <p><i>See Shower & Luxury Drain Sections to complete shower See page 432 for recommended tub spout</i></p> <p>REQUIRES ROUGH VALVE: 2-VR</p>	polished chrome special premium	262 354 420









RINCON BAY™ | 45 SERIES






	MODEL #	DESCRIPTION	FINISH	PRICE
	TO-4506L	2 HANDLE TUB AND SHOWER TRIM ONLY <ul style="list-style-type: none"> less head, arm, flange and spout <p>See Shower & Luxury Drain Sections to complete shower See page 432 for recommended tub spout</p> <p>REQUIRES ROUGH VALVE: 2-VR</p>	polished chrome special premium	262 354 420
	TS-45	WALL TUB SPOUT <ul style="list-style-type: none"> 6-1/2" wall to center max flow rate: 1.6 gpm at 60 psi for use with StyleTherm, 3-VR or 2-VR valves <p>See page 432-438 for additional tub spout options</p>	polished chrome special premium	169 228 270
	9206	CONTEMPORARY DIVERTER TUB SPOUT FOR PRESSURE BALANCE <ul style="list-style-type: none"> all brass construction 6" wall to center includes decorative base ring for use with pressure balance valve or any diverter spout applications <p>See page 432-438 for additional tub spout options</p>	polished chrome special premium	142 192 227
	4504X	BIDET SET <ul style="list-style-type: none"> 1/4 turn ceramic disc cartridge(s) vertical spray and rim flush anti-siphon atmospheric vacuum breaker diverter 1-1/4" all brass lift rod style pop-up drain assembly 	polished chrome special premium	1025 1384 1640
	4504	BIDET SET <ul style="list-style-type: none"> 1/4 turn ceramic disc cartridge(s) vertical spray and rim flush anti-siphon atmospheric vacuum breaker diverter 1-1/4" all brass lift rod style pop-up drain assembly 	polished chrome special premium	1025 1384 1640
	4504-MONO	MONOBLOCK BIDET SET <ul style="list-style-type: none"> 4-3/8" spout center to center 1/4 turn ceramic disc cartridge(s) swivel end spray 1-1/4" all brass lift rod style pop-up drain assembly 	polished chrome special premium	598 807 957

RINCON BAY™ | 45 SERIES



	MODEL #	DESCRIPTION	FINISH	PRICE
	45-9	9" TOWEL BAR	polished chrome special premium	189 255 302
	45-18	18" TOWEL BAR	polished chrome special premium	191 257 305
	45-24	24" TOWEL BAR	polished chrome special premium	198 267 317
	45-30	30" TOWEL BAR	polished chrome special premium	206 277 329
	45-RH	ROBE HOOK	polished chrome special premium	110 148 175
	45-DRH	DOUBLE ROBE HOOK	polished chrome special premium	106 143 169
	45-STP	SINGLE POST TOILET PAPER / HAND TOWEL HOLDER	polished chrome special premium	149 201 238
	45-TP	TWO POST TOILET PAPER HOLDER	polished chrome special premium	191 257 305
	45-TR	TOWEL RING	polished chrome special premium	120 162 192

RINCON BAY™ | 45 SERIES

	MODEL #	DESCRIPTION	FINISH	PRICE
	VL-R	VESSEL WALL MOUNT FAUCET ROUGH IN VALVE <ul style="list-style-type: none"> • 1/4 turn ceramic disc cartridge(s) • adjustable stem rotation for exact handle alignment • 8" handle center to center • 1/2" FIP - 2 inlet • 1/2" FIP - 1 outlet 		268
	TH75-R	STYLETHERM 3/4" ROUGH VALVE <ul style="list-style-type: none"> • forged brass construction • max flow rate: 18.2 gpm at 60 psi • integral service stops and check valves • thermoplastic polymer cartridge limits limescale buildup • 3/4" FIP - 2 inlet, 2 outlet 		415
	TH51-R	STYLETHERM 1/2" THERMOSTATIC ROUGH VALVE WITH INTEGRAL SINGLE VOLUME CONTROL <ul style="list-style-type: none"> • forged brass construction • flow rate: 10.5 gpm at 60 psi • integral service stops and check valves • 1/4 turn ceramic disc volume control cartridge • thermoplastic polymer cartridge limits limescale buildup • 1/2" FIP - 2 inlet • 1/2" MIP or 1/2" nominal sweat, 1 outlet 		314
	TH51D2-R	 STYLETHERM 1/2" THERMOSTATIC ROUGH VALVE WITH INTEGRAL DUAL NON-SHARED OUTLETS <ul style="list-style-type: none"> • forged brass construction • flow rate: 7.2 gpm at 60 psi from each non-shared outlet • integral service stops and check valves • 1/4 turn ceramic disc volume control cartridge • thermoplastic polymer cartridge limits limescale buildup • 1/2" FIP - 2 inlet • 1/2" MIP or 1/2" nominal sweat, 2 outlet 		429
	TH52-R	STYLETHERM 1/2" THERMOSTATIC ROUGH VALVE WITH INTEGRAL DUAL VOLUME CONTROL <ul style="list-style-type: none"> • compatible with all dual volume control trim sets • forged brass construction • flow rate: 10 gpm or combined 14.3 gpm at 60 psi for each • integral service stops and check valves • 1/4 turn ceramic disc volume control cartridge • thermoplastic polymer cartridge limits limescale buildup • 1/2" FIP - 2 inlet • 1/2" MIP or 1/2" nominal sweat, 2 outlet 		362
	TH52D2-R	 STYLETHERM 1/2" THERMOSTATIC ROUGH VALVE WITH INTEGRAL NON-SHARED DUAL OUTLETS AND INTEGRAL SINGLE VOLUME CONTROL <ul style="list-style-type: none"> • compatible with all dual volume control trim sets • forged brass construction • flow rate: 7.2 gpm at 60 psi from each non-shared outlet • flow rate: 10.5 gpm at 60 psi at single volume control • integral service stops and check valves • 1/4 turn ceramic disc volume control cartridge • thermoplastic polymer cartridge limits limescale buildup • 1/2" FIP - 2 inlet • 1/2" MIP or 1/2" nominal sweat, 3 outlet 		495

MODEL #	DESCRIPTION	FINISH	PRICE
	50-W-R 1/2" WALL STOP VALVE ONLY <ul style="list-style-type: none"> • forged brass construction • 1/4 turn ceramic disc cartridge(s) • adjustable stem rotation for exact handle alignment • flow rate: 10,5 gpm at 60 psi at single volume control • 1/2" FIP - inlet/outlet 		98
	75-W-R 3/4" WALL STOP VALVE ONLY <ul style="list-style-type: none"> • forged brass construction • 1/4 turn ceramic disc cartridge(s) • adjustable stem rotation for exact handle alignment • flow rate: 10,5 gpm at 60 psi at single volume control • 3/4" FIP - inlet/outlet 		132
	WDV-R IN WALL DIVERTER WITH SHARED PORTS <ul style="list-style-type: none"> • forged brass construction • 1/2" MIP or 1/2" nominal sweat - 1 inlet • 1/2" MIP or 1/2" nominal sweat - 2 or 3 outlet 		215
	WDV-NS-R IN WALL DIVERTER WITH NON-SHARED PORTS <ul style="list-style-type: none"> • forged brass construction • 1/2" MIP or 1/2" nominal sweat - 1 inlet • 1/2" MIP or 1/2" nominal sweat - 2 or 3 outlet <div style="border: 1px solid black; padding: 5px; display: inline-block; margin-top: 10px;"> CALGREEN compliant </div>		225
	PB-R PRESSURE BALANCE VALVE <ul style="list-style-type: none"> • flow rate: 4.2 gpm for shower port, 5 gpm for tub port at 60 psi • integral service stops and check valves • reversible cartridge for back to back installation • adjustable high-temp limit stop • 1/2" FIP - 2 inlet, 2 outlet <p style="text-align: center; margin-top: 10px;">Must use diverter tub spout for tub purposes. See page 432</p>		226
	08-75-99 ROMAN TUB ROUGH IN KIT WITH QC-99 QUICK CONNECT <ul style="list-style-type: none"> • all brass construction • 1/4 turn ceramic disc cartridge(s) • includes a pair of roman tub valves • includes quick connect QC-99 • 3/4" MIP - inlet/outlet • quick connect: 3/4" MIP - inlet • quick connect: 3/8" FIP - test plug outlet 		307
	DDV-R DECK DIVERTER ROUGH IN VALVE - ANTI-SIPHON <ul style="list-style-type: none"> • forged brass construction • half turn composite cartridge with integral backflow • 3/4" MIP or 3/4" nominal sweat - 1 inlet • 3/4" MIP or 3/4" nominal sweat - 1 outlet • 1/2" MIP or 3/8" FIP - 1 outlet 		229


RINCON BAY™ | 45 SERIES

	MODEL #	DESCRIPTION	FINISH	PRICE
	3-VR	3 HANDLETUB AND SHOWER VALVE <ul style="list-style-type: none"> • 1/4 turn ceramic disc cartridge(s) • adjustable stem rotation for exact handle alignment • 8" handle center to center • 1/2" MIP or 1/2" nominal sweat - 2 inlet • 1/2" MIP or 1/2" nominal sweat - 2 outlet 		398
	2-VR	2 HANDLETUB AND SHOWER VALVE <ul style="list-style-type: none"> • 1/4 turn ceramic disc cartridge(s) • adjustable stem rotation for exact handle alignment • 8" handle center to center • 1/2" FIP - 2 inlet • 1/2" FIP - 2 outlet 		264







MULTI AND SINGLE FUNCTION SHOWERHEADS

	MODEL #	DESCRIPTION	FINISH	PRICE
	SH-073.FR	TRADITIONAL STYLE BRASS 5-5/8" MULTI-FUNCTION SHOWERHEAD <ul style="list-style-type: none"> • 1/2" FIP inlet • 3 function: rain, air & massage • self-cleaning rubber jets • all brass pivot ball & body • 5-5/8" diameter; gray face • replace .FR with desired max flow rate: SH-073.25 for 2.5 gpm SH-073.20 for 2.0 gpm SH-073.18 for 1.8 gpm 	polished chrome special premium	239 323 382
	SH-083.FR	CONTEMPORARY STYLE BRASS 5-5/8" MULTI-FUNCTION SHOWERHEAD <ul style="list-style-type: none"> • 1/2" FIP inlet • 3 function: rain, air & massage • self-cleaning rubber jets • all brass pivot ball & body • 5-5/8" diameter; gray face • replace .FR with desired max flow rate: SH-083.25 for 2.5 gpm SH-083.20 for 2.0 gpm SH-083.18 for 1.8 gpm 	polished chrome special premium	239 323 382
	SH-071.FR	TRADITIONAL STYLE BRASS 5-5/8" SINGLE FUNCTION SHOWERHEAD <ul style="list-style-type: none"> • 1/2" FIP inlet • self-cleaning rubber jets • all brass pivot ball & body • 5-5/8" diameter; gray face • replace .FR with desired max flow rate: SH-071.25 for 2.5 gpm SH-071.18 for 1.8 gpm 	polished chrome special premium	185 250 296
	SH-081.FR	CONTEMPORARY STYLE BRASS 5-5/8" SINGLE FUNCTION SHOWERHEAD <ul style="list-style-type: none"> • 1/2" FIP inlet • self-cleaning rubber jets • all brass pivot ball & body • 5-5/8" diameter; gray face • replace .FR with desired max flow rate: SH-081.25 for 2.5 gpm SH-081.18 for 1.8 gpm 	polished chrome special premium	185 250 296







ROUND SHOWER HEADS

MODEL #	DESCRIPTION	FINISH	PRICE
 SH-162-6.FR	6" DIAMETER ULTRA-THIN ROUND SHOWERHEAD <ul style="list-style-type: none"> • 1/2" swivel inlet • brass construction • 6" diameter • self-cleaning rubber jets • replace .FR with desired max flow rate: <ul style="list-style-type: none"> SH-162-6.25 for 2.5 gpm SH-162-6.20 for 2.0 gpm SH-162-6.18 for 1.8 gpm SH-162-6.15 for 1.5 gpm 	polished chrome special premium	175 236 280
 SH-162-8.FR	8" DIAMETER ULTRA-THIN ROUND SHOWERHEAD <ul style="list-style-type: none"> • 1/2" swivel inlet • brass construction • 8" diameter • self-cleaning rubber jets • replace .FR with desired max flow rate: <ul style="list-style-type: none"> SH-162-8.25 for 2.5 gpm SH-162-8.20 for 2.0 gpm SH-162-8.18 for 1.8 gpm SH-162-8.15 for 1.5 gpm 	polished chrome special premium	255 344 408
 SH-162-10.FR	10" DIAMETER ULTRA-THIN ROUND SHOWERHEAD <ul style="list-style-type: none"> • 1/2" swivel inlet • brass construction • 10" diameter • self-cleaning rubber jets • replace .FR with desired max flow rate: <ul style="list-style-type: none"> SH-162-10.25 for 2.5 gpm SH-162-10.20 for 2.0 gpm SH-162-10.18 for 1.8 gpm 	polished chrome special premium	345 466 552
 SH-162-12.FR	12" DIAMETER ULTRA-THIN ROUND SHOWERHEAD <ul style="list-style-type: none"> • 1/2" swivel inlet • brass construction • 12" diameter • self-cleaning rubber jets • replace .FR with desired max flow rate: <ul style="list-style-type: none"> SH-162-12.25 for 2.5 gpm SH-162-12.20 for 2.0 gpm SH-162-12.18 for 1.8 gpm 	polished chrome special premium	525 709 840




SQUARE SHOWER HEADS

	MODEL #	DESCRIPTION	FINISH	PRICE
	SH-177-6.FR	6" SQUARE ULTRA-THIN ROUND SHOWERHEAD <ul style="list-style-type: none"> • 1/2" swivel inlet • brass construction • 6" square • self-cleaning rubber jets • replace .FR with desired max flow rate: <ul style="list-style-type: none"> SH-177-6.25 for 2.5 gpm SH-177-6.20 for 2.0 gpm SH-177-6.18 for 1.8 gpm SH-177-6.15 for 1.5 gpm 	polished chrome special premium	215 290 344
	SH-177-8.FR	8" SQUARE ULTRA-THIN ROUND SHOWERHEAD <ul style="list-style-type: none"> • 1/2" swivel inlet • brass construction • 8" square • self-cleaning rubber jets • replace .FR with desired max flow rate: <ul style="list-style-type: none"> SH-177-8.25 for 2.5 gpm SH-177-8.20 for 2.0 gpm SH-177-8.18 for 1.8 gpm SH-177-8.15 for 1.5 gpm 	polished chrome special premium	295 398 472
	SH-177-10.FR	10" SQUARE ULTRA-THIN ROUND SHOWERHEAD <ul style="list-style-type: none"> • 1/2" swivel inlet • brass construction • 10" square • self-cleaning rubber jets • replace .FR with desired max flow rate: <ul style="list-style-type: none"> SH-177-10.25 for 2.5 gpm SH-177-10.20 for 2.0 gpm SH-177-10.18 for 1.8 gpm 	polished chrome special premium	425 574 680
	SH-177-12.FR	12" SQUARE ULTRA-THIN ROUND SHOWERHEAD <ul style="list-style-type: none"> • 1/2" swivel inlet • brass construction • 12" square • self-cleaning rubber jets • replace .FR with desired max flow rate: <ul style="list-style-type: none"> SH-177-12.25 for 2.5 gpm SH-177-12.20 for 2.0 gpm SH-177-12.18 for 1.8 gpm 	polished chrome special premium	595 803 952







WALL MOUNT TUB FILLERS







	MODEL #	DESCRIPTION	FINISH	PRICE
	1106-XX.20	CONTEMPORARY WALL MOUNT TUB FILLER <ul style="list-style-type: none"> • 8-15/16" spout center to center • 6-1/16" to 7-15/16" inlet center to center • 1/4 turn ceramic disc cartridge(s) • spout max flow rate: 15 gpm • handshower max flow rate: 2.0 gpm • handshower bracket mounts to wall • replace XX with desired handle series number (model 1106-65.20 shown) 	polished chrome special premium	1259 1700 2014
	1206-XX.20	CONTEMPORARY WALL MOUNT TUB FILLER <ul style="list-style-type: none"> • 8-15/16" spout center to center • 6-1/16" to 7-15/16" inlet center to center • 1/4 turn ceramic disc cartridge(s) • spout max flow rate: 15 gpm • handshower max flow rate: 2.0 gpm • handshower bracket mounts to wall • replace XX with desired handle series number (model 1206-74.20 shown) 	polished chrome special premium	1259 1700 2014
	1306-XX.20	TRADITIONAL WALL MOUNT TUB FILLER <ul style="list-style-type: none"> • 8-15/16" spout center to center • 6-1/16" to 7-15/16" inlet center to center • 1/4 turn ceramic disc cartridge(s) • spout max flow rate: 15 gpm • handshower max flow rate: 2.0 gpm • handshower bracket mounts to wall • replace XX with desired handle series number (model 1306-33.20 shown) 	polished chrome special premium	1299 1754 2078
	1406-XX.20	TRADITIONAL WALL MOUNT TUB FILLER <ul style="list-style-type: none"> • 8-15/16" spout center to center • 6-1/16" to 7-15/16" inlet center to center • 1/4 turn ceramic disc cartridge(s) • spout max flow rate: 15 gpm • handshower max flow rate: 2.0 gpm • handshower bracket mounts to wall • replace XX with desired handle series number (model 1406-48X.20 shown) 	polished chrome special premium	1299 1754 2078




9" HAND TOWEL BARS

	MODEL #	DESCRIPTION	FINISH	PRICE
	34-9	CARDIFF SERIES 9" HAND TOWEL BAR <ul style="list-style-type: none"> • matches series: 32, 33, 34, 35, 68 and 69 	polished chrome special premium	189 255 302
	38-9	LA JOLLA SERIES 9" HAND TOWEL BAR <ul style="list-style-type: none"> • matches series: 38 and 58 	polished chrome special premium	175 236 280
	42-9	HUNTINGTON SERIES 9" HAND TOWEL BAR <ul style="list-style-type: none"> • matches series: 42 and 55 	polished chrome special premium	175 236 280
	44-9	AVILA SERIES 9" HAND TOWEL BAR <ul style="list-style-type: none"> • matches series: 44 	polished chrome special premium	189 255 302

9" HAND TOWEL BARS


	MODEL #	DESCRIPTION	FINISH	PRICE
	45-9	RINCON BAY SERIES 9" HAND TOWEL BAR <ul style="list-style-type: none"> • matches series: 45 	polished chrome special premium	189 255 302
	47-9	VENICE SERIES 9" HAND TOWEL BAR <ul style="list-style-type: none"> • matches series: 46, 47 and 63 	polished chrome special premium	175 236 280
	48-9	MIRAMAR SERIES 9" HAND TOWEL BAR <ul style="list-style-type: none"> • matches series: 48 	polished chrome special premium	189 255 302
	50-9	SOLANA SERIES 9" HAND TOWEL BAR <ul style="list-style-type: none"> • matches series: 50 	polished chrome special premium	175 236 280
	60-9	DEL MAR SERIES 9" HAND TOWEL BAR <ul style="list-style-type: none"> • matches series: 60, 61 and 67 	polished chrome special premium	175 236 280
	64-9	MENDOCINO SERIES 9" HAND TOWEL BAR <ul style="list-style-type: none"> • matches series: 59 and 64 	polished chrome special premium	175 236 280

9" HAND TOWEL BARS

	MODEL #	DESCRIPTION	FINISH	PRICE
	65-9	TIBURON BAY SERIES 9" HAND TOWEL BAR <ul style="list-style-type: none"> • matches series: 62, 65, 66 and 71 	polished chrome special premium	175 236 280



PULL DOWN KITCHEN FAUCET HIGH & LOW SPOUT

MODEL #	DESCRIPTION	FINISH	PRICE
	DAVOLI PULL DOWN KITCHEN FAUCET HIGH SPOUT • height; 18-9/16", reach: 9-3/16"	polished chrome 875 special 1094 ultra stainless steel 1155 premium 1389	
	K10-100-XX K10-102-XX LOW SPOUT • height; 16", reach: 9-3/16" See page 33 in California Faucets Catalog for full list of features See pages 33-35 in California Faucets Catalog for complete selection of matching items		

Handle Options:

Replace XX with desired handle style.
e.g. pictured above: K10-100-33



33 Series
Metal Lever



35 Series
Porcelain Lever



40 Series
Porcelain Lever



42 Series
Standard
Metal Lever




55 Series
Metal Lever



64 Series
Metal Lever



CLEV Crystal
Swarovski® Lever

	POETTO PULL DOWN KITCHEN FAUCET HIGH SPOUT • height; 18-9/16", reach: 9-3/16"	polished chrome 875 special 1094 ultra stainless steel 1155 premium 1389	
	K50-100-XX K50-102-XX LOW SPOUT • height; 16", reach: 9-3/16" See page 37 in California Faucets Catalog for full list of features See pages 37-39 in California Faucets Catalog for complete selection of matching items		

Handle Options:

Replace XX with desired handle style.
e.g. pictured above: K50-100-ST



ST
Stick



SST
Short Stick



BST
Black Stick



BSST
Black Short
Stick

PULL DOWN KITCHEN FAUCET HIGH & LOW SPOUT

MODEL #	DESCRIPTION	FINISH	PRICE
	CORSANO PULL DOWN KITCHEN FAUCET HIGH SPOUT • height: 18", reach: 9-3/16"	polished chrome special ultra stainless steel premium	875 1094 1155 1389
	K51-100-XX K51-102-XX LOW SPOUT • height: 15-7/16", reach: 9-3/16" See page 41 in California Faucets Catalog for full list of features See pages 41-45 in California Faucets Catalog for complete selection of matching items		

Handle Options:

Replace XX with desired handle style.
e.g. pictured above: K51-100-FB



ST
Stick




FB
Finished Blade



BST
Black Stick



BFB
Black Finished Blade

	ROSOLINA PULL DOWN KITCHEN FAUCET HIGH SPOUT • height: 17-5/8", reach: 9-3/16"	polished chrome special ultra stainless steel premium	875 1094 1155 1389
	K80-100-XX K80-102-XX LOW SPOUT • height: 15-7/16", reach: 9-3/16" See page 47 in California Faucets Catalog for full list of features See pages 47-49 in California Faucets Catalog for complete selection of matching items		



California Faucets®

www.californiafaucets.com

5271 Argosy Ave
Huntington Beach, CA 92649
p: 800.822.8855
f: 714.891.2478

