

# Uplift® Tech Cabinets – Table of Contents, Tips & Features

**NEW!**

## Table of Contents

<b>Uplift Tech Tips &amp; Features</b> .....	<b>146 – 147</b>
<b>Uplift and Uplift Tech SKU Comparison</b> .....	<b>148</b>
<b>Uplift Tech Cabinets</b> .....	<b>149 – 150</b>
<b>Uplift Accessories and Options</b> .....	<b>151</b>
<b>Uplift Lighting</b> .....	<b>258</b>

## Tips & Features

### Dimensions & Weight

- Width:  
24" (610 mm)  
30" (762 mm)  
36" (914 mm)  
48" (1219 mm)
- Height: 27" (686 mm)
- Depth: 6" (152 mm)
- Net Weight: 80 – 100 lbs

### Features & Benefits

- Unique vertically opening, no-swing door allows for unobstructed installations
- Position-hold door-opening mechanism lets you open the door as low or as high as you need
- Aluminum handle for effortless two-finger lifting; upgrade to match or coordinate fixtures in your styling space with four popular metal frame finishes: Chrome, Polished Nickel, Matte Gold, Matte Black
- Lighted option provides warm, relaxing tones (2700K) that replicate indoor lighting
- Remarkably accurate color rendering with a CRI value of 90+ and R9 of 50+, so you can see your truest reflection
- Light direction and output eliminates dark shadows, provides bright, even task lighting and rich, saturated tone in your reflection
- Dimmable LED task lighting to 1% lets you select the ideal brightness for any task, using a standard dimmer that works with existing wiring

### Features & Benefits (Continued)

- Programmable night light in 12 hour increments. Press the button to turn the night light on/off without affecting the programming
- Defogging technology ensures a clear reflection. Turn on with a push of a button and built with a 45 minute timer
- Electric option includes two USB charging ports and two 15A, 120VAC tamper resistant outlets (3 plugs)
- Sensor controlled, low wattage interior LED light
- Consistent color throughout the cabinet with warm 2700K for task lighting, interior illumination and night light
- Cantilever Shelving: clean interior due to "hidden" shelf adjustments
- Dry space or wet space applications
- Able to do behind faucet installation due to vertical opening of cabinet
- Task lighting can be operated using standard Triac/Phase-cut residential dimmers and defogger and night light can be hardwired or operated using standard switches, available separately through electrical supply and home improvements centers
- Energy efficient LEDs with an estimated life of 53,000 hours
- Meets ADA requirements for door opening force for sliding doors
- Installed as a single unit or ganged together for a multiple cabinet installation



# Uplift® Tech Cabinets – Tips & Features

## Tips & Features (Continued)

### Configurable Options

- Styles: No Lighting, Perimeter Lighting
- Electrical Packages: Non-Electric, Electric or Electric, Night Light and Defogger
- Handle Options: Anodized Aluminum, Chrome, Polished Nickel, Matte Gold, Matte Black

### Construction

- Durable rust-free anodized aluminum and glass construction – glass resists intense moisture, ensuring long-lasting beauty
- Satin anodized aluminum body
- Interior mirror
- 2249 cubic inches (36,847 cc) storage capacity for a 30" cabinet with split compartment for maximum flexibility
- 1/4" (6 mm) thick adjustable clear glass shelves; adjustable shelving at 1" (25 mm) increments: 6 shelves (24" W will include 3 shelves)
- Salt Spray Testing – ASTM Standard for 300 hours performed to test mirror quality against desilvering and degradation resulting from environmental exposure
- Cast Testing – copper test (simulate whole life of product) – accelerated age testing

### Installation

- This installation may require more than one person
- Recessed, semi-recessed or surface-mount installation
- Cabinets include hardware for recessed installation. Surface-mount and semi-recess installations require the purchase of a kit which includes the side kit as well as mounting hardware.
- Recessed (frame and handle project 1-7/16" [37 mm]), semi-recessed 4" (102 mm) in wall (cabinet, frame and handle project 3-1/8" [79 mm]), or surface mount (cabinet, frame and handle project 7-1/8" [181 mm])
- Aluminum top and bottom kit for surface mount installations is required when top or bottom is visible
- Task Lighting/Dimmer recommendation: C•L® Dimmers or Caseta Wireless from LUTRON®.
- For on/off (no dimmer) operation, a standard wall switch may be substituted in place of the dimmer
- Need 22-1/4" ceiling clearance when installing
- Improved serviceability: troubleshooting and repairs can be performed while the unit is installed

### Accessories

- Handle Upgrades: (UHANDLE\_\_)
- Side Kits:  
Surface-Mount (USMK27D6P),  
Semi-Recessed (USMK27D6SRP)
- Top and Bottom Kits:  
Surface-Mount (UTK24D6A, UTK30D6A, UTK36D6A, UTK48D6A),  
Semi-Recessed (UTK24D6ASR, UTK30D6ASR, UTK36D6ASR, UTK48D6ASR)
- Glass Bins  
(GLASSBIN3.25, GLASSBIN5.25, GLASSBIN8.5)
- Ganging Kit (UGKIT)



# Uplift® and Uplift® Tech – SKU Comparison

UPLIFT® – EXISTING ▼		UPLIFT® TECH – NEW!	
—	—	UC24276FPNE0N	24" Cabinet – Non-Electric – No Lighting
—	—	UC30276FPNE0N	30" Cabinet – Non-Electric – No Lighting
UC3027FPE	30" Cabinet – Electric	UC30276FPNE2N	30" Cabinet – Electric – No Lighting
UC3027FPL	30" Cabinet – Electric, Night Light, Defogger	UC30276FPNE4N	30" Cabinet – Electric, Night Light, Defogger – No Lighting
—	—	UC30276RP3E2N	30" Cabinet – Electric – Perimeter Lighting
—	—	UC30276RP3E4N	30" Cabinet – Electric, Night Light, Defogger – Perimeter Lighting
UC3627FPE	36" Cabinet – Electric	UC36276FPNE2N	36" Cabinet – Electric – No Lighting
UC3627FPL	36" Cabinet – Electric, Night Light, Defogger	UC36276FPNE4N	36" Cabinet – Electric, Night Light, Defogger – No Lighting
—	—	UC36276RP3E2N	36" Cabinet – Electric – Perimeter Lighting
—	—	UC36276RP3E4N	36" Cabinet – Electric, Night Light, Defogger – Perimeter Lighting
UC4827FPE	48" Cabinet – Electric	UC48276FPNE2N	48" Cabinet – Electric – No Lighting
UC4827FPL	48" Cabinet – Electric, Night Light, Defogger	UC48276FPNE4N	48" Cabinet – Electric, Night Light, Defogger – No Lighting
—	—	UC48276RP3E2N	48" Cabinet – Electric – Perimeter Lighting
—	—	UC48276RP3E4N	48" Cabinet – Electric, Night Light, Defogger – Perimeter Lighting
—	—	UHANDLE2476	24" Handle Upgrade – Chrome
—	—	UHANDLE2477	24" Handle Upgrade – Polished Nickel
—	—	UHANDLE2482	24" Handle Upgrade – Matte Gold
—	—	UHANDLE2483	24" Handle Upgrade – Matte Black
—	—	UHANDLE3076	30" Handle Upgrade – Chrome
—	—	UHANDLE3077	30" Handle Upgrade – Polished Nickel
—	—	UHANDLE3082	30" Handle Upgrade – Matte Gold
—	—	UHANDLE3083	30" Handle Upgrade – Matte Black
—	—	UHANDLE3676	36" Handle Upgrade – Chrome
—	—	UHANDLE3677	36" Handle Upgrade – Polished Nickel
—	—	UHANDLE3682	36" Handle Upgrade – Matte Gold
—	—	UHANDLE3683	36" Handle Upgrade – Matte Black
—	—	UHANDLE4876	48" Handle Upgrade – Chrome
—	—	UHANDLE4877	48" Handle Upgrade – Polished Nickel
—	—	UHANDLE4882	48" Handle Upgrade – Matte Gold
—	—	UHANDLE4883	48" Handle Upgrade – Matte Black
USK27D6P	Side Kit – Surface-Mount	USMK27D6P	Side Kit – Surface-Mount
USK27D6SR	Side Kit – Semi-Recessed	USMK27D6SRP	Side Kit – Semi-Recessed
—	—	UTK24D6A	24" W Top & Bottom Kit – Surface-Mount
—	—	UTK24D6ASR	24" W Top & Bottom Kit – Semi-Recessed
UBK30D6A	30" W Top & Bottom Kit – Surface-Mount	UTK30D6A	30" W Top & Bottom Kit – Surface-Mount
UBK30D6ASR	30" W Top & Bottom Kit – Semi-Recessed	UTK30D6ASR	30" W Top & Bottom Kit – Semi-Recessed
UBK36D6A	36" W Top & Bottom Kit – Surface-Mount	UTK36D6A	36" W Top & Bottom Kit – Surface-Mount
UBK36D6ASR	36" W Top & Bottom Kit – Semi-Recessed	UTK36D6ASR	36" W Top & Bottom Kit – Semi-Recessed
UBK48D6A	48" W Top & Bottom Kit – Surface-Mount	UTK48D6A	48" W Top & Bottom Kit – Surface-Mount
UBK48D6ASR	48" W Top & Bottom Kit – Semi-Recessed	UTK48D6ASR	48" W Top & Bottom Kit – Semi-Recessed
UFKIT	Finishing Kit	UGKIT	Ganging Kit
TVMOUNT20	TV Mount Kit – 20" for 30" & 36" W	—	—
TVMOUNT22	TV Mount Kit – 22" for 48" W	—	—
UORGSHSELF12	Organizer Shelf – 12" for 36" W	—	—
UORGSHSELF20	Organizer Shelf – 20" for 30" & 36" W	—	—
UORGSHSELF22	Organizer Shelf – 22" for 48" W	—	—

▼ While supplies last.

# Uplift® Tech Cabinets – 24" & 30" Wide

**NEW!**



With its vertical design, Uplift revolutionized the way in which we experience medicine cabinets. Now, Uplift Tech combines the innovative cabinet with a host of new features inspired by its biggest advocates, including a lighted option, USB charging ports, a new handle design with new finish options and the latest technology. A broader selection of sizes makes coordinating your styling space more seamless than ever.

- Includes a lighted option, which features a perimeter border of light projecting high-efficiency illumination
- Redesigned handle features slimmer proportions and curved edges for a sleek shape available in Chrome, Polished Nickel, Matte Gold, Matte Black
- State-of-the-art technological features and functions, including two USB ports, seamless interior illumination, fine-tuned defogging, several electrical outlets, and a programmable night light integrated into the handle's design
- Available in a non-electric 24-inch version to accommodate smaller, urban spaces



Two Week Lead Time



Modular



Defogger



Electrical Outlet



Dimmable LED



Interior Lighting









Night Light



USB Charging


## Uplift Tech Cabinets

	Description	Model	Price
<b>24" W x 27" H</b> (RO: 22-3/4" W x 26-1/4" H x 6" D)			
	Flat, Polished Edge – No Lighting Non-Electric	UC24276FPNE0N	\$ 1,999.
<b>30" W x 27" H</b> (RO: 28-3/4" W x 26-1/4" H x 6" D)			
	Flat, Polished Edge – No Lighting Non-Electric	UC30276FPNE0N	\$ 2,299.
	Flat, Polished Edge – No Lighting With Electric	UC30276FPNE2N	\$ 2,599.
	Flat, Polished Edge – No Lighting With Electric, Night Light and Defogger	UC30276FPNE4N	\$ 3,099.
	Rectangle – Perimeter Lighting With Electric	UC30276RP3E2N	\$ 3,099.
	Rectangle – Perimeter Lighting With Electric, Night Light and Defogger	UC30276RP3E4N	\$ 3,599.

See Uplift Tech Accessories and Options on page 151.

# Uplift® Tech Cabinets – 36" & 48" Wide

**NEW!**



With its vertical design, Uplift revolutionized the way in which we experience medicine cabinets. Now, Uplift Tech combines the innovative cabinet with a host of new features inspired by its biggest advocates, including a lighted option, USB charging ports, a new handle design with new finish options and the latest technology. A broader selection of sizes makes coordinating your styling space more seamless than ever.

- Includes a lighted option, which features a perimeter border of light projecting high-efficiency illumination
- Redesigned handle features slimmer proportions and curved edges for a sleek shape available in Chrome, Polished Nickel, Matte Gold, Matte Black
- State-of-the-art technological features and functions, including two USB ports, seamless interior illumination, fine-tuned defogging, several electrical outlets, and a programmable night light integrated into the handle's design
- Available in a non-electric 24-inch version to accommodate smaller, urban spaces



Two Week Lead Time



Modular



Defogger



Electrical Outlet



Dimmable LED



Interior Lighting



Night Light



USB Charging









## Uplift Tech Cabinets

	Description	Model	Price
<b>36" W x 27" H</b> (RO: 34-3/4" W x 26-1/4" H x 6" D)			
	Flat, Polished Edge – No Lighting With Electric	UC36276FPNE2N	\$ 3,099.
	Flat, Polished Edge – No Lighting With Electric, Night Light and Defogger	UC36276FPNE4N	\$ 3,599.
	Rectangle – Perimeter Lighting With Electric	UC36276RP3E2N	\$ 3,599.
	Rectangle – Perimeter Lighting With Electric, Night Light and Defogger	UC36276RP3E4N	\$ 4,099.
<b>48" W x 27" H</b> (RO: 46-3/4" W x 26-1/4" H x 6" D)			
	Flat, Polished Edge – No Lighting With Electric	UC48276FPNE2N	\$ 3,749.
	Flat, Polished Edge – No Lighting With Electric, Night Light and Defogger	UC48276FPNE4N	\$ 4,249.
	Rectangle – Perimeter Lighting With Electric	UC48276RP3E2N	\$ 4,249.
	Rectangle – Perimeter Lighting With Electric, Night Light and Defogger	UC48276RP3E4N	\$ 4,749.

See Uplift Tech Accessories and Options on page 151.

# Uplift® Tech Cabinet Accessories & Options

## Accessories & Options

	Description	Model	Price
	<b>Uplift Tech – Handle Upgrades (Standard in Anodized Aluminum)</b>		
	For 24" W Cabinet – Chrome	UHANDLE2476	\$ 329.
	For 24" W Cabinet – Polished Nickel	UHANDLE2477	\$ 329.
	For 24" W Cabinet – Matte Gold	UHANDLE2482	\$ 349.
	For 24" W Cabinet – Matte Black	UHANDLE2483	\$ 349.
	For 30" W Cabinet – Chrome	UHANDLE3076	\$ 379.
	For 30" W Cabinet – Polished Nickel	UHANDLE3077	\$ 379.
	For 30" W Cabinet – Matte Gold	UHANDLE3082	\$ 399.
	For 30" W Cabinet – Matte Black	UHANDLE3083	\$ 399.
	For 36" W Cabinet – Chrome	UHANDLE3676	\$ 429.
	For 36" W Cabinet – Polished Nickel	UHANDLE3677	\$ 429.
	For 36" W Cabinet – Matte Gold	UHANDLE3682	\$ 449.
	For 36" W Cabinet – Matte Black	UHANDLE3683	\$ 449.
	For 48" W Cabinet – Chrome	UHANDLE4876	\$ 479.
	For 48" W Cabinet – Polished Nickel	UHANDLE4877	\$ 479.
	For 48" W Cabinet – Matte Gold	UHANDLE4882	\$ 499.
	For 48" W Cabinet – Matte Black	UHANDLE4883	\$ 499.
	<b>Side Kits for Uplift Tech Cabinets (Quantity 1 = Pair) Required for surface-mount or semi-recessed application</b>		
	Surface-Mount – Polished Edge Mirror	USMK27D6P	\$ 179.
	Semi-Recessed – Polished Edge Mirror	USMK27D6SRP	\$ 179.
	<b>Top and Bottom Kits for Uplift Tech Cabinets Required when top or bottom is visible</b>		
	Surface-Mount, 24" W	UTK24D6A	\$ 229.
	Semi-Recessed, 24" W	UTK24D6ASR	\$ 229.
	Surface-Mount, 30" W	UTK30D6A	\$ 229.
	Semi-Recessed, 30" W	UTK30D6ASR	\$ 229.
	Surface-Mount, 36" W	UTK36D6A	\$ 229.
	Semi-Recessed, 36" W	UTK36D6ASR	\$ 229.
	Surface-Mount, 48" W	UTK48D6A	\$ 229.
	Semi-Recessed, 48" W	UTK48D6ASR	\$ 229.
	<b>Accessory Glass Bins</b>		
	Small, 3-1/4" W x 3-1/4" L	GLASSBIN3.25	\$ 49.
	Medium, 3-1/4" W x 5-1/4" L	GLASSBIN5.25	\$ 49.
	Large, 3-1/4" W x 8-1/2" L	GLASSBIN8.5	\$ 49.
	<b>Uplift Tech Ganging Kit</b>	UGKIT	\$ 179.
	Required when pairing Uplift Tech cabinets		

See Uplift Lighting on pages 257 – 258.

SEE PAGES 146 – 147 FOR TIPS AND FEATURES.