

Miele

G4977 Specs



G 4977 Vi SF AM

Fully-integrated, full-size dishwasher
with hidden control panel, cutlery basket and CleanTouch Steel panel



- Energy Star Qualified
- Very easy door opening and closing – ComfortClose
- Every piece of dishware has its place – Miele basket design
- Save up to 50% more electricity – hot water connection

Price \$ 1,099.00

Construction type	
Fully integrated dishwashers	•
24 inch dishwasher	•
Design	
Color	Stainless Steel.
Fascia panel version	Fully integrated fascia
Control type	Programme selector button
Control panel	3-digit 7-segment display
Display color	Yellow
Convenience	
Door closing aid	ComfortClose
Countdown indicator	•
Delay start up to 24 hours	•
In-operation indication	acoustic
Efficiency and sustainability	
Hot water connection	•
Half load	•
Gentle on dishware/glass	
Recirculation turbothermic drying	•
DetergentAgent	•
Dishwashing programs	
Normal	•
Pots & Pans	•
Express	•
SaniWash	•
Rinse & Hold	•
Rinse options	
Short	•
Basket design	
Cutlery loading	Cutlery basket
Basket design	Comfort
Safety	
Waterproof system	•
Technical data	
Appliance width in in.(mm)	23 5/8 (598)
Appliance height in in.(mm)	33 3/4 (855)
Appliance depth in in.(mm)	22 1/2 (570)
Appliance depth with door open in in.(cm)	47 1/2 (120.5)
Net weight in lbs. (kg)	109 (49.0)
Total connected load in kW	1.5
Voltage in V	120
Fuse rating in A	15
Number of phases	1
Length of water inlet hose in ft (m)	4 (1.50)
Length of water drain hose in ft (m)	4 (1.50)
Length of electrical wire in ft (m)	3 (1.20)

G 4977 SCVi SF AM

Fully-integrated, full-size dishwasher
with hidden control panel, cutlery tray and CleanTouch Steel panel



- Energy Star Qualified
- Very easy door opening and closing – ComfortClose
- Every piece of dishware has its place – Miele basket design
- Save up to 50% more electricity – hot water connection

Price \$ 1,199.00

Construction type	
Fully integrated dishwashers	•
24 inch dishwasher	•
Design	
Color	Stainless Steel.
Fascia panel version	Fully integrated fascia
Control type	Programme selector button
Control panel	3-digit 7-segment display
Display color	Yellow
Convenience	
Door closing aid	ComfortClose
Countdown indicator	•
Delay start up to 24 hours	•
In-operation indication	acoustic
Efficiency and sustainability	
Hot water connection	•
Half load	•
Gentle on dishware/glass	
Recirculation turbothermic drying	•
DetergentAgent	•
Dishwashing programs	
Normal	•
Pots & Pans	•
Express	•
SaniWash	•
Rinse & Hold	•
Rinse options	
Short	•
Basket design	
Cutlery loading	Cutlery tray
Basket design	Comfort
Safety	
Waterproof system	•
Technical data	
Appliance width in in.(mm)	23 5/8 (598)
Appliance height in in.(mm)	33 3/4 (855)
Appliance depth in in.(mm)	22 1/2 (570)
Appliance depth with door open in in.(cm)	47 1/2 (120.5)
Net weight in lbs. (kg)	111 (50.0)
Total connected load in kW	1.5
Voltage in V	120
Fuse rating in A	15
Number of phases	1
Length of water inlet hose in ft (m)	4 (1.50)
Length of water drain hose in ft (m)	4 (1.50)
Length of electrical wire in ft (m)	3 (1.20)

G 4977 Vi SF AM & G 4977 SCVi SF AM



Product comparison
Differences only

Dishwashers	G 4977 Vi SF AM	G 4977 SCVi SF AM
Basket design		
Cutlery loading	Cutlery basket	Cutlery tray
Technical data		
Net weight in lbs. (kg)	109 (49.0)	111 (50.0)
Price [\$]	1,099.00	1,199.00

Miele

U.S.A

Miele, Inc.

9 Independence Way
Princeton, New Jersey 08540

Phone: 800.843.7231

Fax: 609.419.4290

www.mieleusa.com



www.mielestore.com