

Myson 2019 Pricing

Effective June 1, 2019



MysonComfort.com

**MYSON**

800-698-9690

Towel Warmers- Electric**IN-STOCK**

Effective: 1 June, 2019

Multiplier* _____

Collection: Classic Comfort – Electric Models			Finishes / List Price USD			
Model	Item Number	Dimensions (nominal)	Chrome (CH)	Nickel (NI)	Satin Nickel (SN)	White (WH)
Tamar	WEO100	26”h x 25”w	\$1,026	\$1,078	\$1,149	
Tamar	WEO140	35”h x 25”w	\$1,154	\$1,212	\$1,293	
Lakoro	ES40-2	9”h x 29”w	\$1,574	\$1,653	\$1,763	
Avonmore	EECOSH85	39”h x 21”w	\$978		\$1,096	
Avonmore	EECOSH86	39”h x 25”w	\$1,076		\$1,206	
Avonmore	EECOSH125	54”h x 21”w	\$1,174		\$1,315	
Avonmore	EECOSH126	54”h x 25”w	\$1,292		\$1,448	
Avonmore	EECOCH85	39”h x 21”w	\$1,027		\$1,151	
Avonmore	EECOCH86	39”h x 25”w	\$1,130		\$1,266	
Avonmore	EECOCH125	54”h x 21”w	\$1,233		\$1,381	
Avonmore	EECOCH126	54”h x 25”w	\$1,357		\$1,520	
Interlude	EINTH1	26”h x 20”w				\$1,259
Interlude	EINTH2	41”h x 20”w				\$1,364
Interlude	EINTH3	71”h x 20”w				\$1,994

Collection: Contemporary Designer – Electric Models			Finishes / List Price USD		
Model	Item Number	Dimensions (nominal)	Chrome (CH)	Nickel (NI)	Satin Nickel (SN)
Ferlo	ECMH3-1	27”h x 18”w	\$1,199	\$1,259	\$1,343
Ferlo	ECMH3-2	41”h x 18”w	\$1,499	\$1,574	\$1,679
Ferlo	ECMH3-3	28”h x 21”w	\$924	\$971	\$1,035
Ferlo	ECMH3-7	27”h x 18”w	\$924	\$971	\$1,035

Collection: European Tradition – Electric Models			Finishes / List Price USD		
Model	Item Number	Dimensions (nominal)	Chrome (CH)	Nickel (NI)	Satin Nickel (SN)
Awe	EB27	38”h x 31”w	\$3,033	\$3,185	\$3,397
Bala	EB29	41”h x 31”w	\$3,359	\$3,527	\$3,763
Inn	EB31	28”h x 31”w	\$2,618	\$2,749	\$2,932
Ullswater	EB36	52”h x 25”w	\$4,199	\$4,409	\$4,703
Dee	EVR1	38”h x 30”w	\$2,128		\$2,383

Recommended Accessory: Digital 24 Hour Timer Switch List \$94.00 Item # ST01C**Ordering Notes:**

- Place order by Item Number and Finish in the format: Item-Finish. Example: To order Avonmore EECOSH85 in Chrome finish, specify EECOSH85-CH
- Prices are subject to change without notice
- Prices above are shown only for Stock Items. If a price is not shown, the item is “Special Order”. Please refer to the Myson Towel Warmer catalog for more information or visit us online at www.mysoncomfort.com or call us at (802) 654-7500 or write to us at info@mysoninc.com
- Stock items are generally in stock, but may occasionally be out of stock due to high order volume or demand.



MYSON

800-698-9690

**Towel Warmers- Hydronic
IN-STOCK**

Effective: 1 June, 2019

Multiplier* _____

Collection: Classic Comfort – Hydronic Models			Finishes / List Price USD		
Model	Item Number	Dimensions (nominal)	Chrome (CH)	Satin Nickel (SN)	White (WH)
Avonmore	COS85	36”h x 20”w	\$959	\$1,075	
Avonmore	COS86	36”h x 24”w	\$1,055	\$1,182	
Avonmore	COS125	50”h x 20”w	\$1,151	\$1,289	
Avonmore	COS126	50”h x 24”w	\$1,267	\$1,420	
Avonmore	COC85	36”h x 20”w	\$1,007	\$1,128	
Avonmore	COC86	36”h x 24”w	\$1,108	\$1,241	
Avonmore	COC125	50”h x 20”w	\$1,209	\$1,354	
Avonmore	COC126	50”h x 24”w	\$1,330	\$1,490	
Interlude	INTH1	23”h x 20”w			\$1,234
Interlude	INTH2	38”h x 20”w			\$1,337
Interlude	INTH3	67”h x 20”w			\$1,955

Collection: European Tradition – Hydronic Models			Finishes / List Price USD		
Model	Item Number	Dimensions (nominal)	Chrome (CH)	Nickel (NI)	Satin Nickel (SN)
Dee	VR-1	38”h x 27”w	\$2,086		\$2,336

Collection: Hydronic Towel Warmer Valves		Valves & Sleeve Kits			
Type	Configuration	Item Number	Chrome (CH)	Satin Nickel (SN)	White (WH)
Modern	Straight	V16S	\$271	\$291	\$237
Modern	Angle	V16A	\$271	\$291	\$237
Cross Handle	Angle	CHV16	\$387	\$453	\$314
<i>Sleeve Kit</i>	Pipe Cover	SK16	\$90	\$118	\$86

*Chrome Body w/ White Handles

Ordering Notes:

- Place order by Item Number and Finish in the format: Item-Finish. Example: To order Avonmore COSH85 in Chrome finish, specify COSH85-CH
- Prices are subject to change without notice
- Prices above are shown only for Stock Items. If a price is not shown, the item is “Special Order”. Please refer to the Myson Towel Warmer catalog for more information or visit us online at www.mysoncomfort.com or call us at (802) 654-7500 or write to us at info@mysoninc.com
- Stock items are generally in stock, but may occasionally be out of stock due to high order volume or demand.
- Please visit our website for detailed information about specifications, installation guides, return policies and warranty information.

**MYSON**

800-698-9690

Towel Warmers- Gem Collection**IN-STOCK**

Effective: 1 June, 2019

<i>Collection: Gem – Electric Models</i>			Finishes / List Price USD	
Model	Item Number	Dimensions (nominal)	Bright (B)	Matte (M)
Diamond	WDIA05	17”h x 19”w	\$398	\$398
Diamond	WDIA08	30”h x 20”w	\$530	\$530
Diamond	WDIA12	45”h x 20”w	\$583	\$583
Pearl	FPRL08	31”h x 24”w	\$382	\$382
Pearl	WPRL08	31”h x 24”w	\$342	\$342
Pearl	WPRL10	37”h x 24”w	\$398	\$398
Ruby	WRBY04	16”h x 24”w	\$531	\$531
Ruby	WRBY10	46”h x 24”w	\$797	\$797

Ordering Notes:

- Place order by Item Number and Finish in the format: Item-Finish. Example: To order Diamond WDIA05 in Bright finish, specify WDIA05-B
- Prices are subject to change without notice
- Please refer to the Myson Towel Warmer catalog for more information or visit us online at www.mysoncomfort.com or call us at (802) 654-7500 or write to us at info@mysoninc.com
- Stock items are generally in stock, but may occasionally be out of stock due to high order volume or demand.
- Please visit our website for detailed information about specifications, installation guides, return policies and warranty information.

**MYSON**

800-698-9690

**Fan Convectors
IN-STOCK**

Effective 1 June, 2019

Multiplier _____

iVector 2 Pipe (Commercial Wall Mount Units)			Total BTUH Outputs - Heating <i>average unit water temperature – fan medium speed</i>			List Price USD
Item Number	Length <i>mm/nominal inch</i>		180°F	160°F	140°F	
IV60 FX 80-2	800 mm	32"	11098	9026	6990	\$1,343
IV60 FX 100-2	1000 mm	40"	15134	12310	9533	\$1,434
IV60 FX 120-2	1200 mm	48"	18505	15051	11655	\$1,592
IV60 FX 140-2	1400 mm	56"	21882	17798	13783	\$1,814
IV60 FX 160-2	1600 mm	63"	25262	20546	15911	\$1,943

NOTE: 600 mm (nominal 24") in height

RCU units (Recessed Commercial Wall Units)		Total BTUH Outputs - Heating <i>average unit water temperature – fan high speed</i>			List Price USD
Item Number	Dimensions w x h x d	180°F	160°F	140°F	
RCU5000	14" x 25" x 3 ½"	5443	4457	3480	\$680
RCU9000	20" x 25" x 3 ½"	9949	8160	6358	\$810
RCU12000	32" x 25" x 3 ½"	12149	9866	7623	\$903

NOTE: Unit includes 24v transformer, Solenoid valve, flow control and purge valve. See submittal for further details.

Lo-Line/Hi-Line (Wall Mount Units)		Total BTUH Outputs - Heating <i>average unit water temperature – fan high speed</i>			List Price USD
Item Number	Dimensions w x h x d	180°F	160°F	140°F	
LL-HC9-6 RC	25" x 16" x 6"	9994	8328	6645	\$937
LL-HC14-10 RC	33" x 16" x 6"	15052	12539	10002	\$1,069
LL-HC19-15 RC	44" x 16" x 6"	19637	16354	13042	\$1,390
HL-HC10-6 RC	27" x 15" x 7"	11388	9307	7250	\$851
HL-HC15-10 RC	35" x 15" x 7"	16188	13234	10314	\$958
HL-HC20-14 RC	47" x 15" x 7"	21094	17257	13461	\$1,283

NOTE: Unit electronic control board and remote control. See submittal for cooling outputs and further details.

**MYSON**

800-698-9690

**Fan Convectors
IN-STOCK**

Effective 1 June, 2019

Multiplier _____

WM Units (Recessed Wall Mount)		Total BTUH Outputs - Heating <i>average unit water temperature – fan high speed</i>			List Price USD
Item Number	Dimensions w x h x d	180°F	160°F	140°F	
5000WM	15" x 18" x 3 ⁵ / ₈ "	5443	4457	3480	\$441
9000WM	19" x 18" x 3 ⁵ / ₈ "	9949	8160	6385	\$534

NOTE: See submittal for further details.

Kickspace Units (Under Cabinet Mount)		Total BTUH Outputs - Heating <i>average panel water temperature – fan high speed</i>			List Price USD
Item Number	Dimensions w x h x d	180	160	140	
5000K	14 ¹ / ₄ " x 3 ⁵ / ₈ " x 12 ¹ / ₈ "	5443	4457	3480	\$309.00
7000K	16 ¹ / ₈ " x 3 ⁵ / ₈ " x 12 ¹ / ₈ "	7534	6140	4766	\$345.00
9000K	17 ³ / ₄ " x 3 ⁵ / ₈ " x 12 ¹ / ₈ "	9949	8160	6385	\$373.00
5000KEZ	14 ¹ / ₄ " x 3 ⁵ / ₈ " x 12 ¹ / ₈ "	5443	4457	3480	\$445.00
7000KEZ	16 ¹ / ₈ " x 3 ⁵ / ₈ " x 12 ¹ / ₈ "	7534	6140	4766	\$485.00
9000KEZ	17 ³ / ₄ " x 3 ⁵ / ₈ " x 12 ¹ / ₈ "	9949	8160	6385	\$511.00

NOTE: Unit includes Black front grill. EZ includes (2) two 24" hoses with 1/2" Compression fittings and Ball Valves. See submittals for further details.
All lengths are rounded up to the nearest inch. All dimensions are nominal.

**MYSON**

800-698-9690

**Fan Convectors
IN-STOCK**

Effective 1 June, 2019

Multiplier* _____

Parts/Accessories

Item Number	Description	List Price USD*
F-7100017	Fan Motor SLIM LINE – available until supplies last	\$185
F-1202026	Fan Motor for 5000 Kickspace, Wall Mount and RCU	\$147
F-1202027	Fan Motor for 7000 Kickspace and 5000 Floor Mount	\$165
F-1202028	Fan Motor for 9000 Kickspace, Wall Mount and RCU	\$189
F-1202029	Fan Motor for Lo-Line 6-4 and Hi-Line 7-4	\$164
F-1202030	Fan Motor for Lo-Line 9-6 and Hi-Line 10-6	\$179
F-1202031	Fan Motor for Lo-Line 14-10, Hi-Line 15-10 and 12000 RCU	\$234
F-1202032	Fan Motor for Lo-Line 19-15 and Hi-Line 20-14	\$256
F-1263018	Fan Circuit Board for Lo/Hi-Line and Slim Line	\$119
F-1263017	Digital Display Board for Lo/Hi-Line	\$104
F-1263020	Digital Display Board for Slim Line	\$118
F-1300024	Winter/Summer Switch (ALL MODELS)	\$118
F-1300025	Low/Off/Boost Switch (ALL MODELS Except WHISPA II)	\$10
F-1300011	WHISPA II Low/Off/Boost Switch	\$17
F-1260007	Low Cut -Out Switch 109 On / 91 Off “Blue Dot”	\$15
EWHSW	On/Off Switch for E50	\$35
WHET	Coil Switch for E50	\$25
F-1320030	Transformer for RCU	\$94
F-1320035	Transformer for iVector	\$149
F-1202033	Fan Motor for iVector Models 80 / 100 / 120	\$218
F-1202034	Fan Motor for iVector Models 140 / 160	\$203
F-1263027	Control Board Kit iVector 2 Pipe	\$314
F-1263029	Control Board Kit iVector 4 Pipe	\$355
F-500054	Brown Front Grill Kickspace 5000 – available until supplies last	\$42
F-500058	Brown Front Grill Kickspace 7000 – available until supplies last	\$42
F-500129	Brown Front Grill Kickspace 9000 – available until supplies last	\$42
F-500053	White Front Grill Kickspace 5000	\$42
F-500057	White Front Grill Kickspace 7000	\$42
F-500128	White Front Grill Kickspace 9000	\$42

*Rettig USA Inc. (Myson) reserves the right to change List Price without notice.

**Rettig USA Inc. (Myson) is not responsible for typographical errors.

**MYSON**

800-698-9690

**T6 Center Connect Panel Radiator
IN-STOCK**

Effective 1 June, 2019

Multiplier x _____

Type 21 – 300 mm height (nominal 12")			Total BTUH Outputs <i>average panel water temperature</i>			List Price USD
Item Number	Length <i>mm/nominal inch</i>		180°F	160°F	140°F	
T621-3-92	920 mm	37"	3486	2684	1952	\$216
T621-3-12	1200 mm	48"	4549	3502	2527	\$263
T621-3-16	1600 mm	63"	6063	4669	3395	\$304

Type 21 – 400 mm height (nominal 16")			Total BTUH Outputs <i>average panel water temperature</i>			List Price USD
Item Number	Length <i>mm/nominal inch</i>		180°F	160°F	140°F	
T621-4-06	600 mm	24"	2839	2186	1590	\$172
T621-4-92	920 mm	37"	4354	3353	2438	\$219
T621-4-12	1200 mm	48"	5679	4373	3180	\$273
T621-4-16	1600 mm	63"	7573	5832	4241	\$329

Type 21 – 500 mm height (nominal 20")			Total BTUH Outputs <i>average panel water temperature</i>			List Price USD
Item Number	Length <i>mm/nominal inch</i>		180°F	160°F	140°F	
T621-5-06	600 mm	24"	3328	2562	1864	\$216
T621-5-08	800 mm	32"	4440	3419	2486	\$238
T621-5-92	920 mm	37"	5105	3931	2859	\$263
T621-5-10	1000 mm	40"	5548	4272	3107	\$295
T621-5-12	1200 mm	48"	6656	5125	3727	\$326

Type 22 – 300 mm height (nominal 12")			Total BTUH Outputs <i>average panel water temperature</i>			List Price USD
Item Number	Length <i>mm/nominal inch</i>		180°F	160°F	140°F	
T622-3-92	920 mm	37"	4553	3506	2550	\$269
T622-3-12	1200 mm	48"	5941	4575	3327	\$361
T622-3-16	1600 mm	63"	7922	6100	4436	\$465
T622-3-18	1800 mm	71"	8912	6862	4991	\$522

**MYSON**

800-698-9690

**T6 Center Connect Panel Radiator
IN-STOCK**

Effective 1 June, 2019

Multiplier x _____

Type 22 – 400 mm height (nominal 16")			Total BTUH Outputs <i>average panel water temperature</i>			List Price USD
Item Number	Length <i>mm/nominal inch</i>		180°F	160°F	140°F	
T622-4-06	600 mm	24"	3680	2834	2061	\$230
T622-4-92	920 mm	37"	5643	4345	3160	\$322
T622-4-12	1200 mm	48"	7361	5668	4122	\$395
T622-4-16	1600 mm	63"	9816	7558	5497	\$491

Type 22 – 500 mm height (nominal 20")			Total BTUH Outputs <i>average panel water temperature</i>			List Price USD
Item Number	Length <i>mm/nominal inch</i>		180°F	160°F	140°F	
T622-5-06	600 mm	24"	4187	3224	2345	\$247
T622-5-92	920 mm	37"	6420	4944	3595	\$372
T622-5-12	1200 mm	48"	8374	6448	4689	\$415

Type 22 – 600 mm height (nominal 24")			Total BTUH Outputs <i>average panel water temperature</i>			List Price USD
Item Number	Length <i>mm/nominal inch</i>		180°F	160°F	140°F	
T622-6-06	600 mm	24"	4648	3579	2608	\$281
T622-6-92	920 mm	37"	7126	5487	3990	\$369
T622-6-12	1200 mm	48"	9286	7158	5206	\$467

**MYSON**

800-698-9690

**T6 Center Connect Panel Radiator
IN-STOCK**

Effective 1 June, 2019

Multiplier x _____

T6 EZ-bracket		List Price USD
Item Number	Description	
Sigarth-300	EZ Wall Bracket Type 21/22 12" High (1 pair)	\$26
Sigarth-400	EZ Wall Bracket Type 21/22 16" High (1 pair)	\$28
Sigarth-600	EZ Wall Bracket Type 21/22 24" High (1 pair)	\$30
Sigarth-900	EZ Wall Bracket Type 21/22 36" High (1 pair)	\$39

T6 Panel Radiator - Accessories		List Price USD
Item Number	Description	
HV-S	H Valve- Straight	\$53
HV-A	H Valve- Angle	\$53
Vindo TD	Compact "Squeeze" Thermostatic Head for T6	\$47
12MANIFTG	½" PEX Compression Adapter (each)	\$9
101-68-44	½" Copper Compression Adapter (pair)	\$21
T6BCC	Bottom Connection Cap for side connection conversion (pair)	\$14

- Type 21 radiators are built with 2 panels and 1 convactor bank – with a total thickness of 80 mm (nominal 3-1/8").
- Type 22 radiators are built with 2 panels and 2 convactor banks – with a total thickness of 105 mm (nominal 4-1/8").
- Standard wall brackets are included with the purchase based on radiator height, either KOM-300, KOM-400, KOM-500 or KOM-600 (*all KOM brackets a.k.a. "L-brackets"*). EZ-brackets (*a.k.a. Sigarth Brackets*) are available as an option and purchased separately. KOM brackets/L-brackets fix to the wall and attach to the lugs on the back of the radiator. EZ-brackets/Sigarth Brackets fix to the wall and attach to the top and bottom of the back panel, providing a little more flexibility when installing on traditional stud walls.
- T6 Radiators come with factory installed thermostatic valve, manual adjustment knob, air vent and plug.
- Thermostatic valve actuator heads are available and sold separately (*see below for details*).
- Bottom connection ports are covered with temporary plastic plugs. If these ports are not used for supply and return, the temporary plastic plugs must be removed and replaced with item T6BCC before pressurizing the radiator. Please also refer to Myson Technical Bulletin – "*T6 IVC Radiator Side Connection Supplement*" for additional instructions regarding the factory installed thermostatic valve and air vent.
- PEX, copper adapters or radiator valves are not included with T6 radiator and must be purchased separately. Please refer to below for possible options and refer to Myson document "*Radiator Component Guide*" for more detail.
- Radiators are not for use in open loop systems, drinking water systems or steam systems.

**MYSON**

800-698-9690

**Décor Series
IN-STOCK**

Effective 1 June, 2019

Multiplier _____

Type 11 – 2 Horizontal Tubes 142 mm height (nominal 6")			Total BTUH Outputs average panel water temperature			List Price USD
Item Number	Length mm/nominal inch		180°F	160°F	140°F	
2H11060-VN	600 mm	24"	1235	963	691	\$372
2H11090-VN	900 mm	36"	1852	1445	1037	\$377
2H11120-VN	1200 mm	48"	2469	1926	1383	\$396
2H11140-VN	1400 mm	56"	2881	2247	1613	\$409
2H11160-VN	1600 mm	63"	3292	2568	1844	\$417
2H11180-VN	1800 mm	71"	3704	2889	2074	\$463
2H11220-VN	2200 mm	87"	4527	3531	2535	\$485
2H11240-VN	2400 mm	95"	4938	3852	2765	\$547
2H11300-VN	3000 mm	119"	6173	4815	3457	\$659

Type 11 – 3 Horizontal Tubes 214 mm height (nominal 9")			Total BTUH Outputs average panel water temperature			List Price USD
Item Number	Length mm/nominal inch		180°F	160°F	140°F	
3H11060-VN	600 mm	24"	1558	1216	873	\$380
3H11090-VN	900 mm	36"	2343	1828	1312	\$402
3H11120-VN	1200 mm	48"	3122	2436	1749	\$425
3H11160-VN	1600 mm	63"	4160	3244	2329	\$473
3H11180-VN	1800 mm	71"	4681	3651	2621	\$498
3H11220-VN	2200 mm	87"	5724	4464	3205	\$550
3H11240-VN	2400 mm	95"	6245	4871	3497	\$609

Type 11 – 4 Horizontal Tubes 286 mm height (nominal 12")			Total BTUH Outputs average panel water temperature			List Price USD
Item Number	Length mm/nominal inch		180°F	160°F	140°F	
4H11060-VN	600 mm	24"	1940	1513	1086	\$412
4H11090-VN	900 mm	36"	2909	2269	1629	\$452
4H11120-VN	1200 mm	48"	3879	3026	2172	\$492
4H11160-VN	1600 mm	63"	5174	4036	2898	\$565
4H11180-VN	1800 mm	71"	5825	4543	3262	\$604
4H11220-VN	2200 mm	87"	7144	5549	3984	\$655
4H11240-VN	2400 mm	95"	7764	6056	4348	\$709

**MYSON**

800-698-9690

**Décor Series
IN-STOCK**

Effective 1 June, 2019

Multiplier_____

Type 11 – 6 Horizontal Tubes 430 mm height (nominal 17")			Total BTUH Outputs <i>average panel water temperature</i>			List Price USD
Item Number	Length <i>mm/nominal inch</i>		180°F	160°F	140°F	
6H11060-VN	600 mm	24"	2887	2252	1617	\$534
6H11100-VN	1000 mm	40"	4811	3753	2694	\$579

Type 11 – 8 Horizontal Tubes 574 mm height (nominal 23")			Total BTUH Outputs <i>average panel water temperature</i>			List Price USD
Item Number	Length <i>mm/nominal inch</i>		180°F	160°F	140°F	
8H11060-VN	600 mm	24"	3501	2731	1960	\$637
8H11100-VN	1000 mm	40"	5830	4552	3265	\$709

Type V11 Vertical 79"

Type 11 – 8 Vertical Tubes 2000 mm height (nominal 79")				Total BTUH Outputs <i>average panel water temperature</i>			List Price USD
Item Number	Number of Vertical Tubes	Width <i>mm/nominal inch</i>		180°F	160°F	140°F	
6V11200	6	358 mm	17"	5671	4424	3176	\$855
8V11200	8	430 mm	23"	7565	5901	4237	\$950
10V11200	10	574 mm	29"	9459	7378	5298	\$1,126

- Type 11 radiators are built with 1 row of flat bars and 1 convector bank – with a total thickness of 68 mm (nominal 2-11/16").
- Type 22 radiators are built with 2 panels and 2 convector banks – with a total thickness of 105 mm (nominal 4-1/8").
- Standard wall brackets are included with the purchase based on radiator height, either KOM-300, KOM-400, KOM-500 or KOM-600 (*all KOM brackets a.k.a. "L-brackets"*). EZ-brackets (*a.k.a. Sigarth Brackets*) are available as an option and purchased separately. KOM brackets/L-brackets fix to the wall and attach to the lugs on the back of the radiator. EZ-brackets/Sigarth Brackets fix to the wall and attach to the top and bottom of the back panel, providing a little more flexibility when installing on traditional stud walls.
- T6 Radiators come with factory installed thermostatic valve, manual adjustment knob, air vent and plug.
- Thermostatic valve actuator heads are available and sold separately (*see below for details*).
- Bottom connection ports are covered with temporary plastic plugs. If these ports are not used for supply and return, the temporary plastic plugs must be removed and replaced with item T6BCC before pressurizing the radiator. Please also refer to Myson Technical Bulletin – "T6 IVC Radiator Side Connection Supplement" for additional instructions regarding the factory installed thermostatic valve and air vent.
- PEX, copper adapters or radiator valves are not included with T6 radiator and must be purchased separately. Please refer to below for possible options and refer to Myson document "Radiator Component Guide" for more detail.
- Radiators are not for use in open loop systems, drinking water systems or steam systems.

**MYSON**

800-698-9690

Contractor Series (CV/RCV) Panel Radiator**IN-STOCK**

Effective 1 June, 2019

Multiplier x _____

CV Style Front Panel Type 21 – 200 mm height (nominal 8")			Total BTUH Outputs <i>average panel water temperature</i>			List Price USD
Item Number	Length <i>mm/nominal inch</i>		180°F	160°F	140°F	
CV21-600	600 mm	24"	1346	1063	781	\$73.00
CV21-800	800 mm	32"	1796	1419	1042	\$99.00
CV21-900	900 mm	36"	2022	1597	1173	\$107.00
CV21-1200	1200 mm	48"	2698	2131	1565	\$135.00
CV21-1600	1600 mm	63"	3598	2842	2087	\$167.00
CV21-2000	2000 mm	79"	4496	3552	2608	\$206.00
CV21-2600	2600 mm	103"	5842	4615	3388	\$267.00

CV Style Front Panel Type 22 – 200 mm height (nominal 8")			Total BTUH Outputs <i>average panel water temperature</i>			List Price USD
Item Number	Length <i>mm/nominal inch</i>		180°F	160°F	140°F	
CV22-600	600 mm	24"	1776	1403	1030	\$99.00
CV22-800	800 mm	32"	2370	1873	1375	\$133.00
CV22-900	900 mm	36"	2668	2108	1547	\$142.00
CV22-1200	1200 mm	48"	3968	3135	2301	\$167.00
CV22-1600	1600 mm	63"	4758	3759	2760	\$202.00
CV22-2000	2000 mm	79"	5939	4692	3445	\$240.00
CV22-2600	2600 mm	103"	7706	6088	4469	\$310.00

**MYSON**

800-698-9690

Contractor Series (CV/RCV) Panel Radiator**IN-STOCK**

Effective 1 June, 2019

Multiplier x _____

RCV Style Front Panel Type 21 – 200 mm height (nominal 8")			Total BTUH Outputs <i>average panel water temperature</i>			List Price USD
Item Number	Length <i>mm/nominal inch</i>		180°F	160°F	140°F	
RCV21-600	600 mm	24"	1346	1063	781	\$146.00
RCV21-800	800 mm	32"	1796	1419	1042	\$159.00
RCV21-900	900 mm	36"	2022	1597	1173	\$167.00
RCV21-1200	1200 mm	48"	2698	2131	1565	\$202.00
RCV21-1600	1600 mm	63"	3598	2842	2087	\$236.00
RCV21-2000	2000 mm	79"	4496	3552	2608	\$298.00
RCV21-2600	2600 mm	103"	5842	4615	3388	\$373.00

RCV Style Front Panel Type 22 – 200 mm height (nominal 8")			Total BTUH Outputs <i>average panel water temperature</i>			List Price USD
Item Number	Length <i>mm/nominal inch</i>		180°F	160°F	140°F	
RCV22-600	600 mm	24"	1776	1403	1030	\$155.00
RCV22-800	800 mm	32"	2370	1873	1375	\$167.00
RCV22-900	900 mm	36"	2668	2108	1547	\$176.00
RCV22-1200	1200 mm	48"	3968	3135	2301	\$214.00
RCV22-1600	1600 mm	63"	4758	3759	2760	\$253.00
RCV22-2000	2000 mm	79"	5939	4692	3445	\$309.00
RCV22-2600	2600 mm	103"	7706	6088	4469	\$420.00



MYSON

800-698-9690

Contractor Series (CV/RCV) Panel Radiator

IN-STOCK

Effective 1 June, 2019

Multiplier x _____

Contractor Series Panel Radiator - Accessories		List Price USD
Item Number	Description	
HV-S	H Valve- Straight (item 102-82-52 also required)	\$53.00
HV-A	H Valve- Angle (item 102-82-52 also required)	\$53.00
102-82-52	Adapters for HV valves	\$9.00
2TRV2HD	Myson TRV head	\$30.00
VINDO TH	TRV head	\$41.00
UNI LH	TRV head	\$48.00
12MANIFTG	½" PEX Compression Adapter (each)	\$9.00
101-68-44	½" Copper Compression Adapter (pair)	\$21.00
MNCLK200	EZ Wall Bracket Type 21/22 (1 pair) – <i>included with radiator purchase</i>	\$7.00
FLRM201	Optional Floor Mount for Type 21 Contractor Series	\$53.00
FLRM202	Optional Floor Mount for Type 22 Contractor Series	\$58.00

- Type 21 CV radiators are built with 2 panels and 1 convector bank – with a total thickness of 70 mm (nominal 2-3/4").
- Type 21 RCV radiators are built with 2 panels and 1 convector bank – with a total thickness of 72 mm (nominal 2-7/8").
- Type 22 CV radiators are built with 2 panels and 2 convector banks – with a total thickness of 102 mm (nominal 4").
- Type 22 RCV radiators are built with 2 panels and 2 convector banks – with a total thickness of 104 mm (nominal 4-1/8").
- EZ Wall Brackets are included with all Contractor Series radiators.
- Contractor Series radiators come with factory installed thermostatic valve, manual adjustment knob, air vent and plug.
- Thermostatic valve actuator heads are available and sold separately (*see above for items*).
- Bottom connection ports are plugged with temporary plastic plugs. If these ports are not used for supply and return, the temporary plastic plugs must be removed and replaced with side port plugs.
- PEX, copper adapters or radiator valves are not included with Contractor Series radiators and must be purchased separately. Please refer to the above for possible options and refer to Myson document "*Radiator Component Guide*" for more detail.
- Radiators are not for use in open loop systems, drinking water systems or steam systems.

**MYSON**

800-698-9690

**Column Radiators
Special Order**

Effective 1 June, 2019

Multiplier x _____

2 Column 450 mm height (nominal 18")				Total BTUH Outputs <i>average radiator water temperature</i>			List Price USD
Item Number	Sections #	Length mm	Length nominal inch	180°F	160°F	140°F	
12-2045VN	12	600	24"	1847	1459	1071	\$864
16-2045VN	16	800	32"	2462	1945	1428	\$985
20-2045VN	20	1000	40"	3078	2432	1785	\$1,073
24-2045VN	24	1200	48"	3693	2917	2142	\$1,154
28-2045VN	28	1400	56"	4309	3404	2499	\$1,373
36-2045VN	36	1800	72"	5540	4377	3213	\$1,903

2 Column 600 mm height (nominal 24")				Total BTUH Outputs <i>average radiator water temperature</i>			List Price USD
Item Number	Sections #	Length mm	Length nominal inch	180°F	160°F	140°F	
12-2060VN	12	600	24"	2448	1934	1420	\$930
16-2060VN	16	800	32"	3265	2579	1894	\$1,045
20-2060VN	20	1000	40"	4081	3224	2367	\$1,403
24-2060VN	24	1200	48"	4897	3869	2840	\$1,528
28-2060VN	28	1400	56"	5713	4513	3314	\$1,703

3 Column 300 mm height (nominal 12")				Total BTUH Outputs <i>average radiator water temperature</i>			List Price USD
Item Number	Sections #	Length mm	Length nominal inch	180°F	160°F	140°F	
16-3030VN	16	800	32"	2380	1880	1380	\$1,154
20-3030VN	20	1000	40"	2975	2350	1726	\$1,368
28-3030VN	28	1400	56"	4165	3290	2416	\$1,703
36-3030VN	36	1800	72"	5355	4230	3106	\$2,046

**MYSON**

800-698-9690

**Column Radiators
Special Order**

Effective 1 June, 2019

Multiplier x _____

3 Column 450 mm height (nominal 18")				Total BTUH Outputs average radiator water temperature			List Price USD
Item Number	Sections #	Length mm	Length nominal inch	180°F	160°F	140°F	
12-3045VN	12	600	24"	2674	2112	1551	\$913
16-3045VN	16	800	32"	3565	2816	2068	\$1,099
20-3045VN	20	1000	40"	4456	3520	2584	\$1,318
24-3045VN	24	1200	48"	5347	4224	3101	\$1,513
28-3045VN	28	1400	56"	6239	4929	3619	\$1,747
36-3045VN	36	1800	72"	8021	6337	4652	\$2,115

3 Column 600 mm height (nominal 24")				Total BTUH Outputs average radiator water temperature			List Price USD
Item Number	Sections #	Length mm	Length nominal inch	180°F	160°F	140°F	
12-3060VN	12	600	24"	3566	2817	2068	\$987
16-3060VN	16	800	32"	4755	3756	2758	\$1,154
20-3060VN	20	1000	40"	5944	4696	3448	\$1,516
24-3060VN	24	1200	48"	7132	5634	4137	\$1,757
28-3060VN	28	1400	56"	8321	6574	4826	\$1,953

4 Column 600 mm height (nominal 24")				Total BTUH Outputs average radiator water temperature			List Price USD
Item Number	Sections #	Length mm	Length nominal inch	180°F	160°F	140°F	
12-4060VN	12	600	24"	4213	3328	2444	\$1,155
16-4060VN	16	800	32"	5618	4438	3258	\$1,370
20-4060VN	20	1000	40"	7022	5547	4073	\$1,612

**MYSON**

800-698-9690

**Radiator Valves and Accessories
IN-STOCK**

Effective 1 June, 2019

Multiplier* _____

Thermostatic Radiator Valve (TRV) Bodies		Trade Price USD
Item Number	Description	
2TRV1/2AN	½" Standard Valve Angle Body	\$27
2TRV1/2SN	½" Standard Valve Straight Body	\$27
2TRV1/2IN	½" Standard Valve Inverted Angle Body	\$27

Thermostatic Actuator Heads			Trade Price USD
Item Number	Application	Description	
2TRV2HD	TRV bodies & CV/RCV panel radiators M30/Oventrop® valves	Standard head	\$30
VINDO TH	TRV bodies & CV/RCV panel radiators M30/Oventrop® valves	Compact head	\$41
UNI LH	TRV bodies & CV/RCV panel radiators M30/Oventrop® valves	Large print format head	\$48
2TRVEL024	TRV bodies & CV/RCV panel radiators M30/Oventrop® valves	24v electric head	\$104
VINDO TD	T6 panel radiators – Danfoss® squeeze valves	Compact Head	\$47
UNI LD	T6 panel radiators – Danfoss® squeeze valves	Large print format head	\$57

Manual Radiator Valves		Trade Price USD
Item Number	Description	
LKD16AN	½" Manual Angle Valve with Screw Stop	\$30
LKD16SN	½" Manual Straight Valve with Screw Stop	\$30
FF16WAC	½" Manual Angle Valve with Locked White Cap	\$51
FF16LAC	½" Preset Manual Angle Valve with Locked White Cap	\$55

PC8CH	8" Tall Chrome Pipe Cover (Qty. 1)	\$6
PC8WH	8" Tall White Pipe Cover (Qty. 1)	\$6
PC40CH	40" Tall Chrome Pipe Cover r (Qty. 1)	\$22
PC40WH	40" Tall White Pipe Cover (Qty. 1)	\$22
ESCC	Chrome Pipe Escutcheon (Qty. 1)	\$4
ESCC	White Pipe Escutcheon (Qty. 1)	\$4

Radiators • Fan Convectors • Towel Warmers • Pex

Myson Comfort for all of your heating needs.



MysonComfort.com

heatingthroughinnovation.