

SEPT
2020



2020 STEP-UP GUIDE LAUNDRY

Your guide to the LG laundry product assortment



FRONT LOAD

TOP LOAD

SPECIALTY

Front Load Washers

LG's Best & Only

		WM9000HVA	WM8100HVA	WM4500HBA	WM4200H_A	WM4000H_A	WM3600H_A	WM3400CW	WM1388HW Compact Washer
Benefit	Feature								
Size & Capacity	Washer Capacity (cu. ft.)	5.2	5.2	5.0	5.0	4.5	4.5	4.5	2.3
Reliability & Durability	Proactive Customer Care	•		•	•	•	•		
	Drum Type	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
	Tempered Glass Door				•	•	•		
Performance	AAFA Certified	•	•	•	•	•	•		
	Steam	•	•	•	•	•	•		
	Cycles	14	14	14	14	12	10	8	14
	TurboWash®	•	•	360	360	360			
	TurboDrum™	•	•	•					
Convenience	ezDispense™			•					
	Door Style	Tinted Chrome w/Integrated Control	Tinted Chrome Square Door	Tinted Chrome Square Door	Tinted Chrome Door	Rose Gold Door	Silver Door	White Door	Black Tint
	Drum Light	•	•						
	ThinQ® Smart WiFi Enabled	•		with AI	with AI	with AI	with AI		NFC
Product Dimensions	Width (Inches)*	29	29	27	27	27	27	27	24
	Height (Inches)	41 1/4	40 3/4	39	39	39	39	39	33 1/2
	Depth (Inches)	33 3/4	33	33 1/4	33 1/4	30 1/4	30 1/4	30 1/4	25 1/4
	Depth w/Door Open 90° (Inches)	55 15/16	57 1/2	53 1/4	53 1/4	55	55	55	45
Common Features Across Models on This Page									Additional Features: - TrueBalance - LoDecibel Quiet Operation - Smart Diagnosis - ENERGY STAR®

AAFA = The Asthma and Allergy Foundation of America

For details on comparison, see pocket guide <https://lghaguide.com/> *For corner application, allow more width. See measurement guide or <https://lghaguide.com/> for specific needs.

● V – Graphite Steel ● B – Black Steel ○ W – White ■ S – Silver ▲ N – Noble Steel ■ R – Espresso ★ M – Black Tinted Mirror





STEP LOGIC CHARTS FRONT LOAD LAUNDRY

FRONT LOAD

TOP LOAD

SPECIALTY

Front Load Dryers

LG's Best & Only

		Electric Gas	DLEX9000V DLGX9001V	DLEX8100V DLGX8101V	DLEX4500B DLGX4501B	DLEX4200_ DLGX4201_	DLEX4000_ DLGX4001_	DLE3600_ DLGX3601_	DLE3400W DLGX3401W	DLEC888W Elec. Compact Dryer
Benefit	Feature									
Size & Capacity	Dryer Capacity (cu. ft.)		9.0	9.0	7.4	7.4	7.4	7.4	7.4	4.2
Reliability & Durability	Proactive Customer Care		•		•	•	•	•		
	Drum Type		Stainless Steel	Alum Alloy Steel	Alum Alloy Steel	Alum Alloy Steel	Alum Alloy Steel	Alum Alloy Steel	Alum Alloy Steel	Stainless Steel
	Tempered Glass Door				•	•	•			
Performance	Steam		TurboSteam™	TurboSteam™	TurboSteam™	TurboSteam™	TurboSteam™			
	Cycles		14	14	14	14	12	10	8	14
Convenience	Ventless Condensing Dryer									•
	Reversible Dryer Door		•	•	•	•	•	•	•	•
	Door Style		Tinted Chrome w/Integrated Control	Tinted Chrome Square Door	Tinted Chrome Square Door	Tinted Chrome Door	Rose Gold Door	Silver Door	White Door	Black Tint
	Drum Light		•	•		•	•			
	ThinQ® Smart WiFi Enabled		•		with AI	with AI	with AI	with AI		NFC
Product Dimensions	Width (Inches)*		29	29	27	27	27	27	27	24
	Height (Inches)		40 7/8	40 7/8	39	39	39	39	38 11/16	33 1/2
	Depth (Inches)		33 3/8	32	30	30 1/8	30 1/8	30 1/8	30	25
	Depth w/Door Open 90° (Inches)		56	59	51	51 3/8	51 3/8	51	51	45
	Wall Gap (Vent) Clearance (Inches)		6	6	6	6	6	6	6	2
Common Features	Across Models on This Page	Sensor Dry Speed Dry Cycle FlowSense™ Smart Diagnosis™ ENERGY STAR								

For details on comparison, see pocket guide <https://lghaguide.com/> *For corner application, allow more width. See measurement guide or <https://lghaguide.com/> for specific needs.

● V – Graphite Steel ● B – Black Steel ○ W – White ■ S – Silver ▲ N – Noble Steel ■ R – Espresso ★ M – Black Tinted Mirror

FRONT LOAD

TOP LOAD

SPECIALTY

Front Load Pairs and Accessories

		29" Wide Front-Load Laundry		27" Wide Front-Load Laundry					24" Wide Compact Front-Load Laundry
		WM9000HV DLEX9000V DLGX9001V	WM8100HV DLEX8100V DLGX8101V	WM4500HBA DLEX4500B DLGX4501B	WM4200H_A DLEX4200_ DLGX4201_	WM4000H_A DLEX4000_ DLGX4001_	WM3600H_A DLE3600_ DLG3601_	WM3400CW DLE3400W DLG3401W	WM1388HW DLEC888W
Optional Accessories	Optional Pedestal	WDP5V	WDP5V	WDP4B	WDP4_	WDP4_	WDP4_	WDP4W	
	Optional SideKick™	WD200CV	WD200CV	WD100CB	WD100C_	WD100C_	WD100C_	WD100CW	
	Optional Stacking Kit		KSTK2	KSTK1	KSTK1	KSTK1	KSTK1	KSTK1	
Included Accessories	Hoses	Yes	Yes	No	No	No	No	No	Yes
Required Cutout Dimensions for Pair	Without Pedestals (W x H x D Inches)	61 x 42 x 40	61 x 42 x 38	57 x 40 x 36	57 x 40 x 36	57 x 40 x 36	57 x 40 x 36	57 x 40 x 36	51 x 35 x 28
	With Pedestal or SideKick™ (Inches)	61 x 56 x 40	61 x 56 x 38	57 x 54 x 36	57 x 54 x 36	57 x 54 x 36	57 x 54 x 36	57 x 54 x 36	
	Stacked (Inches)			31 x 80 x 36	31 x 80 x 36	31 x 80 x 36	31 x 80 x 36	31 x 80 x 36	
	Wall Gap (Vent) Clearance (Inches)	6	6	6	6	6	6	6	2



WDP5V Pedestal
29" Wide



WD200CV SideKick™
29" Wide, 1.0 cu. ft.



WDP4W Pedestal
27" Wide



WD100CW SideKick™
27" Wide, 1.0 cu. ft.



Stacking Kit
KSTK2 - 29"
KSTK1 - 27"

FRONT LOAD

TOP LOAD

SPECIALTY

WashTower™ with Center Control™

Electric
Gas

WKEX200H_A
WKGX201H_A



LG's Best & Only

Benefit	Feature	
Size & Capacity	Washer / Dryer Capacity (cu. ft.)	4.5 / 7.4
Reliability & Durability	Proactive Customer Care	•
	Drum Type	Stainless Steel
Performance	AAFA Certified (Washer)	•
	TurboSteam™ (Dryer)	•
	Washer / Dryer Cycles	6 / 6
	TurboWash® 360°	•
	TurboDrum™	•
	Unified Control Panel	•
	Door Style	Tinted Chrome Door
	Drum Light	•
	ThinQ® Smart WiFi Enabled	•
	AI Fabric Sensors, Smart Learner and Smart Pairing™	•
Reversible Door	Washer–No; Dryer–Yes	
Hoses Included	No	
Product Dimensions	Width* x Height x Depth (Inches)	27 x 74 3/8 x 30 3/8
	Depth w/Door Open 90° (Inches)	55



Common Features
Across Models on This Page



AAFA = The Asthma and Allergy Foundation of America For details on comparison, see pocket guide <https://lghguide.com/> *For corner application, allow more width. See measurement guide or <https://lghguide.com/> for specific needs.



● V – Graphite Steel ● B – Black Steel ○ W – White ■ S – Silver ■ R – Espresso ★ M – Black Tinted Mirror

FRONT LOAD

TOP LOAD

SPECIALTY

Top Load Washers

LG's Best & Only

		WT7900HBA	WT7800C_	WT7305C_	WT7300C_	WT7100CW
Benefit	Feature					
Size & Capacity	Washer Capacity (cu. ft.)	5.5	5.5	4.8	5.0	4.5
Reliability & Durability	Proactive Customer Care					
	Drum Type	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
Performance	AAFA Certified					
	Steam	•				
	Cycles	14	12	8	8	8
	TurboWash 3D™	•	•	•	•	•
	TurboDrum™	•	•	•	•	•
	6Motion™ Technology	•	•	Agitator	•	•
Convenience	See-Thru Window	•	•	•	•	•
	ThinQ® Smart WiFi Enabled	•	•	•	•	
Product Dimensions	Width (Inches)*	27	27	27	27	27
	Height (Inches)	44 1/2	44 1/2	44 1/2	44 1/2	44 1/2
	Height with Lid Open (Inches)	57 1/4	57 1/4	57 1/4	57 1/4	57 1/4
	Depth (Inches)	28 3/8	28 3/8	28 3/8	28 3/8	28 3/8

Common Features Across Models on This Page	10 Year Warranty	Direct Drive Motor	TrueBalance™	LoDecibel™ Quiet Operation	NeverRust™ Drum	LoadSense	SlamProof	Tub Clean	Smart Diagnosis™	ENERGY STAR
------------------------------------------------------	------------------	--------------------	--------------	----------------------------	-----------------	-----------	-----------	-----------	------------------	-------------

AAFA = The Asthma and Allergy Foundation of America

For details on comparison, see pocket guide <https://lghguide.com/> *For corner application, allow more width. See measurement guide or <https://lghguide.com/> for specific needs.

● V – Graphite Steel ● B – Black Steel ○ W – White ■ S – Silver ■ R – Espresso ★ M – Black Tinted Mirror



FRONT LOAD

TOP LOAD

SPECIALTY

Top Load Dryers

LG's Best & Only

		Electric	DLEX7900BE DLGX7901BE	DLEX7800_E DLGX7801_E	DLE7300_E DLG7301_E	DLE7100W DLG7101W	
		Gas					
Benefit	Feature						
Size & Capacity	Dryer Capacity (cu. ft.)		7.3	7.3	7.3	7.3	
	Proactive Customer Care						
Reliability & Durability	Drum Type		Alum Alloy Steel	Alum Alloy Steel	Alum Alloy Steel	Alum Alloy Steel	
	Steam		TurboSteam™	TurboSteam™			
Performance	Cycles		14	14	8	8	
	EasyLoad™ Dryer Door		•	•	•		
Convenience	Reversible Dryer Door		•	•	•	•	
	See-Thru Window		•	•	•		
	ThinQ® Smart WiFi Enabled		•	•	•		
Product Dimensions	Width (Inches)*		27	27	27	27	
	Height (Inches)		44 1/4	44 1/4	44 1/4	44 1/4	
	Depth (Inches)		29 1/2	29 1/2	29 1/2	29 1/2	
	Depth with Door Open 90° (Inches)		50 1/4	50 1/4	50 1/4	50 1/4	
	Wall Gap (Vent) Clearance (Inches)		6	6	6	6	
Common Features	Across Models on This Page						

For details on comparison, see pocket guide <https://lghaguide.com/> *For corner application, allow more width. See measurement guide or <https://lghaguide.com/> for specific needs.

● V – Graphite Steel ● B – Black Steel ○ W – White ■ S – Silver ■ R – Espresso ★ M – Black Tinted Mirror

FRONT LOAD

TOP LOAD

SPECIALTY

Top Load Pairs and Accessories

		Washer Electric Dryer Gas Dryer	WT7900HBA DLEX7900BE DLGX7901BE	WT7800C_ DLEX7800_E DLGX7801_E	WT7305C_ or WT7300C_ DLE7300_E DLG7301_E	WT7100CW DLE7100W DLG7101W
Included Accessories	Hoses	Yes		Yes	Yes	No
Required Cutout Dimensions for Pair	Width x Height x Depth (Inches)	57 x 45 x 36				



FRONT LOAD

TOP LOAD

SPECIALTY

Washer / Dryer Combos

LG's Best & Only

		WM3998HBA	WM3499HVA	WM3488H_
Benefit	Feature			
Size & Capacity	Capacity (cu. ft.)	4.5	2.3	2.3
Reliability & Durability	Proactive Customer Care			
	Drum Type	Stainless Steel	Stainless Steel	Stainless Steel
Performance	AAFA Certified	•	•	
	Steam	•	•	
	Cycles	14	14	14
	TurboWash®	•		
	Door Design	Blue Tinted with Chrome Rim	Black Tinted with Chrome Rim	Black Tinted with Chrome Rim
Convenience	Ventless Condensing Dryer	•	•	•
	Auto Clean Condenser		•	
	ThinQ® Smart WiFi Enabled	•	•	NFC
	Optional Pedestal	WDP4B		
	Optional SideKick™	WD100CB		
	Hose Included	•	•	•
Product Dimensions	Width x Height x Depth (Inches)*	27 x 39 x 30 1/4	24 x 33 1/2 x 25 1/4	24 x 33 1/2 x 25 1/4
	Depth with Door Open 90° (Inches)	•	45	45
	Wall Gap (Vent) Clearance (Inches)	2	2	2
Required Cutout Dimensions	Without Pedestal (W x H x D Inches)	28 x 40 x 32	25 x 40 x 32	25 x 40 x 32
	With Pedestal or SideKick™ (W x H x D Inches)	28 x 54 x 32		

Common Features
Across Models on This Page



AAFA = The Asthma and Allergy Foundation of America

For details on comparison, see pocket guide <https://lghaguide.com/> *For corner application, allow more width. See measurement guide or <https://lghaguide.com/> for specific needs.

● V – Graphite Steel ● B – Black Steel ○ W – White ■ S – Silver ■ R – Espresso ★ M – Black Tinted Mirror









FRONT LOAD

TOP LOAD

SPECIALTY

LG Styler

		S5MSB	S3_FBN
			
LG's Best & Only			
Benefit	Feature		
Size & Capacity	Capacity (cu. ft.)	14.33 lb. 5 Hangers + 1 Pant	11.5 lb. 3 Hangers + 1 Pant
Reliability & Durability	Proactive Customer Care	•	
	Heat-Pump System (Inverter)	•	•
Performance	AAFA Certified	•	•
	TrueSteam™ Technology	•	•
	Gentle Dry for Fine Fabrics	•	•
Convenience	ThinQ® Smart WiFi Enabled	•	•
	Touch Control Hidden Display	•	•
	Plug and Go	•	•
	Reversible Door	•	•
	Portable Water Fill Container (No Hose Needed)	•	•
	Interior Lights	3 LED	3 LED
Product Dimensions	Width x Height x Depth (Inches)*	23 5/8 x 77 1/8 x 23 1/2	17 1/2 x 72 3/4 x 23
	Depth with Door Open 90° (Inches)	Coming Soon	Coming Soon
Required Cutout Dimensions	Width x Height x Depth (Inches)	Coming Soon	19 1/2 x 79 3/4 x 25



Common Features
Across Models on This Page



LG ThinQ®



AAFA = The Asthma and Allergy Foundation of America

For details on comparison, see pocket guide <https://lghaguide.com/> *For corner application, allow more width. See measurement guide or <https://lghaguide.com/> for specific needs.

● V – Graphite Steel ■ K – Black Stainless Steel ● B – Black Steel ○ W – White ■ S – Silver ▲ N – Noble Steel ■ R – Espresso ★ M – Black Tinted Mirror



