

New Product Guide

Effective Date: November 10, 2020



California Faucets®



Descanso | K30 Series
Model #: K30-103SQKL-PB
shown with knurled lever



Descanso | 30/31 Series
w/ Wheel Handle



High-Flow Single Hole
Tub Fillers



D Street | 52/53 Series



Libretto | E5 Series



Extended Length Curved
Shower Arm



Combo Handshower
Bracket & Supply

More New Products Inside

Hermosa | I4 Series

Model #: I411-35-SN

with white porcelain lever



Fall 2020 New Products

Table of Contents



Kitchen
Squeeze Handle
pg. 2-11



Single Hole
Tub Fillers
pg. 12-23




Descanso Wheel
30/31 Series
pg. 24-26



D Street
52/53 Series
pg. 27-51



Libretto
E5 Series
pg. 52-54



StyleDrain®
by Christopher Grubb
pg. 55



Large Format
Showerheads
pg. 56-57



Extended Length
Curved Shower Arm
pg. 58



Brass Multifunction
Handshowers
pg. 59



SB-85
Handshower Bar
pg. 60



KLIK Handshower/
SH-04T Showerhead
pg. 60



SH-20S & SH-25S
Swivel Brackets
pg. 61-63





Squeeze Handle Features:

- Insulated shell for hand comfort.
- Positive docking system keeps sprayer secure.
- Available in pull-down, prep & culinary faucet styles.
- Available in 28 finishes.
- Part of a complete suite of matching faucets & accessories.

see pages 2-11



DAVOLI | K10 SERIES

	MODEL	DESCRIPTION	FINISH	PRICE
	K10-100SQ-XX	Pull-Down Kitchen Faucet with Squeeze Handle Sprayer - High Spout <ul style="list-style-type: none"> all brass construction 9-5/16" spout center to center high-arc 360° rotating spout allows for easy filling of large pots and cleaning detent docking secures sprayhead into spout brass sprayhead has dual function aerated or spray mode with squeeze operation spray jets have easy-to-clean surface that withstands mineral build-up quiet polymer-braided hose with rotating joint at sprayhead allows for smooth and non-binding use ceramic disc cartridge max flow rate: 1.8 gpm replace XX with desired handle style shown on page 4 (e.g. pictured: K10-100SQ-42) 	polished chrome	1315
			standard	1578
			special	1775
			premium	2104
	K10-101SQ-XX	Pull-Down Prep/Bar Faucet with Squeeze Handle Sprayer <ul style="list-style-type: none"> all brass construction 6-1/8" spout center to center 360° rotating spout detent docking secures sprayhead into spout brass sprayhead has dual function aerated or spray mode with squeeze operation spray jets have easy-to-clean surface that withstands mineral build-up quiet polymer-braided hose with rotating joint at sprayhead allows for smooth and non-binding use ceramic disc cartridge max flow rate: 1.8 gpm replace XX with desired handle style shown on page 4 (e.g. pictured: K10-101SQ-42) 	polished chrome	1275
			standard	1530
			special	1721
			premium	2040

DAVOLI | K10 SERIES

MODEL	DESCRIPTION	FINISH	PRICE
 <p>K10-102SQ-XX</p>	<p>Pull-Down Kitchen Faucet with Squeeze Handle Sprayer - Low Spout</p> <ul style="list-style-type: none"> • all brass construction • 9-5/16" spout center to center • 360° rotating spout • detent docking secures sprayhead into spout • brass sprayhead has dual function aerated or spray mode with squeeze operation • spray jets have easy-to-clean surface that withstands mineral build-up • quiet polymer-braided hose with rotating joint at sprayhead allows for smooth and non-binding use • ceramic disc cartridge • max flow rate: 1.8 gpm • replace XX with desired handle style shown on page 4 (e.g. pictured: K10-102SQ-42) 	<p>polished chrome standard special premium</p>	<p>1305 1566 1762 2088</p>
 <p>K10-103-XX</p>	<p>Pull-Down Kitchen Faucet - Quad Spout</p> <ul style="list-style-type: none"> • all brass construction • 8-15/16" spout center to center • 360° rotating spout • magnetic docking secures sprayhead into spout • brass sprayhead has dual function aerated or spray mode with one button operation • spray jets have easy-to-clean surface that withstands mineral build-up • quiet polymer-braided hose with rotating joint at sprayhead allows for smooth and non-binding use • ceramic disc cartridge • max flow rate: 1.8 gpm • replace XX with desired handle style shown on page 4 (e.g. pictured: K10-103-42) 	<p>polished chrome standard special premium</p>	<p>985 1182 1330 1576</p>
 <p>K10-103SQ-XX</p>	<p>Pull-Down Kitchen Faucet with Squeeze Handle Sprayer - Quad Spout</p> <ul style="list-style-type: none"> • all brass construction • 8-15/16" spout center to center • 360° rotating spout • detent docking secures sprayhead into spout • brass sprayhead has dual function aerated or spray mode with squeeze operation • spray jets have easy-to-clean surface that withstands mineral build-up • quiet polymer-braided hose with rotating joint at sprayhead allows for smooth and non-binding use • ceramic disc cartridge • max flow rate: 1.8 gpm • replace XX with desired handle style shown on page 4 (e.g. pictured: K10-103SQ-42) 	<p>polished chrome standard special premium</p>	<p>1315 1578 1775 2104</p>

Handle Options:

Replace XX with desired handle style. e.g.: K10-100SQ-33



33 Series
Metal Lever



35 Series
Porcelain Lever



40 Series
Porcelain Lever



42 Series
Standard Metal Lever



48 Series
Metal Lever



55 Series
Metal Lever



64 Series
Metal Lever



CLEV Crystal
Swarovski® Lever
crystal handle upcharge applies



SQUEEZE FAUCET
W/ SMOOTH HANDLE (SL)









SQUEEZE FAUCET
W/ CARBON FIBER HANDLE (FL)






SQUEEZE FAUCET
W/ KNURLED HANDLE (KL)









DESCANSO | K30 SERIES

	MODEL	DESCRIPTION	FINISH	PRICE
	K30-100SQ-SL smooth handle	Pull-Down Kitchen Faucet with Squeeze Handle Sprayer-High Spout <ul style="list-style-type: none"> • all brass construction • 9-5/16" spout center to center • high-arc 360° rotating spout allows for easy filling of large pots and cleaning • detent docking secures sprayhead into spout • brass sprayhead has dual function aerated or spray mode with squeeze operation • spray jets have easy-to-clean surface that withstands mineral build-up • quiet polymer-braided hose with rotating joint at sprayhead allows for smooth and non-binding use • ceramic disc cartridge • max flow rate: 1.8 gpm 	polished chrome	1359
			standard	1631
			special	1835
	K30-100SQ-FL carbon fiber handle		premium	2174
	K30-100SQ-KL knurled handle			
	K30-101SQ-SL smooth handle	Pull-Down Prep/Bar Faucet with Squeeze Handle Sprayer <ul style="list-style-type: none"> • all brass construction • 6-1 1/16" spout center to center • 360° rotating spout • detent docking secures sprayhead into spout • brass sprayhead has dual function aerated or spray mode with squeeze operation • spray jets have easy-to-clean surface that withstands mineral build-up • quiet polymer-braided hose with rotating joint at sprayhead allows for smooth and non-binding use • ceramic disc cartridge • max flow rate: 1.8 gpm 	polished chrome	1329
			standard	1595
			special	1794
	K30-101SQ-FL carbon fiber handle		premium	2126
	K30-101SQ-KL knurled handle			

DESCANSO | K30 SERIES


	MODEL	DESCRIPTION	FINISH	PRICE
	<p>K30-102SQ-SL smooth handle</p> <p>K30-102SQ-FL carbon fiber handle</p> <p>K30-102SQ-KL knurled handle</p>	<p>Pull-Down Kitchen Faucet with Squeeze Handle Sprayer - Low Spout</p> <ul style="list-style-type: none"> • all brass construction • 9-5/16" spout center to center • 360° rotating spout • detent docking secures sprayhead into spout • brass sprayhead has dual function aerated or spray mode with squeeze operation • spray jets have easy-to-clean surface that withstands mineral build-up • quiet polymer-braided hose with rotating joint at sprayhead allows for smooth and non-binding use • ceramic disc cartridge • max flow rate: 1.8 gpm 	<p>polished chrome standard special premium</p>	<p>1349 1619 1821 2158</p>
	<p>K30-103-SL smooth handle</p> <p>K30-103-FL carbon fiber handle</p> <p>K30-103-KL knurled handle</p>	<p>Pull-Down Kitchen Faucet - Quad Spout</p> <ul style="list-style-type: none"> • all brass construction • 9-3/16" spout center to center • 360° rotating spout • magnetic docking secures sprayhead into spout • brass sprayhead has dual function aerated or spray mode with one button operation • spray jets have easy-to-clean surface that withstands mineral build-up • quiet polymer-braided hose with rotating joint at sprayhead allows for smooth and non-binding use • ceramic disc cartridge • max flow rate: 1.8 gpm 	<p>polished chrome standard special premium</p>	<p>1059 1271 1430 1694</p>
	<p>K30-103SQ-SL smooth handle</p> <p>K30-103SQ-FL carbon fiber handle</p> <p>K30-103SQ-KL knurled handle</p>	<p>Pull-Down Kitchen Faucet with Squeeze Handle Sprayer - Quad Spout</p> <ul style="list-style-type: none"> • all brass construction • 9-3/8" spout center to center • 360° rotating spout • detent docking secures sprayhead into spout • brass sprayhead has dual function aerated or spray mode with squeeze operation • spray jets have easy-to-clean surface that withstands mineral build-up • quiet polymer-braided hose with rotating joint at sprayhead allows for smooth and non-binding use • ceramic disc cartridge • max flow rate: 1.8 gpm 	<p>polished chrome standard special premium</p>	<p>1359 1631 1835 2174</p>


	MODEL	DESCRIPTION	FINISH	PRICE
	<p>K30-150-SL smooth handle</p>	<p>Descanso Culinary Pull-Out Kitchen Faucet</p> <ul style="list-style-type: none"> • all brass construction • 8-1/2" spout center to center • 360° rotating arm with magnetic docking to secure sprayhead • lexible closed coil stainless steel spring • brass sprayhead has dual function aerated or spray mode with one button operation • spray jets have easy-to-clean surface that withstands mineral build-up • ceramic disc cartridge • max flow rate: 1.8 gpm 	<p>polished chrome standard special premium</p>	<p>1269 1523 1713 2030</p>
	<p>K30-150-FL carbon fiber handle</p>			
	<p>K30-150-KL knurled handle</p>			
	<p>K30-150SQ-SL smooth handle</p>	<p>Descanso Culinary Pull-Out Kitchen Faucet with Squeeze Handle Sprayer</p> <ul style="list-style-type: none"> • all brass construction • 8-1/2" spout center to center • 360° rotating arm with magnetic docking to secure sprayhead • lexible closed coil stainless steel spring • brass sprayhead has dual function aerated or spray mode with squeeze operation • spray jets have easy-to-clean surface that withstands mineral build-up • ceramic disc cartridge • max flow rate: 1.8 gpm 	<p>polished chrome standard special premium</p>	<p>1599 1919 2159 2558</p>
	<p>K30-150SQ-FL carbon fiber handle</p>			
	<p>K30-150SQ-KL knurled handle</p>			

DESCANSO | K30 SERIES




POETTO | K50 SERIES

	MODEL	DESCRIPTION	FINISH	PRICE
	K50-103-XX	Pull-Down Kitchen Faucet - Quad Spout <ul style="list-style-type: none"> • all brass construction • 9-3/16" spout center to center • 360° rotating spout • magnetic docking secures sprayhead into spout • brass sprayhead has dual function aerated or spray mode with one button operation • spray jets have easy-to-clean surface that withstands mineral build-up • quiet polymer-braided hose with rotating joint at sprayhead allows for smooth and non-binding use • ceramic disc cartridge • max flow rate: 1.8 gpm • replace XX with desired handle style shown below (e.g. pictured: K50-103-ST) 	polished chrome	985
			special	1330
			premium	1576




ST
Stick




SST
Short Stick

Handle Options:
Replace XX with desired handle style



BST
Black Stick





BSST
Black Short Stick

POETTO | K50 SERIES




CORSANO | K51 SERIES


	MODEL	DESCRIPTION	FINISH	PRICE
	K51-100SQ-XX	<p>Pull-Down Kitchen Faucet with Squeeze Handle Sprayer - High Spout</p> <ul style="list-style-type: none"> • all brass construction • 9-5/16" spout center to center • high-arc 360° rotating spout allows for easy filling of large pots and cleaning • detent docking secures sprayhead into spout • brass sprayhead has dual function aerated or spray mode with squeeze operation • spray jets have easy-to-clean surface that withstands mineral build-up • quiet polymer-braided hose with rotating joint at sprayhead allows for smooth and non-binding use • ceramic disc cartridge • max flow rate: 1.8 gpm <p>replace XX with desired handle style shown on page 10 (e.g. pictured: K51-100SQ-FB)</p>	polished chrome standard special premium	1285 1542 1735 2056
	K51-101SQ-XX	<p>Pull-Down Prep/Bar Faucet with Squeeze Handle Sprayer</p> <ul style="list-style-type: none"> • all brass construction • 6-11/16" spout center to center • 360° rotating spout • detent docking secures sprayhead into spout • brass sprayhead has dual function aerated or spray mode with squeeze operation • spray jets have easy-to-clean surface that withstands mineral build-up • quiet polymer-braided hose with rotating joint at sprayhead allows for smooth and non-binding use • ceramic disc cartridge • max flow rate: 1.8 gpm <p>replace XX with desired handle style shown on page 10 (e.g. pictured: K51-101SQ-FB)</p>	polished chrome standard special premium	1245 1494 1681 1992

CORSANO | K51 SERIES

	MODEL	DESCRIPTION	FINISH	PRICE
	<p>K51-102SQ-XX</p>	<p>Pull-Down Kitchen Faucet with Squeeze Handle Sprayer - Low Spout</p> <ul style="list-style-type: none"> • all brass construction • 9-1/4" spout center to center • 360° rotating spout • detent docking secures sprayhead into spout • brass sprayhead has dual function aerated or spray mode with squeeze operation • spray jets have easy-to-clean surface that withstands mineral build-up • quiet polymer-braided hose with rotating joint at sprayhead allows for smooth and non-binding use • ceramic disc cartridge • max flow rate: 1.8 gpm <p>replace XX with desired handle style shown below (e.g. pictured: K51-102SQ-FB)</p>	<p>polished chrome 1275 standard 1530 special 1721 premium 2040</p>	
	<p>K51-103-XX</p>	<p>Pull-Down Kitchen Faucet - Quad Spout</p> <ul style="list-style-type: none"> • all brass construction • 9-1/8" spout center to center • 360° rotating spout • magnetic docking secures sprayhead into spout • brass sprayhead has dual function aerated or spray mode with one button operation • spray jets have easy-to-clean surface that withstands mineral build-up • quiet polymer-braided hose with rotating joint at sprayhead allows for smooth and non-binding use • ceramic disc cartridge • max flow rate: 1.8 gpm <p>replace XX with desired handle style shown below (e.g. pictured: K51-103-FB)</p>	<p>polished chrome 985 standard 1182 special 1330 premium 1576</p>	
	<p>K51-103SQ-XX</p>	<p>Pull-Down Kitchen Faucet with Squeeze Handle Sprayer - Quad Spout</p> <ul style="list-style-type: none"> • all brass construction • 9-3/8" spout center to center • 360° rotating spout • detent docking secures sprayhead into spout • brass sprayhead has dual function aerated or spray mode with squeeze operation • spray jets have easy-to-clean surface that withstands mineral build-up • quiet polymer-braided hose with rotating joint at sprayhead allows for smooth and non-binding use • ceramic disc cartridge • max flow rate: 1.8 gpm <p>replace XX with desired handle style shown below (e.g. pictured: K51-103SQ-FB)</p>	<p>polished chrome 1285 standard 1542 special 1735 premium 2056</p>	



ST
Stick




FB
Finished Blade


Handle Options:
Replace XX with desired handle style.



BST
Black Stick



BFB
Black Blade

MODEL	DESCRIPTION	FINISH	PRICE
 <p data-bbox="480 170 662 201">K51-150SQ-XX</p>	<p data-bbox="704 123 1078 180">Culinary Pull-Out Kitchen Faucet with Squeeze Handle Sprayer</p> <ul data-bbox="727 191 1263 411" style="list-style-type: none"> • all brass construction • 8-1/2" spout center to center • 360° rotating arm with magnetic docking to secure sprayhead • flexible closed coil stainless steel spring • brass sprayhead has dual function aerated or spray mode with squeeze operation • spray jets have easy-to-clean surface that withstands mineral build-up • ceramic disc cartridge • max flow rate: 1.8 gpm <p data-bbox="727 411 1179 464">replace XX with desired handle style shown below (e.g. pictured: K51-150SQ-FB)</p>	<p data-bbox="1289 149 1419 170">polished chrome</p> <p data-bbox="1289 174 1354 195">standard</p> <p data-bbox="1289 199 1344 220">special</p> <p data-bbox="1289 224 1360 245">premium</p>	<p data-bbox="1474 149 1523 170">1525</p> <p data-bbox="1474 174 1523 195">1830</p> <p data-bbox="1474 199 1523 220">2059</p> <p data-bbox="1474 224 1523 245">2440</p>

Handle Options:

Replace XX with desired handle style.



ST
Stick



FB
Finished Blade



All Finished
Sprayhead



BST
Black Stick



BFB
Black Blade



Black
Sprayhead

Finished handle receives finished sprayhead.

Matte black handle receives matte black sprayhead.




DESCANSO TUB FILLERS | 09/10 SERIES

MODEL	DESCRIPTION	FINISH	PRICE
	<p>0911-XX.FR</p> <p>Industrial Single Hole Floor Mount Tub Filler - Low Quad Spout</p> <ul style="list-style-type: none"> • all brass construction • 9" spout center to center • ceramic mixing cartridge • spout max flow rate: 10 gpm at 60 psi • replace .FR with desired max flow rate: 0911-XX.20 for 2.0 gpm 0911-XX.18 for 1.8 gpm • handshower holder may be adjusted forward during installation • installation of upstream tempering device may be required (verify local codes) • replace XX with desired handle style shown on page 13 • (e.g. pictured: 0911-30.FR-SN) <p>REQUIRES ROUGH VALVE: 9511</p>	<p>polished chrome 2195 standard 2634 special 2963 premium 3512</p>	
	<p>1011-XX.FR</p> <p>Industrial Single Hole Floor Mount Tub Filler - Arc Spout</p> <ul style="list-style-type: none"> • all brass construction • 9" spout center to center • ceramic mixing cartridge • spout max flow rate: 10 gpm at 60 psi • replace .FR with desired max flow rate: 1011-XX.20 for 2.0 gpm 1011-XX.18 for 1.8 gpm • handshower holder may be adjusted forward during installation • installation of upstream tempering device may be required (verify local codes) • replace XX with desired handle style shown on page 13 • (e.g. pictured: 1011-30.FR-SN) <p>REQUIRES ROUGH VALVE: 9511</p>	<p>polished chrome 2195 standard 2634 special 2963 premium 3512</p>	

DESCANSO | 09/10 SERIES

TUB FILLER | 09/10 SERIES

	MODEL	DESCRIPTION	FINISH	PRICE
	<p>9511</p>	<p>Rough Valve for Single-Hole Floor Mount Tub Filler</p> <ul style="list-style-type: none"> • forged brass construction • 1/2" NPT female inlets • brass test plug included • mudguard included (not shown) • installation of upstream tempering device may be required (verify local codes) 		<p>395</p>



0911-30.FR
1011-30.FR



0911-30K.FR
1011-30K.FR



0911-30F.FR
1011-30F.FR
Carbon Fiber Upcharge \$35
(all finishes)



0911-30X.FR
1011-30X.FR





0911-30XK.FR
1011-30XK.FR



0911-30XF.FR
1011-30XF.FR
Carbon Fiber Upcharge \$35
(all finishes)





ASILOMAR | 11 SERIES

	MODEL	DESCRIPTION	FINISH	PRICE
	1111-XX.FR	<p>Contemporary Single Hole Floor Mount Tub Filler - Arc Spout</p> <ul style="list-style-type: none"> • all brass construction • 9" spout center to center • ceramic mixing cartridge • spout max flow rate: 10 gpm at 60 psi • replace .FR with desired max flow rate: 1111-XX.20 for 2.0 gpm 1111-XX.18 for 1.8 gpm • handshower holder may be adjusted forward during installation • installation of upstream tempering device may be required (verify local codes) • see handle options on page 16 <p>REQUIRES ROUGH VALVE: 9511</p>	polished chrome 2195 standard 2634 special 2963 premium 3512	
	9511	<p>Rough Valve for Single-Hole Floor Mount Tub Filler</p> <ul style="list-style-type: none"> • forged brass construction • 1/2" NPT female inlets • brass test plug included • mudguard included (not shown) • installation of upstream tempering device may be required (verify local codes) 		395

ASILOMAR | 11 SERIES



BOLSA | 12 SERIES

	MODEL	DESCRIPTION	FINISH	PRICE
	1211-XX.FR	<p>Contemporary Single Hole Floor Mount Tub Filler - Quad Spout</p> <ul style="list-style-type: none"> • all brass construction • 9" spout center to center • ceramic mixing cartridge • spout max flow rate: 10 gpm at 60 psi • replace .FR with desired max flow rate: 1211-XX.20 for 2.0 gpm 1211-XX.18 for 1.8 gpm • handshower holder may be adjusted forward during installation • installation of upstream tempering device may be required (verify local codes) • see handle options on page 16 <p>REQUIRES ROUGH VALVE: 9511</p>	polished chrome 2195 standard 2634 special 2963 premium 3512	
	9511	<p>Rough Valve for Single-Hole Floor Mount Tub Filler</p> <ul style="list-style-type: none"> • forged brass construction • 1/2" NPT female inlets • brass test plug included • mudguard included (not shown) • installation of upstream tempering device may be required (verify local codes) 		395

BOLSA | 12 SERIES

TUB FILLER HANDLE OPTIONS | I1/I2 SERIES

AVAILABLE WITH THE FOLLOWING HANDLE OPTIONS: Replace XX with the desired series handle number



I111-52.FR
I211-52.FR



I111-53.FR
I211-53.FR



I111-62.FR
I211-62.FR



I111-E3.FR
I211-E3.FR



I111-HE4.FR
I211-HE4.FR



I111-E5.FR
I211-E5.FR



I111-H45.FR
I211-H45.FR



I111-H65.FR
I211-H65.FR



I111-H66.FR
I211-H66.FR



I111-H70.FR
I211-H70.FR





I111-H74.FR
I211-H74.FR



I111-H77.FR
I211-H77.FR





PALOMAR | I3 SERIES

	MODEL	DESCRIPTION	FINISH	PRICE
	1311-XX.FR	<p>Traditional Single Hole Floor Mount Tub Filler - Arc Spout</p> <ul style="list-style-type: none"> • all brass construction • 9" spout center to center • ceramic mixing cartridge • spout max flow rate: 10 gpm at 60 psi • replace .FR with desired max flow rate: 1311-XX.20 for 2.0 gpm 1311-XX.18 for 1.8 gpm • handshower holder may be adjusted forward during installation • installation of upstream tempering device may be required (verify local codes) • see page 19 for handle options <p>REQUIRES ROUGH VALVE: 9511</p>	polished chrome standard special premium	2255 2706 3044 3608
	9511	<p>Rough Valve for Single-Hole Floor Mount Tub Filler</p> <ul style="list-style-type: none"> • forged brass construction • 1/2" NPT female inlets • brass test plug included • mudguard included (not shown) • installation of upstream tempering device may be required (verify local codes) 		395

PALOMAR | I3 SERIES



HERMOSA | I4 SERIES

MODEL	DESCRIPTION	FINISH	PRICE
	<p>1411-XX.FR</p> <p>Traditional Single Hole Floor Mount Tub Filler - Quad Spout</p> <ul style="list-style-type: none"> • all brass construction • 9" spout center to center • ceramic mixing cartridge • spout max flow rate: 10 gpm at 60 psi • replace .FR with desired max flow rate: 1411-XX.20 for 2.0 gpm 1411-XX.18 for 1.8 gpm • handshower holder may be adjusted forward during installation • installation of upstream tempering device may be required (verify local codes) • see page 19 for handle options <p>REQUIRES ROUGH VALVE: 9511</p>	<p>polished chrome 2255</p> <p>standard 2706</p> <p>special 3044</p> <p>premium 3608</p>	
	<p>9511</p> <p>Rough Valve for Single-Hole Floor Mount Tub Filler</p> <ul style="list-style-type: none"> • forged brass construction • 1/2" NPT female inlets • brass test plug included • mudguard included (not shown) • installation of upstream tempering device may be required (verify local codes) 		395

HERMOSA | I4 SERIES

TUB FILLER HANDLE OPTIONS | 13/14 SERIES

AVAILABLE WITH THE FOLLOWING HANDLE OPTIONS: Replace XX with the desired series handle number



1311-33.FR
1411-33.FR



1311-35.FR
1411-35.FR



1311-42.FR
1411-42.FR



1311-48.FR
1411-48.FR



1311-55.FR
1411-55.FR



1311-64.FR
1411-64.FR



1311-68.FR
1411-68.FR



1311-H34.FR
1411-H34.FR



1311-H36.FR
1411-H36.FR



1311-H38.FR
1411-H38.FR



1311-H46.FR
1411-H46.FR



1311-H47.FR
1411-H47.FR



1311-H48X.FR
1411-H48X.FR



1311-H59.FR
1411-H59.FR



1311-H60.FR
1411-H60.FR





1311-H63.FR
1411-H63.FR



1311-H67.FR
1411-H67.FR



MORRO BAY | 77 SERIES

	MODEL	DESCRIPTION	FINISH	PRICE
	7711-XX.FR	Modern Single Hole Floor Mount Tub Filler <ul style="list-style-type: none"> • all brass construction • 8" spout center to center • ceramic mixing cartridge • spout max flow rate: 1.0 gpm at 60 psi • replace .FR with desired max flow rate: 7711-XX.20 for 2.0 gpm 7711-XX.18 for 1.8 gpm • handshower holder may be adjusted forward during installation • installation of upstream tempering device may be required (verify local codes) • see page 21 for handle options 	polished chrome standard special premium	2395 2874 3233 3832
	9511	Rough Valve for Single-Hole Floor Mount Tub Filler <ul style="list-style-type: none"> • forged brass construction • 1/2" NPT female inlets • brass test plug included • mudguard included (not shown) • installation of upstream tempering device may be required (verify local codes) 		395

MORRO BAY | 77 SERIES

AVAILABLE WITH THE FOLLOWING HANDLE OPTIONS: Replace XX with the desired series handle number



7711-E3.FR



7711-HE4.FR



7711-E5.FR



7711-H45.FR






7711-H70.FR



7711-H77.FR



STEAMPUNK BAY | 85/86 SERIES

MODEL	DESCRIPTION	FINISH	PRICE
 <p>8511.FR lever</p>	<p>Steampunk Single Hole Floor Mount Tub Filler - Low Quad Spout</p> <ul style="list-style-type: none"> • all brass construction • 9" spout center to center • ceramic mixing cartridge • spout max low rate: 10 gpm at 60 psi • replace .FR with desired max low rate: 8511X.20 for 2.0 gpm 8511X.18 for 1.8 gpm • handshower holder may be adjusted forward during installation • installation of upstream tempering device may be required (verify local codes) • see handle options on page 23 	<p>polished chrome 2395 standard 2874 special 3233 premium 3832</p>	
 <p>8511B.FR blade</p>	<p>REQUIRES ROUGH VALVE: 9511</p>	<p>polished chrome 2395 standard 2874 special 3233 premium 3832</p>	
 <p>8511W.FR wheel</p>		<p>polished chrome 2445 standard 2934 special 3301 premium 3912</p>	
 <p>9511</p>	<p>Rough Valve for Single-Hole Floor Mount Tub Filler</p> <ul style="list-style-type: none"> • forged brass construction • 1/2" NPT female inlets • brass test plug included • mudguard included (not shown) • installation of upstream tempering device may be required (verify local codes) 		<p>395</p>

STEAMPUNK BAY | 85/86 SERIES

STEAMPUNK BAY | 85/86 SERIES

MODEL	DESCRIPTION	FINISH	PRICE
  	<p>Industrial Single Hole Floor Mount Tub Filler - Arc Spout</p> <ul style="list-style-type: none"> • all brass construction • 9" spout center to center • ceramic mixing cartridge • spout max low rate: 1.0 gpm at 60 psi • replace .FR with desired max low rate: 8611X.20 for 2.0 gpm 8611X.18 for 1.8 gpm • handshower holder may be adjusted forward during installation • installation of upstream tempering device may be required (verify local codes) • see handle options below <p>REQUIRES ROUGH VALVE: 9511</p>	<p>polished chrome 2395 standard 2874 special 3233 premium 3832</p>	<p>polished chrome 2395 standard 2874 special 3233 premium 3832</p>
	<p>Rough Valve for Single-Hole Floor Mount Tub Filler</p> <ul style="list-style-type: none"> • forged brass construction • 1/2" NPT female inlets • brass test plug included • mudguard included (not shown) • installation of upstream tempering device may be required (verify local codes) 		<p>395</p>



8511.FR
8611.FR



8511.B.FR
8611.B.FR



8511.W.FR
8611.W.FR



WATERSENSE CERTIFIED
LAVATORY FAUCETS












DESCANSO | 30/31 SERIES

	MODEL	DESCRIPTION	FINISH	PRICE
	3002WZB	8" Widespread Lavatory Faucet with ZeroDrain - Wheel Handles <ul style="list-style-type: none"> • 5-7/16" spout center to center • 1/4 turn ceramic disc cartridge(s) • 1-1/4" pop-down style ZeroDrain assembly • 1.2 gpm water saving aerator • handle available in any of our 28 finishes, plus red or black 	polished chrome	797
			standard	943
			special	1052
	3002WRZB red handle		premium	1233
		3002WBZB black handle		
	3002W	8" Widespread Lavatory Faucet - Wheel Handles <ul style="list-style-type: none"> • 5-7/16" spout center to center • 1/4 turn ceramic disc cartridge(s) • 1-1/4" all brass touch style pop-up drain assembly • 1.2 gpm water saving aerator • handle available in any of our 28 finishes, plus red or black 	polished chrome	749
			standard	885
			special	987
	3002WR red handle		premium	1156
		3002WB black handle		

DESCANSO | 30/31 SERIES

DESCANSO | 30/31 SERIES

MODEL	DESCRIPTION	FINISH	PRICE
 <p>3102WZB</p>	<p>8" Widespread Lavatory Faucet with ZeroDrain - Wheel Handles</p> <ul style="list-style-type: none"> • 6" spout center to center • 1/4" turn ceramic disc cartridge(s) • 1-1/4" pop-down style ZeroDrain assembly • 1.2 gpm water saving aerator • handle available in any of our 28 finishes, plus red or black 	<p>polished chrome 817 standard 967 special 1079 premium 1265</p>	
 <p>3102WRZB red handle</p>			
 <p>3102WBZB black handle</p>			
 <p>3102W</p>	<p>8" Widespread Lavatory Faucet - Wheel Handles</p> <ul style="list-style-type: none"> • 6" spout center to center • 1/4" turn ceramic disc cartridge(s) • 1-1/4" pop-down style ZeroDrain assembly • 1.2 gpm water saving aerator • handle available in any of our 28 finishes, plus red or black 	<p>polished chrome 769 standard 909 special 1014 premium 1188</p>	
 <p>3102WR red handle</p>			
 <p>3102WB black handle</p>			

MODEL	DESCRIPTION	FINISH	PRICE
  	Wall or Deck Handle Trim Only - Wheel Handle <ul style="list-style-type: none"> • base diameter 2-5/16" • Use for wall stop, wall diverter, or deck diverter 	polished chrome	214
		standard	250
		special	277
		premium	321
		<hr/> REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:	
		50-W-R	129
		75-W-R	165
		WDV-R	239
		WDV-NS-R	249
		DDV-R	279

All complimentary Descanso series products with wheel option are priced same as Carbon Fiber for like products in main catalog. (e.g.: for TO-THIL-30WB, use pricing for TO-THIL-30F in catalog.)

- W.....Wheel
- WB.....Black Wheel
- WR.....Red Wheel

DESCANSO | 30/31 SERIES



WATERSENSE CERTIFIED
LAVATORY FAUCETS



5202 - SMOOTH INSERT



5202F - CARBON FIBER INSERT






5202K - KNURLED INSERT


D STREET | 52/53 SERIES

	MODEL	DESCRIPTION	FINISH	PRICE
	5202ZB smooth insert	8" Widespread Lavatory Faucet with ZeroDrain - High Spout <ul style="list-style-type: none"> • 6" spout center to center • 1/4 turn ceramic disc cartridge(s) • 1-1/4" pop-down style ZeroDrain assembly • 1.2 gpm water saving aerator 	polished chrome	807
	5202FZB carbon fiber insert		standard	969
	5202KZB knurled insert		special	1090
	5202 smooth insert	8" Widespread Lavatory Faucet - High Spout <ul style="list-style-type: none"> • 6" spout center to center • 1/4 turn ceramic disc cartridge(s) • 1-1/4" all brass touch style pop-up drain assembly • 1.2 gpm water saving aerator 	premium	1291
	5202F carbon fiber insert		polished chrome	759
	5202K knurled insert		standard	911
	5202F carbon fiber insert		special	1025
	5202K knurled insert		premium	1214

D STREET | 52/53 SERIES








D STREET | 52/53 SERIES







	MODEL	DESCRIPTION	FINISH	PRICE
	5202MZB smooth insert	8" Widespread Lavatory Faucet with ZeroDrain - Medium Spout <ul style="list-style-type: none"> • 5-5/16" spout center to center • 1/4 turn ceramic disc cartridge(s) • 1-1/4" pop-down style ZeroDrain assembly • 1.2 gpm water saving aerator 	polished chrome	787
	5202MFZB carbon fiber insert		standard	945
	5202MKZB knurled insert		special	1063
			premium	1259
	5202M smooth insert	8" Widespread Lavatory Faucet - Medium Spout <ul style="list-style-type: none"> • 5-5/16" spout center to center • 1/4 turn ceramic disc cartridge(s) • 1-1/4" all brass touch style pop-up drain assembly • 1.2 gpm water saving aerator 	polished chrome	739
	5202MF carbon fiber insert		standard	887
	5202MK knurled insert		special	998
			premium	1182
	5202QZB smooth insert	8" Widespread Lavatory Faucet with ZeroDrain - Quad Spout <ul style="list-style-type: none"> • 6" spout center to center • 1/4 turn ceramic disc cartridge(s) • 1-1/4" pop-down style ZeroDrain assembly • 1.2 gpm water saving aerator 	polished chrome	807
	5202QFZB carbon fiber insert		standard	969
	5202QKZB knurled insert		special	1090
			premium	1291

	MODEL	DESCRIPTION	FINISH	PRICE
	5202Q smooth insert	8" Widespread Lavatory Faucet - Quad Spout <ul style="list-style-type: none"> • 6" spout center to center • 1/4 turn ceramic disc cartridge(s) • 1-1/4" all brass touch style pop-up drain assembly • 1.2 gpm water saving aerator 	polished chrome	759
	5202QF carbon fiber insert		standard	911
	5202QK knurled insert		special	1025
			premium	1214
	5302ZB smooth insert	8" Widespread Lavatory Faucet with ZeroDrain - High Spout <ul style="list-style-type: none"> • 6" spout center to center • 1/4 turn ceramic disc cartridge(s) • 1-1/4" pop-down style ZeroDrain assembly • 1.2 gpm water saving aerator 	polished chrome	807
	5302FZB carbon fiber insert		standard	969
	5302KZB knurled insert		special	1090
			premium	1291
	5302 smooth insert	8" Widespread Lavatory Faucet - High Spout <ul style="list-style-type: none"> • 6" spout center to center • 1/4 turn ceramic disc cartridge(s) • 1-1/4" all brass touch style pop-up drain assembly • 1.2 gpm water saving aerator 	polished chrome	759
	5302F carbon fiber insert		standard	911
	5302K knurled insert		special	1025
			premium	1214

D STREET | 52/53 SERIES







D STREET | 52/53 SERIES



	MODEL	DESCRIPTION	FINISH	PRICE
	5302MZB smooth insert	8" Widespread Lavatory Faucet with ZeroDrain - Medium Spout <ul style="list-style-type: none"> • 5-5/16" spout center to center • 1/4 turn ceramic disc cartridge(s) • 1-1/4" pop-down style ZeroDrain assembly • 1.2 gpm water saving aerator 	polished chrome	787
	5302MFZB carbon fiber insert		standard	945
	5302MKZB knurled insert		special	1063
			premium	1259
	5302M smooth insert	8" Widespread Lavatory Faucet - Medium Spout <ul style="list-style-type: none"> • 5-5/16" spout center to center • 1/4 turn ceramic disc cartridge(s) • 1-1/4" all brass touch style pop-up drain assembly • 1.2 gpm water saving aerator 	polished chrome	739
	5302MF carbon fiber insert		standard	887
	5302MK knurled insert		special	998
			premium	1182
	5302QZB smooth insert	8" Widespread Lavatory Faucet with ZeroDrain - Quad Spout <ul style="list-style-type: none"> • 6" spout center to center • 1/4 turn ceramic disc cartridge(s) • 1-1/4" pop-down style ZeroDrain assembly • 1.2 gpm water saving aerator 	polished chrome	807
	5302QFZB carbon fiber insert		standard	969
	5302QKZB knurled insert		special	1090
			premium	1291
				

	MODEL	DESCRIPTION	FINISH	PRICE
	<p>5302Q smooth insert</p>	<p>8" Widespread Lavatory Faucet - Quad Spout</p> <ul style="list-style-type: none"> • 6" spout center to center • 1/4 turn ceramic disc cartridge(s) • 1-1/4" all brass touch style pop-up drain assembly • 1.2 gpm water saving aerator 	<p>polished chrome standard special premium</p>	<p>759 911 1025 1214</p>
	<p>5302QF carbon fiber insert</p>			
	<p>5302QK knurled insert</p>			
	<p>5201-1</p>	<p>Single Hole Lavatory Faucet</p> <ul style="list-style-type: none"> • 5-5/8" overall height • 4-3/16" spout center to center • ceramic mixing cartridge • 1-1/4" all brass touch style pop-up drain assembly • 1.2 gpm water saving aerator 	<p>polished chrome standard special premium</p>	<p>395 474 533 632</p>
	<p>5201-3</p>	<p>Single Hole Lavatory Faucet - Medium</p> <ul style="list-style-type: none"> • 8-5/8" overall height • 4-3/16" spout center to center • ceramic mixing cartridge • 1.2 gpm water saving aerator 	<p>polished chrome standard special premium</p>	<p>475 570 641 760</p>
	<p>5201-2</p>	<p>Single Hole Lavatory Faucet - High</p> <ul style="list-style-type: none"> • 11-1/2" overall height • 4-3/16" spout center to center • ceramic mixing cartridge • 1.2 gpm water saving aerator 	<p>polished chrome standard special premium</p>	<p>495 594 668 792</p>

D STREET | 52/53 SERIES







D STREET | 52/53 SERIES







	MODEL	DESCRIPTION	FINISH	PRICE	
	TO-V5202-7 smooth insert	Vessel Lavatory Faucet Trim Only <ul style="list-style-type: none"> • 7" spout wall to center • 1.2 gpm water saving aerator 	polished chrome	509	
			standard	611	
			special	687	
	TO-V5202F-7 carbon fiber insert		premium	814	
			REQUIRES ROUGH VALVE: VL-R		295
			REQUIRES ROUGH VALVE: VL-R		295
	TO-V5202K-7 knurled insert				
			REQUIRES ROUGH VALVE: VL-R		295
			REQUIRES ROUGH VALVE: VL-R		295
	TO-V5202-9 smooth insert	Vessel Lavatory Faucet Trim Only <ul style="list-style-type: none"> • 9" spout wall to center • 1.2 gpm water saving aerator 	polished chrome	519	
			standard	623	
			special	701	
	TO-V5202F-9 carbon fiber insert		premium	830	
			REQUIRES ROUGH VALVE: VL-R		295
			REQUIRES ROUGH VALVE: VL-R		295
	TO-V5202K-9 knurled insert				
			REQUIRES ROUGH VALVE: VL-R		295
			REQUIRES ROUGH VALVE: VL-R		295

	MODEL	DESCRIPTION	FINISH	PRICE
	TO-V5302-7 smooth insert	Vessel Lavatory Faucet Trim Only <ul style="list-style-type: none"> • 7" spout wall to center • 1/4 turn ceramic disc cartridge(s) • 1.2 gpm water saving aerator 	polished chrome	509
	TO-V5302F-7 carbon fiber insert		standard	611
	TO-V5302K-7 knurled insert		special	687
	premium		814	
REQUIRES ROUGH VALVE:			VL-R	295
	TO-V5302-9 smooth insert	Vessel Lavatory Faucet Trim Only <ul style="list-style-type: none"> • 9" spout wall to center • 1.2 gpm water saving aerator 	polished chrome	519
	TO-V5302F-9 carbon fiber insert		standard	623
	TO-V5302K-9 knurled insert		special	701
	premium		830	
REQUIRES ROUGH VALVE:			VL-R	295

D STREET | 52/53 SERIES







D STREET | 52/53 SERIES



MODEL	DESCRIPTION	FINISH	PRICE
 <p>TO-THN-52 smooth insert</p>  <p>TO-THN-52F carbon fiber insert</p>  <p>TO-THN-52K knurled insert</p>	<p>StyleTherm® 3/4" Thermostatic Trim Only</p> <ul style="list-style-type: none"> • all brass construction • 100° F safety stop button with manual override • separate volume control required • 7-1/4" round faceplate 	<p>polished chrome 307 standard 368 special 414 premium 491</p>	
REQUIRES ROUGH VALVE:		TH75-R	459
 <p>TO-THCN-52 smooth insert</p>  <p>TO-THCN-52F carbon fiber insert</p>  <p>TO-THCN-52K knurled insert</p>	<p>StyleTherm® 3/4" Thermostatic Trim Only</p> <ul style="list-style-type: none"> • all brass construction • 100° F safety stop button with manual override • separate volume control required • 7-7/8" by 5-7/8" rectangular faceplate 	<p>polished chrome 342 standard 410 special 462 premium 547</p>	
REQUIRES ROUGH VALVE:		TH75-R	459

	MODEL	DESCRIPTION	FINISH	PRICE
	TO-THFN-52 smooth insert	StyleTherm® 3/4" Thermostatic Trim Only <ul style="list-style-type: none"> • all brass construction • 100° F safety stop button with manual override • separate volume control required • 5-1/2" square faceplate; flat profile 	polished chrome	432
			standard	518
			special	583
	TO-THFN-52F carbon fiber insert		premium	691
	TO-THFN-52K knurled insert			
			REQUIRES ROUGH VALVE: TH75-R	459
	TO-THN-53 smooth insert	StyleTherm® 3/4" Thermostatic Trim Only <ul style="list-style-type: none"> • all brass construction • 100° F safety stop button with manual override • separate volume control required • 7-1/4" round faceplate 	polished chrome	307
			standard	368
			special	414
	TO-THN-53F carbon fiber insert		premium	491
	TO-THN-53K knurled insert			
			REQUIRES ROUGH VALVE: TH75-R	459

D STREET | 52/53 SERIES







D STREET | 52/53 SERIES







	MODEL	DESCRIPTION	FINISH	PRICE
	TO-THCN-53 smooth insert	StyleTherm® 3/4" Thermostatic Trim Only <ul style="list-style-type: none"> • all brass construction • 100° F safety stop button with manual override • separate volume control required • 7-7/8" by 5-7/8" rectangular faceplate 	polished chrome	342
			standard	410
			special	462
	TO-THCN-53F carbon fiber insert		premium	547
	TO-THCN-53K knurled insert			
			REQUIRES ROUGH VALVE: TH75-R	459
	TO-THFN-53 smooth insert	StyleTherm® 3/4" Thermostatic Trim Only <ul style="list-style-type: none"> • all brass construction • 100° F safety stop button with manual override • 5-1/2" square faceplate; flat profile • separate volume control required • 5-1/2" square faceplate; flat profile 	polished chrome	432
			standard	518
			special	583
	TO-THFN-53F carbon fiber insert		premium	691
	TO-THFN-53K knurled insert			
			REQUIRES ROUGH VALVE: TH75-R	459

MODEL	DESCRIPTION	FINISH	PRICE
	<p>StyleTherm® Trim Only With Single Volume Control</p> <ul style="list-style-type: none"> • all brass construction • 100° F safety stop button with manual override • single integral volume control • 7-1/4" round faceplate 	<p>polished chrome 315 standard 378 special 425 premium 504</p>	
	<p>TO-THIL-52 carbon fiber insert</p>		
	<p>TO-THIL-52K knurled insert</p>		
<p>REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:</p>		<p>TH51-R TH51D2-R</p>	<p>359 475</p>
	<p>StyleTherm® Trim Only With Single Volume Control</p> <ul style="list-style-type: none"> • all brass construction • 100° F safety stop button with manual override • single integral volume control • 7-7/8" by 5-7/8" rectangular faceplate 	<p>polished chrome 350 standard 420 special 473 premium 560</p>	
	<p>TO-THCIL-52 smooth insert</p>		
	<p>TO-THCIL-52F carbon fiber insert</p>		
<p>TO-THCIL-52K knurled insert</p>			
<p>REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:</p>		<p>TH51-R TH51D2-R</p>	<p>359 475</p>







D STREET | 52/53 SERIES







D STREET | 52/53 SERIES

	MODEL	DESCRIPTION	FINISH	PRICE
	TO-THFIL-52 smooth insert	StyleTherm® Trim Only With Single Volume Control <ul style="list-style-type: none"> • all brass construction • 100° F safety stop button with manual override • single integral volume control • 5-1/2" square faceplate; flat profile 	polished chrome	440
			standard	528
			special	594
	TO-THFIL-52F carbon fiber insert		premium	704
	TO-THFIL-52K knurled insert			
		REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:	TH51-R	359
			TH51D2-R	475
	TO-THIL-53 smooth insert	StyleTherm® Trim Only With Single Volume Control <ul style="list-style-type: none"> • all brass construction • 100° F safety stop button with manual override • single integral volume control • 7-1/4" round faceplate 	polished chrome	315
			standard	378
			special	425
	TO-THIL-53F carbon fiber insert		premium	504
	TO-THIL-53K knurled insert			
		REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:	TH51-R	359
			TH51D2-R	475

	MODEL	DESCRIPTION	FINISH	PRICE
	TO-THCIL-53 smooth insert	StyleTherm® Trim Only With Single Volume Control <ul style="list-style-type: none"> • all brass construction • 100° F safety stop button with manual override • single integral volume control • 7-7/8" by 5-7/8" rectangular faceplate 	polished chrome	350
			standard	420
			special	473
			premium	560
	TO-THCIL-53F carbon fiber insert			
	TO-THCIL-53K knurled insert			
REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:			TH51-R	359
			TH51D2-R	475
	TO-THFIL-53 smooth insert	StyleTherm® Trim Only With Single Volume Control <ul style="list-style-type: none"> • all brass construction • 100° F safety stop button with manual override • single integral volume control • 5-1/2" square faceplate; flat profile 	polished chrome	440
			standard	528
			special	594
			premium	704
	TO-THFIL-53F carbon fiber insert			
	TO-THFIL-53K knurled insert			
REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:			TH51-R	359
			TH51D2-R	475







D STREET | 52/53 SERIES







MODEL	DESCRIPTION	FINISH	PRICE
 <p>TO-TH2L-52 smooth insert</p>  <p>TO-TH2L-52F carbon fiber insert</p>  <p>TO-TH2L-52K knurled insert</p>	<p>StyleTherm® Trim Only With Dual Volume Control</p> <ul style="list-style-type: none"> • all brass construction • 100° F safety stop button with manual override • dual integral volume control • 7-1/4" round faceplate <hr/> <p>REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:</p>	<p>polished chrome 323 standard 388 special 436 premium 517</p>	<p>323 388 436 517</p>
 <p>TO-THC2L-52 smooth insert</p>  <p>TO-THC2L-52F</p>  <p>TO-THC2L-52K knurled insert</p>	<p>StyleTherm® Trim Only With Dual Volume Control</p> <ul style="list-style-type: none"> • all brass construction • 100° F safety stop button with manual override • dual integral volume control • 7-7/8" by 5-7/8" rectangular faceplate <hr/> <p>REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:</p>	<p>polished chrome 358 standard 430 special 483 premium 573</p>	<p>358 430 483 573</p>

	MODEL	DESCRIPTION	FINISH	PRICE
	TO-THF2L-52 smooth insert	StyleTherm® Trim Only With Dual Volume Control <ul style="list-style-type: none"> • all brass construction • 100° F safety stop button with manual override • dual integral volume control • 6-5/16" by 5-1/2" rectangular faceplate; flat profile 	polished chrome	448
			standard	538
			special	605
			premium	717
	TO-THF2L-52F carbon fiber insert			
	TO-THF2L-52K knurled insert			
REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:			TH52-R	399
			TH52D2-R	549
	TO-TH2L-53 smooth insert	StyleTherm® Trim Only With Dual Volume Control <ul style="list-style-type: none"> • all brass construction • 100° F safety stop button with manual override • dual integral volume control • 7-1/4" round faceplate 	polished chrome	323
			standard	388
			special	436
			premium	517
	TO-TH2L-53F carbon fiber insert			
	TO-TH2L-53K knurled insert			
REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:			TH52-R	399
			TH52D2-R	549

D STREET | 52/53 SERIES







D STREET | 52/53 SERIES







MODEL	DESCRIPTION	FINISH	PRICE
 <p>TO-THC2L-53 smooth insert</p>  <p>TO-THC2L-53F carbon fiber insert</p>  <p>TO-THC2L-53K knurled insert</p>	<p>StyleTherm® Trim Only With Dual Volume Control</p> <ul style="list-style-type: none"> • all brass construction • 100° F safety stop button with manual override • dual integral volume control • 7-7/8" by 5-7/8" rectangular faceplate 		<p>polished chrome 358 standard 430 special 483 premium 573</p>
<p>REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:</p>		<p>TH52-R TH52D2-R</p>	<p>399 549</p>
 <p>TO-THF2L-53 smooth insert</p>  <p>TO-THF2L-53F carbon fiber insert</p>  <p>TO-THF2L-53K knurled insert</p>	<p>StyleTherm® Trim Only With Dual Volume Control</p> <ul style="list-style-type: none"> • all brass construction • 100° F safety stop button with manual override • dual integral volume control • 6-5/16" by 5-1/2" rectangular faceplate; flat profile 		<p>polished chrome 448 standard 538 special 605 premium 717</p>
<p>REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:</p>		<p>TH52-R TH52D2-R</p>	<p>399 549</p>

MODEL	DESCRIPTION	FINISH	PRICE
 <p>TO-52-W smooth insert</p>  <p>TO-52F-W carbon fiber insert</p>  <p>TO-52K-W knurled insert</p>	<p>Wall or Deck Handle Trim Only</p> <ul style="list-style-type: none"> • Base diameter 2" • Use for wall stop, wall diverter; or deck diverter <hr/> <p>REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:</p>	<p>polished chrome standard special premium</p>	<p>149 179 201 238</p> <hr/> <p>50-W-R 129 75-W-R 165 WDV-R 239 WDV-NS-R 249 DDV-R 279</p>
 <p>TO-53-W smooth insert</p>  <p>TO-53F-W carbon fiber insert</p>  <p>TO-53K-W knurled insert</p>	<p>Wall or Deck Handle Trim Only</p> <ul style="list-style-type: none"> • Base diameter 2" • Use for wall stop, wall diverter; or deck diverter <hr/> <p>REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:</p>	<p>polished chrome standard special premium</p>	<p>149 179 201 238</p> <hr/> <p>50-W-R 129 75-W-R 165 WDV-R 239 WDV-NS-R 249 DDV-R 279</p>

D STREET | 52/53 SERIES







D STREET | 52/53 SERIES







MODEL	DESCRIPTION	FINISH	PRICE
 <p>TO-PBL-52 smooth insert</p>	<p>Pressure Balance Trim Only</p> <ul style="list-style-type: none"> • screwless faceplate • 7-1/4" round faceplate 	<p>polished chrome standard special premium</p>	<p>275 330 371 440</p>
 <p>TO-PBL-52F carbon fiber insert</p>			
 <p>TO-PBL-52K knurled insert</p>			
 <p>TO-PBL-53 smooth insert</p>	<p>Pressure Balance Trim Only</p> <ul style="list-style-type: none"> • screwless faceplate • 7-1/4" round faceplate 	<p>polished chrome standard special premium</p>	<p>275 330 371 440</p>
 <p>TO-PBL-53F carbon fiber insert</p>			
 <p>TO-PBL-53K knurled insert</p>			
	<p>REQUIRES ROUGH VALVE: PB-R</p>		<p>249</p>

MODEL	DESCRIPTION	FINISH	PRICE
 <p>5208 smooth insert</p>	<p>Complete Roman Tub Set</p> <ul style="list-style-type: none"> • 8-15/16" spout center to center • max flow rate: 1.6 gpm at 60 psi • includes rough valves • comes as complete set with trim and valves 		<p>polished chrome 629 standard 755 special 849 premium 1006</p>
 <p>5208F carbon fiber insert</p>			
 <p>5208K knurled insert</p>			
 <p>5308 smooth insert</p>	<p>Complete Roman Tub Set</p> <ul style="list-style-type: none"> • 8-15/16" spout center to center • max flow rate: 1.6 gpm at 60 psi • includes rough valves • comes as complete set with trim and valves 		<p>polished chrome 629 standard 755 special 849 premium 1006</p>
 <p>5308F carbon fiber insert</p>			
 <p>5308K knurled insert</p>			

D STREET | 52/53 SERIES







D STREET | 52/53 SERIES

MODEL	DESCRIPTION	FINISH	PRICE
 <p>TO-52.62.FR smooth insert</p>  <p>TO-52F.62.FR carbon fiber insert</p>  <p>TO-52K.62.FR knurled insert</p>	<p>Handshower & Diverter Trim Only for Roman Tub</p> <ul style="list-style-type: none"> • HS-62 handshower • replace .FR with desired max flow rate: TO-52.62.20 for 2.0 gpm TO-52.62.18 for 1.8 gpm <hr/> <p style="text-align: right;">REQUIRES ROUGH VALVE: DDV-R</p>	<p>polished chrome 379 standard 455 special 512 premium 606</p>	<p>379 455 512 606</p>
 <p>TO-53.62.FR smooth insert</p>  <p>TO-53F.62.FR carbon fiber insert</p>  <p>TO-53K.62.FR knurled insert</p>	<p>Handshower & Diverter Trim Only for Roman Tub</p> <ul style="list-style-type: none"> • HS-62 handshower • replace .FR with desired max flow rate: TO-53.62.20 for 2.0 gpm TO-53.62.18 for 1.8 gpm <hr/> <p style="text-align: right;">REQUIRES ROUGH VALVE: DDV-R</p>	<p>polished chrome 379 standard 455 special 512 premium 606</p>	<p>379 455 512 606</p>

MODEL	DESCRIPTION	FINISH	PRICE	
 TO-5203L smooth insert	3 Handle Tub and Shower Trim Only • handle & escutcheon - 3 sets	polished chrome	447	
		standard	536	
		special	603	
 TO-5203FL carbon fiber insert		special	603	
		premium	715	
		REQUIRES ROUGH VALVE: 3-VR		498
 TO-5203KL knurled insert				
		REQUIRES ROUGH VALVE: 3-VR		498
 TO-5303L smooth insert	3 Handle Tub and Shower Trim Only • handle & escutcheon - 3 sets	polished chrome	447	
		standard	536	
		special	603	
 TO-5303FL carbon fiber insert		special	603	
		premium	715	
		REQUIRES ROUGH VALVE: 3-VR		498
 TO-5303KL knurled insert				
		REQUIRES ROUGH VALVE: 3-VR		498

D STREET | 52/53 SERIES





D STREET | 52/53 SERIES








MODEL	DESCRIPTION	FINISH	PRICE
	TO-5206L smooth insert	polished chrome standard special premium	298 358 402 477
	TO-5206FL carbon fiber insert		
	TO-5206KL knurled insert		
REQUIRES ROUGH VALVE:		2-VR	325
	TO-5306L smooth insert	polished chrome standard special premium	298 358 402 477
	TO-5306FL carbon fiber insert		
	TO-5306KL knurled insert		
REQUIRES ROUGH VALVE:		2-VR	325

	MODEL	DESCRIPTION	FINISH	PRICE
	TS-52-52	Wall Tub Spout <ul style="list-style-type: none"> • 7" wall to center • 1/2" MIP inlet • max flow rate: 1.6 gpm at 60 psi • for use with StyleTherm, 3-VR or 2-VR valves 	polished chrome standard special premium	189 227 255 302
	D-52-52	Deluxe Wall Tub Spout <ul style="list-style-type: none"> • 9" wall to center • 1/2" MIP inlet • max flow rate: 1.6 gpm at 60 psi • for use with StyleTherm, 3-VR or 2-VR valves 	polished chrome standard special premium	207 248 279 331
	DE-52-52	Deluxe Wall Tub Spout <ul style="list-style-type: none"> • 12" wall to center • 1/2" MIP inlet • max flow rate: 1.6 gpm at 60 psi • for use with StyleTherm, 3-VR or 2-VR valves 	polished chrome standard special premium	211 253 285 338
	5204 smooth insert 5204F carbon fiber insert 5204K knurled insert	Bidet Set <ul style="list-style-type: none"> • 1/4 turn ceramic disc cartridge(s) • vertical spray and rim flush • anti-siphon atmospheric vacuum breaker diverter • 1-1/4" all brass lift rod style pop-up drain assembly 	polished chrome standard special premium	1175 1410 1586 1880

D STREET | 52/53 SERIES

D STREET | 52/53 SERIES

MODEL	DESCRIPTION	FINISH	PRICE
	<p>5304 smooth insert</p>	<p>Bidet Set</p> <ul style="list-style-type: none"> • 1/4 turn ceramic disc cartridge(s) • vertical spray and rim flush • anti-siphon atmospheric vacuum breaker diverter • 1-1/4" all brass lift rod style pop-up drain assembly 	
	<p>5304F carbon fiber insert</p>	<p>polished chrome 1175 standard 1410 special 1586 premium 1880</p>	
	<p>5304K knurled insert</p>		
	<p>5204-MONO</p>	<p>Monoblock Bidet Set</p> <ul style="list-style-type: none"> • 6-1/4" overall height • 3-3/4" spout center to center • ceramic mixing cartridge • swivel end spray • 1-1/4" all brass touch style pop-up drain assembly 	
<p>polished chrome 629 standard 755 special 849 premium 1006</p>			

	MODEL	DESCRIPTION	FINISH	PRICE
	52-9 Available Early 2021	9" Towel Bar	polished chrome standard special premium	99 119 134 158
	52-18 Available Early 2021	18" Towel Bar	polished chrome standard special premium	109 131 147 174
	52-24 Available Early 2021	24" Towel Bar	polished chrome standard special premium	119 143 161 190
	52-30 Available Early 2021	30" Towel Bar	polished chrome standard special premium	129 155 174 206
	52-RH Available Early 2021	Robe Hook	polished chrome standard special premium	55 66 74 88
	52-STP Available Early 2021	Single Post Toilet Paper / Hand Towel Holder	polished chrome standard special premium	85 102 115 136
	52-TR Available Early 2021	Towel Ring	polished chrome standard special premium	75 90 101 120

D STREET | 52/53 SERIES



WATERSENSE CERTIFIED
LAVATORY FAUCETS



LEVER HANDLES
ONLY












LIBRETTO | E5 SERIES

	MODEL	DESCRIPTION	FINISH	PRICE
	E501-1	Single Hole Lavatory Faucet <ul style="list-style-type: none"> • 6-3/8" overall height • 4-7/16" spout center to center • ceramic mixing cartridge • 1-1/4" all brass touch style pop up drain assembly • 1.2 gpm water saving aerator 	polished chrome standard special premium	659 791 890 1054
	E501-2	Single Hole Lavatory Faucet <ul style="list-style-type: none"> • 12-5/16" overall height • 4-7/16" spout center to center • ceramic mixing cartridge • 1.2 gpm water saving aerator 	polished chrome standard special premium	759 911 1025 1214
	TO-VE502-7	Vessel Lavatory Faucet Trim Only <ul style="list-style-type: none"> • 6-1/2" spout wall to center • 1.2 gpm water saving aerator 	polished chrome standard special premium	579 695 782 926
			REQUIRES ROUGH VALVE: VL-R	295




LIBRETTO | E5 SERIES

LIBRETTO | E5 SERIES




	MODEL	DESCRIPTION	FINISH	PRICE
	TO-THN-E5	StyleTherm 3/4" Thermostatic Trim Only		
		<ul style="list-style-type: none"> • all brass construction • 100° F safety stop button with manual override • separate volume control required • 7-1/4" round faceplate 	polished chrome 329 standard 395 special 444 premium 526	
		REQUIRES ROUGH VALVE:	TH75-R	459
	TO-THCN-E5	StyleTherm 3/4" Thermostatic Trim Only		
		<ul style="list-style-type: none"> • All brass construction • 100° F safety stop button with manual override • separate volume control required • 7-7/8" by 5-7/8" rectangular faceplate 	polished chrome 364 standard 437 special 491 premium 582	
		REQUIRES ROUGH VALVE:	TH75-R	459
	TO-THFN-E5	StyleTherm 3/4" Thermostatic Trim Only		
		<ul style="list-style-type: none"> • All brass construction • 100° F safety stop button with manual override • 5-1/2" square faceplate; flat profile 	polished chrome 454 standard 545 special 613 premium 726	
		REQUIRES ROUGH VALVE:	TH75-R	459
	TO-THIL-E5	StyleTherm ® Trim Only With Single Volume Control		
		<ul style="list-style-type: none"> • all brass construction • 100° F safety stop button with manual override • single integral volume control • 7-1/4" round faceplate 	polished chrome 337 standard 404 special 455 premium 539	
		REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:	TH51-R TH51D2-R	359 475
	TO-THCIL-E5	StyleTherm ® Trim Only With Single Volume Control		
		<ul style="list-style-type: none"> • all brass construction • 100° F safety stop button with manual override • single integral volume control • 7-7/8" by 5-7/8" rectangular faceplate 	polished chrome 372 standard 446 special 502 premium 595	
		REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:	TH51-R TH51D2-R	359 475
	TO-THFIL-E5	StyleTherm ® Trim Only With Single Volume Control		
		<ul style="list-style-type: none"> • all brass construction • 100° F safety stop button with manual override • single integral volume control • 5-1/2" square faceplate; flat profile 	polished chrome 462 standard 554 special 624 premium 739	
		REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:	TH51-R TH51D2-R	359 475
	TO-TH2L-E5	StyleTherm ® Trim Only with Dual Volume Control		
		<ul style="list-style-type: none"> • all brass construction • 100° F safety stop button with manual override • dual integral volume controls • 7-1/4" round faceplate 	polished chrome 345 standard 414 special 466 premium 552	
		REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:	TH52-R TH52D2-R	399 549
	TO-THC2L-E5	StyleTherm ® Trim Only with Dual Volume Control		
		<ul style="list-style-type: none"> • all brass construction • 100° F safety stop button with manual override • dual integral volume control • 7-7/8" by 5-7/8" rectangular faceplate 	polished chrome 380 standard 456 special 513 premium 608	
		REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:	TH52-R TH52D2-R	399 549
	TO-THF2L-E5	StyleTherm ® Trim Only with Dual Volume Control		
		<ul style="list-style-type: none"> • all brass construction • 100° F safety stop button with manual override • dual integral volume control • 6-5/16" by 5-1/2" rectangular faceplate; flat profile 	polished chrome 470 standard 564 special 635 premium 752	
		REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:	TH52-R TH52D2-R	399 549

	MODEL	DESCRIPTION	FINISH	PRICE
	TO-E5-W	Wall or Deck Handle Trim Only <ul style="list-style-type: none"> base diameter 2" use for wall stop, wall diverter, or deck diverter 	polished chrome	149
			standard	179
			special	201
			premium	238
		REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:	50-W-R	129
			75-W-R	165
			WDV-R	239
			WDV-NS-R	249
			DDV-R	279
	TO-PBL-E5	Pressure Balance Trim Only <ul style="list-style-type: none"> screwless faceplate 7-1/4" round faceplate 	polished chrome	299
			standard	359
			special	404
			premium	478
		REQUIRES ROUGH VALVE:	PB-R	249
	TO-E506L	2 Handle Tub or Shower Trim Only <ul style="list-style-type: none"> handle & escutcheon - 2 sets 	polished chrome	298
			standard	358
			special	402
			premium	477
		REQUIRES ROUGH VALVE:	2-VR	325
	TO-E503L	3 Handle Tub and Shower Trim Only <ul style="list-style-type: none"> handle & escutcheon - 3 sets 	polished chrome	447
			standard	536
			special	603
			premium	715
		REQUIRES ROUGH VALVE:	3-VR	498
	TS-E5-E5	Wall Tub Spout <ul style="list-style-type: none"> 6-1/2" wall to center includes base ring includes QC-E3 quick connect with 1/2" FIP inlet max flow rate: 10 gpm at 60 psi for use with StyleTherm, 3-VR or 2-VR 	polished chrome	361
			standard	433
			special	487
			premium	578
	E504	Bidet Set <ul style="list-style-type: none"> 1/4 turn ceramic disc cartridge(s) vertical spray and rim flush anti-siphon atmospheric vacuum breaker diverter 1-1/4" all brass lift rod style pop-up drain assembly 	polished chrome	1175
			standard	1410
			special	1586
			premium	1880
	E504-MONO	Monoblock Bidet Set <ul style="list-style-type: none"> 6-7/16" overall height 4" spout center to center ceramic mixing cartridge swivel end spray 1-1/4" all brass touch style pop up drain assembly 	polished chrome	695
			standard	834
			special	938
			premium	1112

STYLEDRAIN® by Christopher Grubb

	MODEL #	DESCRIPTION	FINISH	PRICE
	9195-A	<p>Strathmore StyleDrain® Trim Grid Only</p> <ul style="list-style-type: none"> • 5-1/4" × 5-1/4" forged brass trim grid • use with 9177, 9177-BFA, 9177-BFP, 9178 or 9178-UG-2 <p><i>see catalog pages 374-377 for all StyleDrain rough kits</i></p>	polished chrome 239 standard 287 special 323 premium 382	
	9196-A	<p>Camden StyleDrain® Trim Grid Only</p> <ul style="list-style-type: none"> • 5-1/4" × 5-1/4" forged brass trim grid • use with 9177, 9177-BFA, 9177-BFP, 9178 or 9178-UG-2 <p><i>see catalog pages 374-377 for all StyleDrain rough kits</i></p>	polished chrome 239 standard 287 special 323 premium 382	
	9197-A	<p>Roxbury StyleDrain® Trim Grid Only</p> <ul style="list-style-type: none"> • 5-1/4" × 5-1/4" forged brass trim grid • use with 9177, 9177-BFA, 9177-BFP, 9178 or 9178-UG-2 <p><i>see catalog pages 374-377 for all StyleDrain rough kits</i></p>	polished chrome 239 standard 287 special 323 premium 382	
	9198-A	<p>Mulholland StyleDrain® Trim Grid Only</p> <ul style="list-style-type: none"> • 5-1/4" × 5-1/4" forged brass trim grid • use with 9177, 9177-BFA, 9177-BFP, 9178 or 9178-UG-2 <p><i>see catalog pages 374-377 for all StyleDrain rough kits</i></p>	polished chrome 239 standard 287 special 323 premium 382	

LARGE FORMAT DESIGNER SHOWERHEADS






	MODEL #	DESCRIPTION	FINISH	PRICE
	SH-1019R.FR	19" Convex Rain Showerhead <ul style="list-style-type: none"> • 1/2" FIP • brass construction • self-cleaning rubber jets • 19" diameter brass body • replace .FR with desired max low rate: <p style="margin-left: 40px;">SH-1019R.25 for 2.5 gpm SH-1019R.18 for 1.8 gpm</p>	polished chrome 3695 standard 4434 special 4988 premium 5912	
	SH-1320S.FR	13" x 20" Ultra-Thin Rectangular Rain Showerhead <ul style="list-style-type: none"> • integral arm bracket with 1/2" FIP quick connect • brass construction • self-cleaning rubber jets • 13" wide x 20" long; ultra-thin 2mm thickness • replace .FR with desired max flow rate: <p style="margin-left: 40px;">SH-1320S.25 for 2.5 gpm SH-1320S.18 for 1.8 gpm</p> <p style="margin-left: 40px;"><i>Requires additional in-wall support; see installation instructions</i></p>	polished chrome 2359 standard 2874 special 3223 premium 3832	
	SH-1320W	13" x 20" Ultra-Thin Rectangular Rain and Waterfall Showerhead <ul style="list-style-type: none"> • integral arm bracket with 1/2" FIP quick connect • brass construction • self-cleaning rubber jets • 5-1/2" wide waterfall • 13" wide x 20" long; ultra-thin 2mm thickness <p style="margin-left: 40px;"><i>Requires additional in-wall support; see installation instructions</i></p> <p style="margin-left: 40px;">Requires 9140-FR rough kit</p>	polished chrome 2,759 standard 3,311 special 3,725 premium 4,414	

LARGE FORMAT DESIGNER SHOWERHEADS

	MODEL #	DESCRIPTION	FINISH	PRICE
	SH-1509C.FR	9" x 15" Arched Rain Showerhead <ul style="list-style-type: none"> • 1/2" FIP • self-cleaning rubber jets • 15" wide x 9" long brass body • replace .FR with desired max flow rate: SH-1509C.25 for 2.5 gpm SH-1509C.18 for 1.8 gpm 	polished chrome standard special premium	1395 1674 1883 2232
	SH-2216C.FR	16" x 22" Arched Rain Showerhead <ul style="list-style-type: none"> • integral arm bracket with 1/2" FIP quick connect • brass construction • self-cleaning rubber jets • 22" wide x 16" long brass body • replace .FR with desired max flow rate: SH-2216C.25 for 2.5 gpm <p style="text-align: center;"><i>Requires additional in-wall support; see installation instructions</i></p> <p style="text-align: center;"><i>Available in 2.5 gpm only</i></p>	polished chrome standard special premium	3295 3954 4448 5272
	9140.FR	Rough for SH-1320W Showerhead <ul style="list-style-type: none"> • 1/2" FIP - 2 inlet • includes mudguard • separate flow waterways • mounts directly to in-wall cross support • replace .FR with desired max flow rate: 9140.25 for 2.5 gpm 9140.18 for 1.8 gpm <p style="text-align: center;">FEDERAL & LOCAL CODE REQUIRES NON-SHARED FLOW VALVE. THE FOLLOWING MEET THIS REQUIREMENT: TH51D2-R, TH52D2-R & WDV-NS-R</p>		295



CURVED SHOWER ARMS

	MODEL	DESCRIPTION	FINISH	PRICE
	9107-47	Curved Showerarm - Hex Base <ul style="list-style-type: none"> • all brass construction • 1/2" FIP inlet via quick connect • 1/2" MIP outlet • 20" wall to center • 16-5/16" overall height • secure quick connect prevents rotation of arm • supports showerhead weight of 14 LBS. max • includes all mounting hardware 	polished chrome standard special premium	395 474 533 632
	9107-48	Curved Showerarm - Concave Base <ul style="list-style-type: none"> • all brass construction • 1/2" FIP inlet via quick connect • 1/2" MIP outlet • 20" wall to center • 16-5/16" overall height • secure quick connect prevents rotation of arm • supports showerhead weight of 14 LBS. max • includes all mounting hardware 	polished chrome standard special premium	395 474 533 632
	9107-60	Curved Showerarm - Line Base <ul style="list-style-type: none"> • all brass construction • 1/2" FIP inlet via quick connect • 1/2" MIP outlet • 20" wall to center • 16-5/16" overall height • secure quick connect prevents rotation of arm • supports showerhead weight of 14 LBS. max • includes all mounting hardware 	polished chrome standard special premium	395 474 533 632
	9107-65	Curved Showerarm - Round Base <ul style="list-style-type: none"> • all brass construction • 1/2" FIP inlet via quick connect • 1/2" MIP outlet • 20" wall to center • 16-5/16" overall height • secure quick connect prevents rotation of arm • supports showerhead weight of 14 LBS. max • includes all mounting hardware 	polished chrome standard special premium	395 474 533 632
	9107-77	Curved Showerarm - Square Base <ul style="list-style-type: none"> • all brass construction • 1/2" FIP inlet via quick connect • 1/2" MIP outlet • 20" wall to center • 16-5/16" overall height • secure quick connect prevents rotation of arm • supports showerhead weight of 14 LBS. max • includes all mounting hardware 	polished chrome standard special premium	395 474 533 632

CURVED SHOWER ARM

BRASS MULTI-FUNCTION HANDSHOWERS

	MODEL #	DESCRIPTION	FINISH	PRICE
	HS-073.FR	Traditional 4-1/8" Brass Multi-Function Handshower <ul style="list-style-type: none"> • 1/2" MIP inlet • 3 function handshower: rain, air & massage • self-cleaning rubber jets • all brass body • 4-1/8" diameter; gray face • replace .FR with desired max flow rate: HS-073.25 for 2.5 gpm HS-073.20 for 2.0 gpm HS-073.18 for 1.8 gpm 	polished chrome standard special premium	349 419 471 558
	HS-083.FR	Contemporary 4-1/16" Brass Multi-Function Handshower <ul style="list-style-type: none"> • 1/2" MIP inlet • 3 function handshower: rain, air & massage • self-cleaning rubber jets • all brass body • 4-1/16" diameter; gray face • replace .FR with desired max flow rate: HS-083.25 for 2.5 gpm HS-083.20 for 2.0 gpm HS-083.18 for 1.8 gpm 	polished chrome standard special premium	349 419 471 558
	HS-083-30K.FR	Industrial 4-1/16" Brass Multi-Function Handshower <ul style="list-style-type: none"> • 1/2" MIP inlet • 3 function handshower: rain, air & massage • self-cleaning rubber jets • all brass body with knurled accents • 4-1/16" diameter; gray face • replace .FR with desired max flow rate: HS-083-30K.25 for 2.5 gpm HS-083-30K.20 for 2.0 gpm HS-083-30K.18 for 1.8 gpm • complements series 30 & 31 	polished chrome standard special premium	349 419 471 558
	HS-083-85.FR	Steampunk Bay® 4-1/8" Brass Multi-Function Handshower <ul style="list-style-type: none"> • 1/2" MIP inlet • 3 function handshower: rain, air & massage • self-cleaning rubber jets • all brass body with coined accents • 4-1/8" diameter; gray face • replace .FR with desired max flow rate: HS-083-85.25 for 2.5 gpm HS-083-85.20 for 2.0 gpm HS-083-85.18 for 1.8 gpm • complements series 85 & 86 	polished chrome standard special premium	349 419 471 558

Available in all 28 artisan finishes.

HANDSHOWER, SLIDEBAR, SHOWERHEAD





	MODEL #	DESCRIPTION	FINISH	PRICE
	HS-472.FR	StyleFlow® KLIK 4-5/16" Multi-Function Push-Button Handshower <ul style="list-style-type: none"> • 1/2" MIP inlet • 2 function handshower: rain & massage • self-cleaning rubber jets • ABS body • 4-5/16" diameter • replace .FR with desired max flow rate: HS-472.25 for 2.5 gpm HS-472.18 for 1.8 gpm <p><i>Available in PC, SN & PN only</i></p>	polished chrome	139
			standard	167
	SB-85	Wall Mounted Slide Bar - Quad Base with Lever Handle <ul style="list-style-type: none"> • adjustable position slide with positive lock swivel holder • accepts most conical handshower hoses • includes all mounting hardware • complements series 85 & 86 	polished chrome	539
			standard	647
			special	728
			premium	862
	SB-85B	Wall Mounted Slide Bar - Quad Base with Blade Handle <ul style="list-style-type: none"> • adjustable position slide with positive lock swivel holder • accepts most conical handshower hoses • includes all mounting hardware • complements series 85 & 86 	polished chrome	539
			standard	647
			special	728
			premium	862
	SB-85W	Wall Mounted Slide Bar - Quad Base with Wheel Handle <ul style="list-style-type: none"> • adjustable position slide with positive lock swivel holder • accepts most conical handshower hoses • includes all mounting hardware • complements series 85 & 86 	polished chrome	589
			standard	697
			special	778
			premium	912
	SH-04T.FR	3-5/16" 6 Jet Showerhead <ul style="list-style-type: none"> • 1/2" FIP swivel inlet • brass construction • 3-5/16" diameter • replace .FR with desired max flow rate: SH-04T.25 for 2.5 gpm SH-04T.20 for 2.0 gpm SH-04T.18 for 1.8 gpm SH-04T.15 for 1.5 gpm 	polished chrome	229
			standard	275
			special	309
			premium	366

SWIVEL WALL BRACKETS






	MODEL #	DESCRIPTION	FINISH	PRICE
	SH-20S-38	Decorative Swivel Wall Bracket - Rope Base <ul style="list-style-type: none"> adjustable positive lock swivel holder accepts most conical handshower hoses includes all mounting hardware complements all rope series fittings (series 38, 58) 	polished chrome standard special premium	159 191 215 254
	SH-20S-42	Decorative Swivel Wall Bracket - Line Base <ul style="list-style-type: none"> adjustable positive lock swivel holder accepts most conical handshower hoses includes all mounting hardware complements all lined base ring fittings (series 32, 33, 34, 35, 36, 42, 50, 55, 57, 60, 61, 67, 68 & 69) 	polished chrome standard special premium	159 191 215 254
	SH-20S-47	Decorative Swivel Wall Bracket - Hex Base <ul style="list-style-type: none"> adjustable positive lock swivel holder accepts most conical handshower hoses includes all mounting hardware complements all hexagonal series fittings (series 46, 47, 51 & 63) 	polished chrome standard special premium	159 191 215 254
	SH-20S-48	Decorative Swivel Wall Bracket - Concave Base <ul style="list-style-type: none"> adjustable positive lock swivel holder accepts most conical handshower hoses includes all mounting hardware complements all concaved series fittings (series 30, 31, 31X, 45, 48, 59 & 64) 	polished chrome standard special premium	159 191 215 254
	SH-20S-65	Decorative Swivel Wall Bracket - Round Base <ul style="list-style-type: none"> adjustable positive lock swivel holder accepts most conical handshower hoses includes all mounting hardware complements all round contemporary series fittings (series E3, E4, E5, 52, 53, 62, 65, 66, 71, 73, 74 & 75) 	polished chrome standard special premium	159 191 215 254
	SH-20S-77	Decorative Swivel Wall Bracket - Square Base <ul style="list-style-type: none"> adjustable positive lock swivel holder accepts most conical handshower hoses includes all mounting hardware complements all square contemporary series fittings (series E3, 44, 70, 72, 77 & 78) 	polished chrome standard special premium	159 191 215 254
	SH-20S-85	Decorative Swivel Wall Bracket - Quad Base <ul style="list-style-type: none"> adjustable positive lock swivel holder accepts most conical handshower hoses includes all mounting hardware complements series 85 & 86 	polished chrome standard special premium	189 227 255 302

SUPPLY ELBOW W/SWIVEL HANDSHOWER HOLDER

	MODEL	DESCRIPTION	FINISH	PRICE
	SH-25S-30	Decorative Supply Elbow with Swivel Handshower Holder - Concave Base & Hex Cap <ul style="list-style-type: none"> • all brass construction • 1/2" FIP inlet connection • 1/2" standard hose connection • adjustable positive lock swivel holder • accepts most conical handshower hoses • complements all industrial series fittings (series 30,& 31) 	polished chrome standard special premium	195 234 263 312
	SH-25S-38	Decorative Supply Elbow with Swivel Handshower Holder - Rope Base <ul style="list-style-type: none"> • all brass construction • 1/2" FIP inlet connection • 1/2" standard hose connection • adjustable positive lock swivel holder • accepts most conical handshower hoses • complements all roped series fittings (series 38 & 58) 	polished chrome standard special premium	195 234 263 312
	SH-25S-42	Decorative Supply Elbow with Swivel Handshower Holder - Line Base <ul style="list-style-type: none"> • all brass construction • 1/2" FIP inlet connection • 1/2" standard hose connection • adjustable positive lock swivel holder • accepts most conical handshower hoses • complements all lined series fittings (series 32, 33, 34, 35, 36, 42, 55, 57, 60, 61, 67, 68 & 69) 	polished chrome standard special premium	195 234 263 312
	SH-25S-47	Decorative Supply Elbow with Swivel Handshower Holder - Hex Base <ul style="list-style-type: none"> • all brass construction • 1/2" FIP inlet connection • 1/2" standard hose connection • adjustable positive lock swivel holder • accepts most conical handshower hoses • complements all hexagonal series fittings (series 46, 47, 51 & 63) 	polished chrome standard special premium	195 234 263 312
	SH-25S-48	Decorative Supply Elbow with Swivel Handshower Holder - Concave Base <ul style="list-style-type: none"> • all brass construction • 1/2" FIP inlet connection • 1/2" standard hose connection • adjustable positive lock swivel holder • accepts most conical handshower hoses • complements all concaved series fittings (series 45, 48, 59 & 64) 	polished chrome standard special premium	195 234 263 312

SWIVEL HANDSHOWER HOLDER

SUPPLY ELBOW W/SWIVEL HANDSHOWER HOLDER

	MODEL	DESCRIPTION	FINISH	PRICE
	SH-25S-65	Decorative Supply Elbow with Swivel Handshower Holder - Round Base <ul style="list-style-type: none"> • all brass construction • 1/2" FIP inlet connection • 1/2" standard hose connection • adjustable positive lock swivel holder • accepts most conical handshower hoses • complements all round contemporary series fittings (series E3, E4, E5, 52, 53, 62, 65, 66, 74 & 75) 	polished chrome standard special premium	195 234 263 312
	SH-25S-77	Decorative Supply Elbow with Swivel Handshower Holder - Square Base <ul style="list-style-type: none"> • all brass construction • 1/2" FIP inlet connection • 1/2" standard hose connection • adjustable positive lock swivel holder • accepts most conical handshower hoses • complements all square contemporary series fittings (series E3, 44, 70, 72, 77 & 78) 	polished chrome standard special premium	195 234 263 312
	SH-25S-85	Decorative Supply Elbow with Swivel Handshower Holder - Quad Base <ul style="list-style-type: none"> • all brass construction • 1/2" FIP inlet connection • 1/2" standard hose connection • adjustable positive lock swivel holder • accepts most conical handshower hoses • complements series 85 & 86 	polished chrome standard special premium	225 270 304 360



Davoli Squeeze | 10 Series

Model #: K10-1005Q-33-PN

with coordinating accessories



Libretto | E5 Series

Model #: E501-I-PC



Large Format Showerheads

Model #: SH-1320S.FR-SN



**StyleDrain by
Christopher Grubb**

Model #: 9195-A-SN



California Faucets®

californiafaucets.com

5271 Argosy Ave
Huntington Beach, CA 92649
p: 800.822.8855
f: 714.891.2478