

The Price Schedule

Effective April 15, 2019

Revised February 2021

	Page		Page
Island Hoods	1	Outdoor Hoods	14
Chimney Hoods	4	Built-In Hoods	17
Professional Style Hoods	10	Accessories	25

Stock items are indicated in the price list. Special order items require 12-16 weeks for delivery and are noncancellable upon acceptance of order by Best.

MODEL		PAGE
-------	--	------

Island Hoods

IPP9	iQ	1
IC34	iQ, CRT	2
IPB9	iQ	1
ICB3	CRT	3
IBF4I		3

Chimney Hoods

WCN1	CRT	6
WPP9	iQ, CRT	4
WC35	iQ, CRT	7
WC34	iQ, CRT	7
WTT32		5
WPB9	iQ	6
WC45	iQ, CRT	8
WCB3	CRT	9
WBF4I		8
WCP3		5

Professional Style Hoods

WP29	iQ, CRT	10
UP27	iQ, CRT	11
WP28	iQ, CRT	12
UP26	iQ, CRT	13

MODEL		PAGE
-------	--	------

Outdoor Hoods

WPD39M		14
CPD9M		16
WTD9M		14
WPD38I		15
CPD		16

Built-In Hoods

CC6		23
D49M	CRT	17
PK22	iQ	21
CC34 - 43"	iQ, CRT	19
CC34 - 63"	iQ, CRT	19
CP3		22
UCB3	CRT	18
CP5	iQ, CRT	22
CC45		23
DC54	CRT	18
P195ES		20
U102		24
P195P		20

Accessories

24" Duct Sections	25
Elbows	25
Roof and Wall Caps	25
Transitions	25
Dampers	26
Make-Up Air Dampers	26

Installation Guidelines

Product Specification Index

Limited Warranty	back cover
-------------------------	------------

Island Hoods

IPP9 Series *iQ*



LEADED
5/2
WARRANTY

- Available in brushed stainless steel.
- Four 25 watt halogen bulbs included.
- Choice of quiet iQ12 internal blower with 1500 MAX Blower CFM or external blower options.
- iQ blowers with GPS technology provide up to 2X quieter operation, 30% faster removal of smoke and 22X more energy efficiency.
- Three-speed plus boost, electronic pushbutton control with speed display; optional remote control (ACR3).
- Control features delay-off and filter clean reminder.
- Hi-Flow™ baffle filters provide excellent ventilation efficiency.
- Heat Sentry™ detects excessive heat and adjusts blower to high automatically.
- Telescopic flue accommodates ceiling heights 8' to 9'.
- Optional flue extension for 10' to 11' ceiling.
- Uses 10" round duct.
- Designed to work with optional universal make-up air dampers. Fresh air wall caps are required for make-up air dampers (see pages 25 and 26).

Model No.	Finish	Size	Stock Item	List Price/ SRP‡	MAP
Range Hood with Internal iQ12 Blower					
IPP9IQ42SB	Stainless	42" x 30"	Yes	\$3,783.00	\$3,405.00
Range Hood with External Blower					
IPP9E42SB	Stainless	42" x 30"	Yes	\$3,294.00	\$2,965.00
Options:					
Ducted Flue Extension					
AEIPP9SB		10' - 11'	Yes	\$1,154.00	\$1,039.00
Exterior Blowers					
EB6	All items are Brushed Stainless	665 MAX CFM	Yes	\$664.00	\$598.00
EB9		890 MAX CFM	Yes	\$789.00	\$710.00
EB12		1300 MAX CFM	Yes	\$1,068.22	\$961.00
EB15		1650 MAX CFM	Yes	\$1,331.22	\$1,198.00
In-Line Blowers					
ILB3	All items are Galvanized	300 MAX CFM	Yes	\$441.78	\$398.00
ILB6		675 MAX CFM	Yes	\$690.67	\$622.00
ILB9		900 MAX CFM	Yes	\$854.00	\$769.00
ILB11		1500 MAX CFM	Yes	\$1,008.00	\$907.00
Remote Control					
ACR3			Yes	\$89.00	\$80.00

IPB9 Series *iQ*



LEADED
5/2
WARRANTY

- Available in brushed stainless steel.
- Four 25 watt halogen bulbs included.
- Choice of quiet iQ12 internal blower with 1500 MAX Blower CFM or external blower options.
- iQ blowers with GPS technology provide up to 2X quieter operation, 30% faster removal of smoke and 22X more energy efficiency.
- Three-speed plus boost, electronic pushbutton control with speed display; optional remote control (ACR3).
- Control features delay-off and filter clean reminder.
- Hi-Flow™ baffle filters provide excellent ventilation efficiency.
- Heat Sentry™ detects excessive heat and adjusts blower to high automatically.
- Telescopic flue accommodates ceiling heights 8' to 9'.
- Optional flue extension for 10' to 11' ceiling.
- Uses 10" round duct.
- Designed to work with optional universal make-up air dampers. Fresh air wall caps are required for make-up air dampers (see pages 25 and 26).

Model No.	Finish	Size	Stock Item	List Price/ SRP‡	MAP
Range Hood with Internal iQ12 Blower					
IPB9IQ48SB	Stainless	48" x 27"	Yes	\$3,903.00	\$3,513.00
Range Hood with External Blower					
IPB9E48SB	Stainless	48" x 27"	Yes	\$2,932.00	\$2,639.00
Options:					
Ducted Flue Extension					
AEIPB9SB	Stainless	10' - 11'	Yes	\$1,154.00	\$1,039.00
Exterior Blowers					
EB6	All items are Brushed Stainless	665 MAX CFM	Yes	\$664.00	\$598.00
EB9		890 MAX CFM	Yes	\$789.00	\$710.00
EB12		1300 MAX CFM	Yes	\$1,068.22	\$961.00
EB15		1650 MAX CFM	Yes	\$1,331.22	\$1,198.00
In-Line Blowers					
ILB3	All items are Galvanized	300 MAX CFM	Yes	\$441.78	\$398.00
ILB6		675 MAX CFM	Yes	\$690.67	\$622.00
ILB9		900 MAX CFM	Yes	\$854.00	\$769.00
ILB11		1500 MAX CFM	Yes	\$1,008.00	\$907.00
Remote Control					
ACR3			Yes	\$89.00	\$80.00

‡ Suggested Retail Price

Island Hoods

IC34 Series



- Available in brushed stainless steel.
- Four LED lights provide bright, clean, energy efficient light over the cooktop.
- Choice of quiet iQ6 internal blower with 800 MAX Blower CFM or external blower options.
- iQ blowers with GPS technology provide up to 2X quieter operation, 30% faster removal of smoke and 22X more energy efficiency.
- Four-speed electronic pushbutton controls with LED indicator; optional remote control (ACR3).
- Control features delay-off and filter clean reminder.
- Heat Sentry™ detects excessive heat and adjusts blower to high automatically.
- Optional flue extension for 10' to 11' ceiling.
- Uses 8" round duct.
- Designed to work with optional universal make-up air dampers. Fresh air wall caps are required for make-up air dampers (see pages 25 and 26).

Model No.	Finish	Size	Stock Item	List Price/SRP‡	MAP
<u>Range Hood with Internal iQ6 Blower*</u>					
IC34IQ100SB	Stainless	39-3/8" x 27-5/8"	Yes	\$2,932.00	\$2,639.00
<u>Range Hood with External Blower</u>					
IC34E100SB	Stainless	39-3/8" x 27-5/8"	Yes	\$2,444.00	\$2,200.00
<u>Options:</u>					
<u>Ducted Flue Extension</u>					
AEIC34SB		10' - 11'	Yes	\$1,071.00	\$964.00
<u>Non-Duct Flue Extension</u>					
AEIC34SBN		10' - 11'	Yes	\$1,071.00	\$964.00
<u>Exterior Blowers</u>					
EB6	All items are Brushed Stainless	665 MAX CFM	Yes	\$664.00	\$598.00
EB9		890 MAX CFM	Yes	\$789.00	\$710.00
EB12		1300 MAX CFM	Yes	\$1,068.22	\$961.00
EB15		1650 MAX CFM	Yes	\$1,331.22	\$1,198.00
<u>In-Line Blowers</u>					
ILB3	All items are Galvanized	300 MAX CFM	Yes	\$441.78	\$398.00
ILB6		675 MAX CFM	Yes	\$690.67	\$622.00
ILB9		900 MAX CFM	Yes	\$854.00	\$769.00
ILB11		1500 MAX CFM	Yes	\$1,008.00	\$907.00
<u>Transition</u>					
414		8" to 10"	Yes	\$43.00	\$39.00
<u>Remote Control</u>					
ACR3			Yes	\$89.00	\$80.00

* Limit CFM to 300 or 400 CFM with CRT (Code Ready Technology) to meet MUA Codes.

Island Hoods

ICB3 Series



- Available in brushed stainless steel.
- 30" and 36" wide.
- Internal blower with 650 MAX Blower CFM.
- 8" vertical discharge.
- 1.2 sones at low speed.
- 8" vertical discharge.
- Suitable for 8' to 9' high ceilings.
- PURLED™ light system: boosts light output by 25%, distributes light six times better and improves energy efficiency by 88% (four light settings).
- Hybrid filter issued from the combination of two filtering technologies, designed to capture 28% more grease.
- Interchangeable glass panels: your choice of 8 trendy colors to help you personalize your kitchen décor.
- Limit CFM to 300 CFM with CRT (Code Ready Technology) to meet MUA Codes.

* Ispira Island hood requires 2 glass panels for operation – front and back. Hood (Without Glass) comes without interchangeable color option panels to help you personalize your kitchen décor. Complete your hood by selecting glass panel color options (purchase separately) available.

Model No.	Finish	Size	Stock Item	List Price/ SRP‡	MAP
Range Hoods					
ICB3I36SBB	Stainless (Black Glass)	35-15/16" x 22"	Yes	\$2,065.00	\$1,859.00
ICB3I36SBS	Stainless (Brushed Gray Glass)	35-15/16" x 22"	Yes	\$2,065.00	\$1,859.00
ICB3I36SBN	Stainless (Without Glass*)	35-15/16" x 22"	Yes	\$1,847.00	\$1,663.00
ICB3I36SBW	Stainless (White Glass)	35-15/16" x 22"	Yes	\$2,065.00	\$1,859.00

Options:

Glass Panels

SV09956BL	Black Front	36"	Yes	\$165.00	\$149.00
SV09956EM	Emerald Front	36"	Yes	\$165.00	\$149.00
SV09956LM	Lime Front	36"	Yes	\$165.00	\$149.00
SV09956OR	Orange Front	36"	Yes	\$165.00	\$149.00
SV09956PU	Purple Front	36"	Yes	\$165.00	\$149.00
SV09956RD	Red Front	36"	Yes	\$165.00	\$149.00
SV09956SS	Brushed Gray Front	36"	Yes	\$165.00	\$149.00
SV09956WH	White Front	36"	Yes	\$165.00	\$149.00
SV09957BL	Black Back	36"	Yes	\$165.00	\$149.00
SV09957EM	Emerald Back	36"	Yes	\$165.00	\$149.00
SV09957LM	Lime Back	36"	Yes	\$165.00	\$149.00
SV09957OR	Orange Back	36"	Yes	\$165.00	\$149.00
SV09957PU	Purple Back	36"	Yes	\$165.00	\$149.00
SV09957RD	Red Back	36"	Yes	\$165.00	\$149.00
SV09957SS	Brushed Gray Back	36"	Yes	\$165.00	\$149.00
SV09957WH	White Back	36"	Yes	\$165.00	\$149.00

Flue Extension for 10' Ceiling

AEICB3SB	Stainless	10' Ceiling	Yes	\$490.00	\$441.00
----------	-----------	-------------	-----	----------	----------

Remote Control

ACR3	Stainless		Yes	\$89.00	\$80.00
------	-----------	--	-----	---------	---------

IBF4I Series



- Available in brushed stainless steel.
- Telescopic flue for 7'-8" to 9' ceilings.
- Flues have vent openings to allow non-ducted operation. Reversible design allows openings to be hidden in most ducted applications.
- Non-duct option available. Non-duct filter kit purchased separately.
- Three-speed electronic pushbutton controls with lighted LCD screen.
- Up to 60 minute time-delay shut-off feature.
- Quick release aluminum mesh, dishwasher-safe filters.
- Quiet, powerful 400 CFM blower.
- Designed to work with optional universal make-up air damper MD6TU and MD8TU.

Model No.	Finish	Size	Stock Item	List Price/ SRP‡	MAP
Range Hood with Internal Blower**					
IBF4I36SB	Stainless	36" x 23-5/8"	Yes	\$1,452.67	\$1,307.00
Options:					
Non-Duct Kit					
ANKIBF4			Yes	\$198.00	\$178.00

** When placing an order for hoods, use BEST® Promo Code: BTBRICK.

Chimney Hoods

WPP9 Series *iQ* CODE READY TECHNOLOGY



- Available in brushed stainless steel.
- Bright halogen lighting; 3 bulbs on 36" and 42", 4 bulbs on 48" and 54" (included).
- Choice of quiet iQ6 with 800 MAX Blower CFM and iQ12 with 1500 MAX Blower CFM internal blowers and external blower options.
- iQ blower with GPS technology provides up to 2X quieter operation, 30% faster removal of smoke and 22X more energy efficiency.
- Three-speed plus boost, electronic pushbutton control with speed display.
- Control features delay-off and filter clean reminder.
- Hi-Flow™ baffle filters provide excellent ventilation efficiency.
- Heat Sentry™ detects excessive heat and adjusts blower to high automatically.
- Telescopic flue accommodates ceiling heights 8' to 9'.
- Recirculation option available for iQ6 internal blower models.
- Uses 8" round duct for iQ6 blower, 10" round duct for iQ12 and external blowers.
- Designed to work with optional universal make-up air dampers. Fresh air wall caps are required for make-up air dampers (see pages 25 and 26).

Model No.	Finish	Size	Stock Item	List Price/SRP‡	MAP
Range Hoods with Internal iQ6 Blower*					
WPP9IQ36SB	Stainless	36" x 24"	Yes	\$2,173.00	\$1,956.00
WPP9IQ42SB	Stainless	42" x 24"	Yes	\$2,343.00	\$2,109.00
Range Hoods with Internal iQ12 Blower					
WPP9IQT36SB	Stainless	36" x 24"	Yes	\$2,929.00	\$2,636.00
WPP9IQT42SB	Stainless	42" x 24"	Yes	\$3,051.00	\$2,746.00
WPP9IQT48SB	Stainless	48" x 24"	Yes	\$3,286.00	\$2,957.00
WPP9IQT54SB	Stainless	54" x 24"	Yes	\$3,454.00	\$3,109.00
Range Hoods with External Blower					
WPP9E36SB	Stainless	36" x 24"	Yes	\$2,173.00	\$1,956.00
WPP9E42SB	Stainless	42" x 24"	Yes	\$2,343.00	\$2,109.00
WPP9E48SB	Stainless	48" x 24"	Yes	\$2,698.00	\$2,428.00
WPP9E54SB	Stainless	54" x 24"	Yes	\$2,868.00	\$2,581.00
Options:					
Non-Duct Flue Extension					
AEWPP9SBN		10' - 11'	Yes	\$490.00	\$441.00
Non-Duct Kit					
ANKWPP9		For iQ6 models only	Yes	\$267.00	\$240.00
Replacement Charcoal Filter					
AFCROUND2			Yes	\$119.00	\$107.00
Exterior Blowers					
EB6	All items are Brushed Stainless	665 MAX CFM	Yes	\$664.00	\$598.00
EB9		890 MAX CFM	Yes	\$789.00	\$710.00
EB12		1300 MAX CFM	Yes	\$1,068.22	\$961.00
EB15		1650 MAX CFM	Yes	\$1,331.22	\$1,198.00
In-Line Blowers					
ILB3	All items are Galvanized	300 MAX CFM	Yes	\$441.78	\$398.00
ILB6		675 MAX CFM	Yes	\$690.67	\$622.00
ILB9		900 MAX CFM	Yes	\$854.00	\$769.00
ILB11		1500 MAX CFM	Yes	\$1,008.00	\$907.00

* Limit CFM to 300 or 400 CFM with CRT (Code Ready Technology) to meet MUA Codes.

Chimney Hoods

WTT32 Series



- Available in brushed stainless steel.
- 50 watt halogen bulbs (included) provide brilliant lighting; two on the 30" and 36"; three on the 42" and 48" widths.
- Powerful internal blowers with choice of 400 MAX Blower CFM or 675 MAX Blower CFM (30", 36" or 42") or 1275 MAX Blower CFM (48" only) included for a simple "out-of-the-box" solution.
- Four-speed electronic pushbutton control for convenient range of ventilation choices.
- Five minute delay off keeps hood running after cooking to clear smoke and odors.
- Filter clean reminder ensures filters can be cleaned regularly and grease is captured at optimum levels.
- Dishwasher safe stainless steel mesh filters ensure reliable performance (two on 30", 36" and 42"; three on 48").
- Heat Sentry™ detects excessive heat and adjusts blower speed to high automatically.
- Non-duct options for 30", 36" and 42" widths only.
- Telescopic flue accommodates ceiling heights from 8' to 9'.
- Optional flue extension for 10' ceilings.
- Uses 8" round duct with internal blower 675 MAX blower CFM and 10" round with internal blower 1275 MAX blower CFM.
- Designed to work with optional MD6T, MD8T and MD10T make-up air dampers. Fresh air wall caps are required for make-up air dampers (see pages 25 and 26).

Model No.	Finish	Size	Stock Item	List Price/SRP‡	MAP
Chimney Wall Hood with 400 MAX Blower CFM					
WTT32I330SB	Stainless	30" x 22"	Yes	\$857.00	\$771.00
WTT32I336SB	Stainless	36" x 22"	Yes	\$906.00	\$815.00
WTT32I342SB	Stainless	42" x 22"	Yes	\$1,039.00	\$935.00
Chimney Wall Hood (Classic) with 675 MAX Blower CFM					
WTT32I30SB	Stainless	30" x 22"	Yes	\$877.00	\$789.00
WTT32I36SB	Stainless	36" x 22"	Yes	\$923.00	\$831.00
WTT32I42SB	Stainless	42" x 22"	Yes	\$1,057.00	\$951.00
Chimney Wall Hood (Classic) with 1275 MAX Blower CFM					
WTT32I48SB	Stainless	48" x 22"	Yes	\$1,402.00	\$1,262.00
Options:					
Flue Extensions					
AEWTT32SB		30", 36" & 42"	Yes	\$351.00	\$316.00
AEWTT328SB		48"	Yes	\$351.00	\$316.00
Non-Duct Kits					
ANKWTT320		30"	Yes	\$313.00	\$282.00
ANKWTT326		36" & 42"	Yes	\$322.00	\$290.00
Replacement Filters					
AFCWTT32		30"	Yes	\$52.00	\$47.00
AFCWTT326		36" & 42"	Yes	\$57.00	\$51.00
Make-Up Air Dampers					
MD6T		6"	Yes	\$145.00	\$131.00
MD8T		8"	Yes	\$160.00	\$144.00
MD10T		10"	Yes	\$261.00	\$235.00
Light Bulbs					
GU10		Box of 10	Yes	\$15.00	\$14.00

WCP3 Series



- Available in brushed stainless steel.
- 30" and 36" wide.
- Internal blower with 650 MAX Blower CFM.
- 1.5 sones level at minimum speed.
- 3-speed tap-touch control.
- Two ultra-efficient hybrid baffle filters, easy to clean, for optimal grease removal.
- Two built-in LED modules provide even lighting over the cooktop.
- Telescopic chimney for 8' to 9' ceiling.
- Optional flue extension available for 10' ceiling.

Model No.	Finish	Size	Stock Item	List Price/SRP‡	MAP
Range Hood with Blower					
WCP3I30SB	Stainless	29-7/8" x 20"	Yes	\$1,072.00	\$965.00
WCP3I36SB	Stainless	35-7/8" x 20"	Yes	\$1,118.00	\$1,007.00
Options:					
Flue Extension for 10' Ceiling					
AEWCP3SB	Stainless		Yes	\$333.00	\$300.00
Recirculation Kit					
HRKBSS			Yes	\$300.00	\$270.00
Charcoal Replacement Filter					
FILTERECB			Yes	\$55.00	\$50.00

Chimney Hoods

WCN1 Series



LIMITED
5/2
WARRANTY

- Sleek, gently curving profile will match perfectly with your modern décor.
- 4-speed high performance blower features a MAX blower CFM of 685.
- Integrated LED modules offer 3 intensity levels.
- Quick release, dishwasher-safe decorative mesh grease filters.
- Telescopic chimney for 8' to 9' ceiling features vents to allow for non-ducted operation. Reversible design allows openings to be hidden in most ducted applications.
- Optional flue extension available for 10' to 11' ceilings.
- Works with optional Universal Make-Up Air Dampers.

Model No.	Finish	Size	Stock Item	List Price/SRP‡	MAP
<i>Range Hoods with Internal Blower</i>					
WCN1306SS	Stainless	30" x 19-11/16"	Yes	\$833.00	\$749.00
WCN1366SS	Stainless	36" x 19-11/16"	Yes	\$944.00	\$849.00
<i>Options:</i>					
<i>Flue Extension (Ducted/Non-Ducted)</i>					
AEWCN1SS	Stainless	10' - 11'	Yes	\$444.00	\$399.00
<i>Non-Ducted Recirculation Kit (required for recirculating operation)</i>					
ANKWCN1		30" & 36"	Yes	\$199.00	\$179.00
<i>Baffle Filter Kit (Set of 2)</i>					
AFBWCN1		30" & 36"	Yes	\$99.00	\$89.00

WPB9 Series



LIMITED
5/2
WARRANTY

- Available in brushed stainless steel.
- Internal iQ centrifugal blower with 1500 MAX Blower CFM.
- Three-speed electronic control plus boost, includes 10-minute delay-off, filter clean reminder and Heat Sentry™ to provide convenient operation.
- Hybrid baffle filters provide ultra-efficient grease removal with superior air flow.
- Ducted/Non-Ducted Telescopic Flue. Ducted telescopic flue accommodates ceiling heights from 8' to 9'. Optional flue extension for 10' to 11' ceiling.
- Non-duct recirculating kit available.
- Works with optional handheld remote.
- Compatible with optional make-up air dampers MD6TU, MD8TU or MD10TU, sold separately.

Model No.	Finish	Size	Stock Item	List Price/SRP‡	MAP
<i>Range Hood with Internal iQ12 Blower</i>					
WPB9IQT48SB	Brushed Stainless	48"	Yes	\$3,291.00	\$2,962.00
<i>Options:</i>					
<i>Flue Extension (Ducted/Non-Ducted)</i>					
AEWBP9SBN		10' - 11'	Yes	\$537.00	\$483.00
<i>Flue Extension (Ducted)</i>					
<i>Non-Duct Kit</i>					
ANKWPB9	*		Yes	\$289.00	\$260.00
<i>Non-Duct Replacement Filter</i>					
AFCWPB9			Yes	\$178.00	\$160.00
<i>Make-Up Air Dampers</i>					
MD6TU		6"	Yes	\$204.00	\$184.00
MD8TU		8"	Yes	\$225.00	\$203.00
MD10TU		10"	Yes	\$297.00	\$267.00
<i>Fresh Air Inlet</i>					
641FA	Aluminum	6" Round	Yes	\$49.00	\$44.00
643FA	Aluminum	8" Round	Yes	\$73.00	\$66.00
610FA	Aluminum	10" Round	Yes	\$116.00	\$104.00
<i>Remote Handheld Control</i>					
ACR3			Yes	\$89.00	\$80.00

* Includes charcoal filters and diverter

Chimney Hoods

WC35 Series



LIMITED
5/2
WARRANTY

- Available in brushed stainless steel.
- Two LED lights provide bright, clean, energy efficient light over the cooktop.
- Choice of quiet iQ6 with 800 MAX Blower CFM internal blower or external blower options.
- iQ blower with GPS technology provides up to 2X quieter operation, 30% faster removal of smoke and 22X more energy efficiency.
- Four-speed electronic glass touch controls.
- Control features delay-off and filter clean reminder.
- Quick release, dishwasher safe stainless steel grease filters.
- Heat Sentry™ detects excessive heat and adjusts blower to high automatically.
- Telescopic flue accommodates ceiling heights 8' to 9'.
- Optional flue extension for 10' to 11' ceiling.
- Uses 8" round duct.
- Designed to work with optional universal make-up air dampers. Fresh air wall caps are required for make-up air dampers (see pages 25 and 26).

Model No.	Finish	Size	Stock Item	List Price/SRP‡	MAP
Range Hood with Internal iQ6 Blower*					
WC35IQ90SB	Stainless	35-7/16" x 18-3/8"	Yes	\$1,832.00	\$1,649.00
Range Hood with External Blower					
WC35E90SB	Stainless	35-7/16" x 18-3/8"	Yes	\$1,550.00	\$1,395.00
Options:					
Non-Duct Flue Extension					
AEWC345IQSBN		10' - 11'	Yes	\$509.00	\$458.00
Non-Duct Kit					
ANKWC345			Yes	\$217.00	\$195.00
Replacement Charcoal Filter					
AFCWC345			Yes	\$48.00	\$43.00
Exterior Blowers					
EB6	All items are	665 MAX CFM	Yes	\$664.00	\$598.00
EB9	Brushed	890 MAX CFM	Yes	\$789.00	\$710.00
EB12	Stainless	1300 MAX CFM	Yes	\$1,068.22	\$961.00
EB15		1650 MAX CFM	Yes	\$1,331.22	\$1,198.00
In-Line Blowers					
ILB3	All items are	300 MAX CFM	Yes	\$441.78	\$398.00
ILB6	Galvanized	675 MAX CFM	Yes	\$690.67	\$622.00
ILB9		900 MAX CFM	Yes	\$854.00	\$769.00
ILB11		1500 MAX CFM	Yes	\$1,008.00	\$907.00
Transition					
414		8" to 10"	Yes	\$43.00	\$39.00

* Limit CFM to 300 or 400 CFM with CRT (Code Ready Technology) to meet MUA Codes.

WC34 Series



LIMITED
5/2
WARRANTY

- Available in brushed stainless steel.
- Two LED lights provide bright, clean, energy efficient light over the cooktop.
- Choice of quiet internal iQ6 with 800 MAX Blower CFM or external blower options.
- Four-speed electronic control features delay-off and filter clean reminder.
- Quick release, dishwasher safe grease filters.
- Heat Sentry™ detects excessive heat and adjusts blower to high automatically.
- Telescopic flue accommodates ceiling heights 8' to 9'.
- Optional flue extension for 10' to 11' ceiling.
- Uses 8" round duct.
- Designed to work with optional universal make-up air dampers. Fresh air wall caps are required for make-up air dampers (see pages 25 and 26).

Model No.	Finish	Size	Stock Item	List Price/SRP‡	MAP
Range Hood with Internal iQ6 Blower*					
WC34IQ90SB	Stainless	35-7/16" x 18-1/8"	Yes	\$1,808.00	\$1,627.00
Range Hood with External Blower					
WC34E90SB	Stainless	35-7/16" x 18-1/8"	Yes	\$1,526.00	\$1,373.00
Options:					
Non-Duct Flue Extension					
AEWC345IQSBN		10' - 11'	Yes	\$509.00	\$458.00
Non-Duct Kit					
ANKWC345			Yes	\$217.00	\$195.00
Replacement Charcoal Filter					
AFCWC345			Yes	\$48.00	\$43.00
Exterior Blowers					
EB6	All items are	665 MAX CFM	Yes	\$664.00	\$598.00
EB9	Brushed	890 MAX CFM	Yes	\$789.00	\$710.00
EB12	Stainless	1300 MAX CFM	Yes	\$1,068.22	\$961.00
EB15		1650 MAX CFM	Yes	\$1,331.22	\$1,198.00
In-Line Blowers					
ILB3	All items are	300 MAX CFM	Yes	\$441.78	\$398.00
ILB6	Galvanized	675 MAX CFM	Yes	\$690.67	\$622.00
ILB9		900 MAX CFM	Yes	\$854.00	\$769.00
ILB11		1500 MAX CFM	Yes	\$1,008.00	\$907.00
Transition					
414		8" to 10"	Yes	\$43.00	\$39.00

* Limit CFM to 300 or 400 CFM with CRT (Code Ready Technology) to meet MUA Codes.

Chimney Hoods

WC45 Series *iQ* CODE READY TECHNOLOGY



- Available in brushed stainless steel.
- Two LED lights provide bright, clean, energy efficient light over the cooktop.
- Choice of quiet iQ internal blower with 800 MAX Blower CFM or external blower options.
- iQ blower with GPS technology provides up to 2X quieter operation, 30% faster removal of smoke and 22X more energy efficiency.
- Four-speed electronic "IR" infrared controls.
- Control features delay-off and filter clean reminder.
- Quick release, dishwasher safe grease filters.
- Heat Sentry™ detects excessive heat and adjusts blower to high automatically.
- Telescopic flue accommodates ceiling heights 8' to 9'.
- Optional flue extension for 10' to 11' ceiling.
- Uses 8" round duct.
- Designed to work with optional universal make-up air dampers. Fresh air wall caps are required for make-up air dampers (see pages 25 and 26).

Model No.	Finish	Size	Stock Item	List Price/ SRP‡	MAP
Range Hood with Internal iQ6 Blower*					
WC45IQ90SB	Stainless	35-7/16" x 17-11/16"	Yes	\$2,076.00	\$1,868.00
Range Hood with External Blower					
WC45E90SB	Stainless	35-7/16" x 17-11/16"	Yes	\$1,713.00	\$1,542.00
Options:					
Non-Duct Flue Extension					
AEWC345IQSBN		10' - 11'	Yes	\$509.00	\$458.00
Non-Duct Kit					
ANKWC345			Yes	\$217.00	\$195.00
Replacement Charcoal Filter					
AFCWC345			Yes	\$48.00	\$43.00
Exterior Blowers					
EB6	All items are Brushed Stainless	665 MAX CFM	Yes	\$664.00	\$598.00
EB9		890 MAX CFM	Yes	\$789.00	\$710.00
EB12		1300 MAX CFM	Yes	\$1,068.22	\$961.00
EB15		1650 MAX CFM	Yes	\$1,331.22	\$1,198.00
In-Line Blowers					
ILB3	All items are Galvanized	300 MAX CFM	Yes	\$441.78	\$398.00
ILB6		675 MAX CFM	Yes	\$690.67	\$622.00
ILB9		900 MAX CFM	Yes	\$854.00	\$769.00
ILB11		1500 MAX CFM	Yes	\$1,008.00	\$907.00
Transition					
414		8" to 10"	Yes	\$43.00	\$39.00

* Limit CFM to 300 or 400 CFM with CRT (Code Ready Technology) to meet MUA Codes.

WBF4I Series



- Available in brushed stainless steel.
- Telescopic flue for 7'-8" to 9' ceilings.
- Flues have vent openings to allow non-ducted operation. Reversible design allows openings to be hidden in most ducted applications.
- Non-duct option available. Non-duct filter kit purchased separately.
- Three-speed electronic pushbutton controls with lighted LCD screen.
- Up to 60 minute time-delay shut-off feature.
- Quick release aluminum mesh, dishwasher-safe filters.
- Quiet, powerful 400 CFM blower.
- Designed to work with optional universal make-up air damper MD6TU and MD8TU.

Model No.	Finish	Size	Stock Item	List Price/ SRP‡	MAP
Range Hoods with Internal Blower**					
WBF4I30SB	Stainless	30"	Yes	\$1,198.67	\$1,079.00
WBF4I36SB	Stainless	36"	Yes	\$1,257.67	\$1,132.00
Options:					
Non-Duct Kit					
ANKWBF4			Yes	\$198.00	\$178.00

** When placing an order for hoods, use BEST® Promo Code: BTBRICK.

Chimney Hoods

WCB3 Series COO CODE READY TECHNOLOGY



- Available in brushed stainless steel.
- 30" and 36" wide.
- Internal blower with 650 MAX Blower CFM.
- 1.4 sones at low speed.
- 3-1/4" x 10" vertical or horizontal discharge.
- Suitable for 8' to 9' high ceilings.
- PURLED™ light system: boosts light output by 25%, distributes light six times better and improves energy efficiency by 88%.
- Hybrid filter issued from the combination of two filtering technologies, designed to capture 28% more grease.
- Interchangeable glass panels: your choice of 8 trendy colors to help you personalize your kitchen decor.
- Limit CFM to 300 CFM with CRT (Code Ready Technology) to meet MUA Codes.

Model No.	Finish	Size	Stock Item	List Price/ SRP‡	MAP
Range Hoods					
WCB3I30SBB	Stainless (Black Glass)	29-7/8" x 20-7/8"	Yes	\$1,329.00	\$1,197.00
WCB3I30SBS	Stainless (Brushed Gray Glass)	29-7/8" x 20-7/8"	Yes	\$1,329.00	\$1,197.00
WCB3I30SBN	Stainless (Without Glass*)	29-7/8" x 20-7/8"	Yes	\$1,247.00	\$1,123.00
WCB3I30SBW	Stainless (White Glass)	29-7/8" x 20-7/8"	Yes	\$1,329.00	\$1,197.00
WCB3I36SBB	Stainless (Black Glass)	35-7/8" x 20-7/8"	Yes	\$1,393.00	\$1,254.00
WCB3I36SBS	Stainless (Brushed Gray Glass)	35-7/8" x 20-7/8"	Yes	\$1,393.00	\$1,254.00
WCB3I36SBN	Stainless (Without Glass*)	35-7/8" x 20-7/8"	Yes	\$1,320.00	\$1,188.00
WCB3I36SBW	Stainless (White Glass)	35-7/8" x 20-7/8"	Yes	\$1,393.00	\$1,254.00
Options:					
Glass Panels					
SV09955BL	Black	30"	Yes	\$165.00	\$149.00
SV09955EM	Emerald	30"	Yes	\$165.00	\$149.00
SV09955LM	Lime	30"	Yes	\$165.00	\$149.00
SV09955OR	Orange	30"	Yes	\$165.00	\$149.00
SV09955PU	Purple	30"	Yes	\$165.00	\$149.00
SV09955RD	Red	30"	Yes	\$165.00	\$149.00
SV09955SS	Brushed Gray	30"	Yes	\$165.00	\$149.00
SV09955WH	White	30"	Yes	\$165.00	\$149.00
SV09956BL	Black	36"	Yes	\$165.00	\$149.00
SV09956EM	Emerald	36"	Yes	\$165.00	\$149.00
SV09956LM	Lime	36"	Yes	\$165.00	\$149.00
SV09956OR	Orange	36"	Yes	\$165.00	\$149.00
SV09956PU	Purple	36"	Yes	\$165.00	\$149.00
SV09956RD	Red	36"	Yes	\$165.00	\$149.00
SV09956SS	Brushed Gray	36"	Yes	\$165.00	\$149.00
SV09956WH	White	36"	Yes	\$165.00	\$149.00
Flue Extension for 10' Ceiling					
AEWCB3SB	Stainless	10' Ceiling	Yes	\$490.00	\$441.00

* Hood (Without Glass) requires a front glass panel for operation. Hood comes without interchangeable color option front panel to help you personalize your kitchen décor. Complete your hood by selecting a front glass panel color options (purchase separately) available.

Professional Style Hoods

WP29 Series



- Professional-style with contemporary flair, 18" wall mounted design; 304 stainless steel welded seamless construction.
- 50 watt halogen lighting with variable level rotary control and last setting memory (4 bulbs 30" – 42", 6 bulbs 48" – 60") (included).
- Choice of 13 blower options: 5 internal, the quiet iQ6 with 800 Max Blower CFM and iQ12 with 1500 MAX Blower CFM or standard high pressure P3, P6 and P12 or 8 external blowers up to 1650 MAX Blower CFM.
- iQ blowers with GPS technology provide up to 2X quieter operation, 30% faster removal of smoke and 22X more energy efficiency.
- Hi-Flow™ baffle filters provide excellent ventilation efficiency.
- Variable speed control with last setting memory.
- Heat Sentry™ detects excessive heat and adjusts blower to high automatically.
- Optional decorative soffit flue adds 12" to the top height of hood.
- Uses 8" round (iQ6, P3, P6) or 10" round (iQ12, P12) duct with internal blowers, 10" round with external blowers, damper adapter included. Allows horizontal and vertical exhaust.
- Designed to work with optional universal make-up air dampers. Fresh air wall caps are required for make-up air dampers (see pages 25 and 26).

Model No.	Finish	Size	Stock Item	List Price/SRP‡	MAP
<i>Range Hoods for use with Internal or External Blower options</i>					
WP29M304SB	Stainless	30" x 24"	Yes	\$2,162.00	\$1,946.00
WP29M364SB	Stainless	36" x 24"	Yes	\$2,294.00	\$2,065.00
WP29M424SB	Stainless	42" x 24"	Yes	\$2,507.00	\$2,256.00
WP29M484SB	Stainless	48" x 24"	Yes	\$2,754.00	\$2,479.00
WP29M544SB	Stainless	54" x 24"	Yes	\$3,001.00	\$2,701.00
WP29M604SB	Stainless	60" x 24"	Yes	\$3,311.00	\$2,980.00
<i>Options:</i>					
<i>Non-Duct Kits</i>					
ANKWP306RSB	Stainless	30"	Yes	\$392.00	\$353.00
ANKWP366RSB	Stainless	36"	Yes	\$431.00	\$388.00
ANKWP426RSB	Stainless	42"	Yes	\$471.00	\$424.00
ANKWP486RSB	Stainless	48"	Yes	\$509.00	\$458.00
<i>Charcoal Filter Replacements</i>					
AFCROUND2			Yes	\$119.00	\$107.00
<i>Decorative Soffit Flues (12")</i>					
AEWP302SB	Stainless	30"	Yes	\$328.00	\$295.00
AEWP362SB	Stainless	36"	Yes	\$354.00	\$319.00
AEWP422SB	Stainless	42"	Yes	\$381.00	\$343.00
AEWP482SB	Stainless	48"	Yes	\$406.00	\$365.00
AEWP542SB	Stainless	54"	Yes	\$431.00	\$388.00
AEWP602SB	Stainless	60"	Yes	\$457.00	\$411.00
<i>Internal Blowers</i>					
iQ6*	with GPS	800 MAX CFM	Yes	\$730.67	\$658.00
iQ12	with GPS	1500 MAX CFM	Yes	\$1,076.67	\$969.00
P3		300 MAX CFM	Yes	\$476.00	\$428.00
P6		650 MAX CFM	Yes	\$478.22	\$430.00
P12		1300 MAX CFM	Yes	\$740.22	\$666.00
<i>Exterior Blowers</i>					
EB6	All items are Brushed Aluminum	665 MAX CFM	Yes	\$664.00	\$598.00
EB9		890 MAX CFM	Yes	\$789.00	\$710.00
EB12		1300 MAX CFM	Yes	\$1,068.22	\$961.00
EB15		1650 MAX CFM	Yes	\$1,331.22	\$1,198.00
<i>In-Line Blowers</i>					
ILB3	All items are Galvanized	300 MAX CFM	Yes	\$441.78	\$398.00
ILB6		675 MAX CFM	Yes	\$690.67	\$622.00
ILB9		900 MAX CFM	Yes	\$854.00	\$769.00
ILB11		1500 MAX CFM	Yes	\$1,008.00	\$907.00
<i>Light Bulbs</i>					
GU10 ▲		Box of 10	Yes	\$15.00	\$14.00

▲ Price reflects the individual item or pack cost.

* Limit CFM to 300 or 400 CFM with CRT (Code Ready Technology) to meet MUA Codes.

Professional Style Hoods

UP27 Series



- Contemporary professional style, under-cabinet design available in brushed stainless steel; 304 welded seamless construction.
- 50 watt halogen lighting: 2 bulbs on 30" and 36"; 4 bulbs on 42" and 48" (included).
- Choice of 11 blower options: 3 internal, the quiet iQ6 with 800 MAX Blower CFM or standard high pressure P6 and P3 blowers with 650 or 300 MAX Blower CFM or 8 external blowers up to 1650 MAX Blower CFM.
- iQ blowers with GPS technology provide up to 2X quieter operation, 30% faster removal of smoke and 22X more energy efficiency.
- Hi-Flow™ baffle filters provide excellent ventilation efficiency.
- Variable speed rotary control with last setting memory.
- Heat Sentry™ detects excessive heat and adjusts blower to high automatically.
- Uses 8" round duct for single internal blowers (iQ6, P3, P6) and 10" round for external blowers; includes damper/adapter. All vertical exhaust.
- Designed to work with optional universal make-up air dampers. Fresh air wall caps are required for make-up air dampers (see pages 25 and 26).

Model No.	Finish	Size	Stock Item	List Price/ SRP‡	MAP
<i>Range Hoods for use with Internal or External Blower Options</i>					
UP27M30SB	Stainless	30" x 22"	Yes	\$1,554.00	\$1,399.00
UP27M36SB	Stainless	36" x 22"	Yes	\$1,623.00	\$1,461.00
UP27M42SB	Stainless	42" x 22"	Yes	\$1,751.00	\$1,576.00
UP27M48SB	Stainless	48" x 22"	Yes	\$1,856.00	\$1,670.00
Options:					
<i>Internal Blowers</i>					
iQ6*	with GPS	800 MAX CFM	Yes	\$730.67	\$658.00
P3		300 MAX CFM	Yes	\$476.00	\$428.00
P6		650 MAX CFM	Yes	\$478.22	\$430.00
<i>Exterior Blowers</i>					
EB6	All items are	665 MAX CFM	Yes	\$664.00	\$598.00
EB9	Brushed	890 MAX CFM	Yes	\$789.00	\$710.00
EB12	Stainless	1300 MAX CFM	Yes	\$1,068.22	\$961.00
EB15		1650 MAX CFM	Yes	\$1,331.22	\$1,198.00
<i>In-Line Blowers</i>					
ILB3	All items are	300 MAX CFM	Yes	\$441.78	\$398.00
ILB6	Galvanized	675 MAX CFM	Yes	\$690.67	\$622.00
ILB9		900 MAX CFM	Yes	\$854.00	\$769.00
ILB11		1500 MAX CFM	Yes	\$1,008.00	\$907.00
<i>Light Bulbs</i>					
GU10 ▲			Yes	\$15.00	\$14.00

▲ Price reflects the individual item cost.

*Limit CFM to 300 or 400 CFM with CRT (Code Ready Technology) to meet MUA Codes.

Professional Style Hoods

WP28 Series



- Professional style, 18" wall mounted design available in brushed stainless steel.
- Double wall construction for easy cleanup.
- 50 watt halogen lighting; 2 bulbs on 30" and 36" or 4 bulbs in all other sizes (included).
- Choice of 13 blower options: 5 internal, the quiet iQ6 with 800 MAX Blower CFM, iQ12 with 1500 MAX Blower CFM, or standard high pressure P12, P6 and P3 blowers with 1300, 650, 300 MAX Blower CFM respectively or 8 external blowers up to 1650 MAX Blower CFM.
- iQ blower with GPS technology provide up to 2X quieter operation, 30% faster removal of smoke and 22X more energy efficiency.
- Hi-Flow™ baffle filters provide excellent ventilation efficiency.
- New variable speed rotary control with last setting memory.
- Heat Sentry™ detects excessive heat and adjusts blower to high automatically.
- Optional decorative soffit flue adds 12" to the top height of hood.
- Optional professional style backsplash with built-in holding racks, brushed stainless steel finish.
- Uses 8" round (iQ6, P3, P6) or 10" round (iQ12, P12) duct with internal blowers, 10" round with external blowers; damper adapter included. Allows horizontal and vertical exhaust.
- Designed to work with optional universal make-up air dampers. Fresh air wall caps are required for make-up air dampers (see pages 25 and 26).

Model No.	Finish	Size	Stock Item	List Price/SRP‡	MAP
Range Hoods for use with Internal or External Blower Options					
WP28M30SB	Stainless	30" x 24"	Yes	\$1,229.00	\$1,106.00
WP28M36SB	Stainless	36" x 24"	Yes	\$1,359.00	\$1,223.00
WP28M42SB	Stainless	42" x 24"	Yes	\$1,476.00	\$1,328.00
WP28M48SB	Stainless	48" x 24"	Yes	\$1,530.00	\$1,377.00
WP28M54SB	Stainless	54" x 24"	Yes	\$1,650.00	\$1,485.00
WP28M60SB	Stainless	60" x 24"	Yes	\$1,972.00	\$1,775.00
Options:					
Decorative Soffit Flues					
AEWP28302SB	Stainless	30"	Yes	\$290.00	\$261.00
AEWP28362SB	Stainless	36"	Yes	\$296.00	\$266.00
AEWP28422SB	Stainless	42"	Yes	\$319.00	\$287.00
AEWP28482SB	Stainless	48"	Yes	\$342.00	\$308.00
AEWP28542SB	Stainless	54"	Yes	\$365.00	\$329.00
AEWP28602SB	Stainless	60"	Yes	\$426.00	\$383.00
Backsplashes					
RMP3004	Stainless	30"	Yes	\$429.00	\$386.00
RMP3604	Stainless	36"	Yes	\$462.00	\$416.00
RMP4204	Stainless	42"	Yes	\$487.00	\$438.00
RMP4804	Stainless	48"	Yes	\$521.00	\$469.00
RMP5404	Stainless	54"	Yes	\$553.00	\$498.00
RMP6004	Stainless	60"	Yes	\$587.00	\$528.00
Internal Blowers					
iQ6*	with GPS	800 MAX CFM	Yes	\$730.67	\$658.00
iQ12	with GPS	1500 MAX CFM	Yes	\$1,076.67	\$969.00
P3		300 MAX CFM	Yes	\$476.00	\$428.00
P6		650 MAX CFM	Yes	\$478.22	\$430.00
P12		1300 MAX CFM	Yes	\$740.22	\$666.00
Exterior Blowers					
EB6	All items are	665 MAX CFM	Yes	\$664.00	\$598.00
EB9	Brushed	890 MAX CFM	Yes	\$789.00	\$710.00
EB12	Stainless	1300 MAX CFM	Yes	\$1,068.22	\$961.00
EB15		1650 MAX CFM	Yes	\$1,331.22	\$1,198.00
In-Line Blowers					
ILB3	All items are	300 MAX CFM	Yes	\$441.78	\$398.00
ILB6	Galvanized	675 MAX CFM	Yes	\$690.67	\$622.00
ILB9		900 MAX CFM	Yes	\$854.00	\$769.00
ILB11		1500 MAX CFM	Yes	\$1,008.00	\$907.00
Light Bulbs					
GU10 ▲			Yes	\$15.00	\$14.00

▲ Price reflects the individual item cost.

* Limit CFM to 300 or 400 CFM with CRT (Code Ready Technology) to meet MUA Codes.

Professional Style Hoods

UP26 Series



LEAD
5/2
WARRANTY

- Professional style, under-cabinet design available in brushed stainless steel.
- 50 watt halogen lighting; 2 bulbs on 30" and 36", 4 bulbs on 42" and 48" (included).
- Double wall construction for easy cleanup.
- Choice of 13 blower options: 5 internal, the quiet iQ6 with 800 MAX Blower CFM or standard high pressure P8, P6, P5 or P3 blowers; 8 external blowers up to 1650 MAX Blower CFM. UP26M30 cannot be used with P8 blower.
- iQ blowers with GPS technology provide up to 2X quieter operation, 30% faster removal of smoke and 22X more energy efficiency.
- Hi-Flow™ baffle filters provide excellent ventilation efficiency.
- New variable speed rotary control with last setting memory.
- Heat Sentry™ detects excessive heat and adjusts blower to high automatically.
- Optional professional style backsplash with built-in holding racks; brushed stainless steel finish.
- Uses 8" round duct for single internal blowers (IQ6, P3, P6) and 10" round for external blowers; includes damper/adaptor. All vertical exhaust.
- Uses 3-1/4" x 10" (P5) or 3-1/8" x 14" (P8) duct for blowers. Allows horizontal and vertical exhaust.
- Designed to work with optional universal make-up air dampers. Fresh air wall caps are required for make-up air dampers (see pages 25 and 26).

Model No.	Finish	Size	Stock Item	List Price/SRP‡	MAP
<i>Range Hoods for use with Internal or External Blower Options</i>					
UP26M30SB	Stainless	30" x 22"	Yes	\$838.00	\$754.00
UP26M36SB	Stainless	36" x 22"	Yes	\$890.00	\$801.00
UP26M42SB	Stainless	42" x 22"	Yes	\$1,049.00	\$944.00
UP26M48SB	Stainless	48" x 22"	Yes	\$1,090.00	\$981.00
Options:					
<i>Backsplashes</i>					
RMP3004	Stainless	30"	Yes	\$429.00	\$386.00
RMP3604	Stainless	36"	Yes	\$462.00	\$416.00
RMP4204	Stainless	42"	Yes	\$487.00	\$438.00
RMP4804	Stainless	48"	Yes	\$521.00	\$469.00
<i>Internal Blowers</i>					
IQ6*	with GPS	800 MAX CFM	Yes	\$730.67	\$658.00
P3		300 MAX CFM	Yes	\$476.00	\$428.00
P5		530 MAX CFM (V&H)	Yes	\$405.00	\$365.00
P6		650 MAX CFM	Yes	\$478.22	\$430.00
P8 (36", 42", 48")		950 MAX CFM (V&H)	Yes	\$738.00	\$664.00
<i>Exterior Blowers</i>					
EB6	All items are Brushed Stainless	665 MAX CFM	Yes	\$664.00	\$598.00
EB9		890 MAX CFM	Yes	\$789.00	\$710.00
EB12		1300 MAX CFM	Yes	\$1,068.22	\$961.00
EB15		1650 MAX CFM	Yes	\$1,331.22	\$1,198.00
<i>In-Line Blowers</i>					
ILB3	All items are Galvanized	300 MAX CFM	Yes	\$441.78	\$398.00
ILB6		675 MAX CFM	Yes	\$690.67	\$622.00
ILB9		900 MAX CFM	Yes	\$854.00	\$769.00
ILB11		1500 MAX CFM	Yes	\$1,008.00	\$907.00
<i>Light Bulbs</i>					
GU10 ▲			Yes	\$15.00	\$14.00

▲ Price reflects the individual item cost.

* Limit CFM to 300 or 400 CFM with CRT (Code Ready Technology) to meet MUA Codes.

Outdoor Hoods

WTD9M Series



LIMITED
5/2
WARRANTY

- Chimney style designed for outdoor patios and lanais.
- Constructed of corrosion-resistant brushed stainless steel.
- 36", 42" and 48" widths.
- 30" depth.
- Internal blower with 1300 MAX Blower CFM, must be purchased separately.
- Two halogen bulbs.
- Stainless steel baffle filters.
- Variable speed rotary control.
- Heat Sentry™ detects excessive heat and adjusts blower to high automatically.
- Ducted installation uses 10" round duct.
- Three choices of flue extensions 8', 9', 10' to 12' (order separately).

Model No.	Finish	Size	Stock Item	List Price/SRP‡	MAP
<i>Range Hoods for use with Internal Blower</i>					
WTD9M36SB	Stainless	30" x 36" x 14"	Yes	\$1,466.00	\$1,320.00
WTD9M42SB	Stainless	30" x 42" x 14"	Yes	\$1,613.00	\$1,452.00
WTD9M48SB	Stainless	30" x 48" x 14"	Yes	\$1,785.00	\$1,607.00
Options:					
<i>Internal Blower</i>					
P12NA		1300 MAX CFM	Yes	\$596.00	\$537.00
<i>Flue Extension</i>					
AEWTD915SB	Stainless	8' Chimney	Yes	\$269.00	\$243.00
AEWTD1629SB	Stainless	9' Chimney	Yes	\$322.00	\$290.00
AEWTD3057SB	Stainless	10' - 12' Chimney	Yes	\$464.00	\$418.00

WPD39M Series



LIMITED
5/2
WARRANTY

- Constructed of corrosion resistant brushed stainless steel.
- Professional-style, deep 30" design.
- 50 watt halogen lighting (bulbs included): (2) in 36", (3) in 48" and 60".
- Choice of internal or external blowers for powerful and quiet operation (purchased separately).
- 304 Stainless Steel baffle filters with handles.
- Special non-stick surface on filter grease rails and removable grease tray for easy clean-up.
- Variable speed rotary controls with separate on/off switch for last setting memory.
- Heat Sentry™ detects excessive heat and adjusts blower to high automatically.
- Ducted installation uses 10" round duct.
- Optional flue covers for standard or extended depth installations for 8', 9' and 10' ceilings. Also telescopic version for 10' to 12' ceilings.
- 10" round duct with internal 1200 CFM blower or external blowers.
- Designed to work with optional universal make-up air dampers. Fresh air wall caps are required for make-up air dampers (see pages 25 and 26).

Model No.	Finish	Size	Stock Item	List Price/SRP‡	MAP
<i>Range Hood Shells</i>					
WPD39M36SB	Stainless	36" x 30"	Yes	\$1,842.00	\$1,658.00
WPD39M42SB	Stainless	42" x 30"	Yes	\$1,981.00	\$1,763.00
WPD39M48SB	Stainless	48" x 30"	Yes	\$2,075.00	\$1,868.00
WPD39M60SB	Stainless	60" x 30"	Yes	\$2,319.00	\$2,087.00
Options:					
<i>Decorative Flue Covers (Standard 30" Depth)</i>					
AEWPD36SB	Stainless	6" (H)	Yes	\$211.00	\$190.00
AEWPD318SB	Stainless	18" (H)	Yes	\$235.00	\$212.00
AEWPD330SB	Stainless	30" (H)	Yes	\$320.00	\$288.00
AEWPD3054SB	Stainless	30" - 54"	Yes	\$616.00	\$554.00
<i>Decorative Flue Covers (Extended 33" Depth)</i>					
AEWPD36SBE	Stainless	6" (H)	Yes	\$225.00	\$203.00
AEWPD318SBE	Stainless	18" (H)	Yes	\$246.00	\$221.00
AEWPD330SBE	Stainless	30" (H)	Yes	\$321.00	\$289.00
AEWPD3054SBE	Stainless	30" - 54"	Yes	\$638.00	\$574.00
<i>Wall Extensions (Provide 33" Depth)</i>					
AWWPD336SB	Stainless	36"	Yes	\$306.00	\$275.00
AWWPD342SB	Stainless	42"	Yes	\$330.00	\$293.00
AWWPD348SB	Stainless	48"	Yes	\$343.00	\$309.00
AWWPD360SB	Stainless	60"	Yes	\$381.00	\$343.00
<i>Internal Blower</i>					
P12		1300 MAX CFM	Yes	\$740.22	\$666.00
<i>Exterior Blowers</i>					
EB12	Brushed Aluminum	1300 MAX CFM	Yes	\$1,068.22	\$961.00
EB15		1650 MAX CFM	Yes	\$1,331.22	\$1,198.00
<i>In-Line Blower</i>					
ILB11	Galvanized	1500 MAX CFM	Yes	\$1,008.00	\$907.00
<i>Light Bulbs</i>					
GU10 ▲		Box of 10	Yes	\$15.00	\$14.00

▲ Price reflects the individual item cost.

WPD38I Series



- Constructed of corrosion resistant brushed stainless steel.
- Professional-style, deep 27" design.
- 50 watt halogen lighting (bulbs included): (2) in 36", (3) in 48" and 60".
- Internal blower with 1300 MAX blower CFM for powerful and quiet operation (included).
- 304 Stainless Steel baffle filters.
- Four-speed rotary controls with illuminated on/off switch.
- Heat Sentry™ detects excessive heat and adjusts blower to high automatically.
- Ducted installation uses 10" round duct.
- Optional flue covers for standard or extended depth installations for 8', 9' and 10' ceilings. Also telescopic version for 10' to 12' ceilings.
- Designed to work with optional universal make-up air dampers. Fresh air wall caps are required for make-up air dampers (see pages 25 and 26).

Model No.	Finish	Size	Stock Item	List Price/ SRP‡	MAP
<i>Range Hoods with Internal Blower</i>					
WPD38I36SB	Stainless	36" x 27"	Yes	\$1,893.00	\$1,704.00
WPD38I42SB	Stainless	42" x 30"	Yes	\$1,957.00	\$1,763.00
WPD38I48SB	Stainless	48" x 27"	Yes	\$2,135.00	\$1,922.00
WPD38I60SB	Stainless	60" x 27"	Yes	\$2,381.00	\$2,143.00
Options:					
<i>Decorative Flue Covers (Standard 27" Depth)</i>					
AEWPD36SB	Stainless	6" (H)	Yes	\$211.00	\$190.00
AEWPD318SB	Stainless	18" (H)	Yes	\$235.00	\$212.00
AEWPD330SB	Stainless	30" (H)	Yes	\$320.00	\$288.00
AEWPD3054SB	Stainless	30" - 54"	Yes	\$616.00	\$554.00
<i>Decorative Flue Covers (Extended 30" Depth)</i>					
AEWPD36SBE	Stainless	6" (H)	Yes	\$225.00	\$203.00
AEWPD318SBE	Stainless	18" (H)	Yes	\$246.00	\$221.00
AEWPD330SBE	Stainless	30" (H)	Yes	\$321.00	\$289.00
AEWPD3054SBE	Stainless	30" - 54"	Yes	\$638.00	\$574.00
<i>Wall Extensions (Provide 30" Depth)</i>					
AWWPD336SB	Stainless	36"	Yes	\$306.00	\$275.00
AWWPD342SB	Stainless	42"	Yes	\$330.00	\$293.00
AWWPD348SB	Stainless	48"	Yes	\$343.00	\$309.00
AWWPD360SB	Stainless	60"	Yes	\$381.00	\$343.00
<i>Light Bulbs</i>					
GU10 ▲		Box of 10	Yes	\$15.00	\$14.00

▲ Price reflects the individual item cost.

Outdoor Hoods

CPD9M Series



- Constructed of corrosion-resistant brushed stainless steel.
- 36", 42" and 48" widths.
- 28-3/8" depth.
- Internal blower with 1300 MAX Blower CFM, must be purchased separately.
- Two halogen bulbs.
- Baffle filters.
- Variable speed rotary control.
- Heat Sentry™ detects excessive heat and adjusts blower to high automatically.
- Ducted installation uses 10" round duct.

Model No.	Finish	Size	Stock Item	List Price/SRP‡	MAP
<i>Range Hoods for use with Internal Blower</i>					
CPD9M363SB	Stainless	30" x 36" x 14"	Yes	\$1,360.00	\$1,224.00
CPD9M423SB	Stainless	30" x 42" x 14"	Yes	\$1,509.00	\$1,359.00
CPD9M483SB	Stainless	30" x 48" x 14"	Yes	\$1,556.00	\$1,401.00
<i>Options:</i>					
<i>Internal Blower</i>					
P12NA		1200 CFM	Yes	\$596.00	\$537.00

CPD Series



- Constructed of corrosion resistant brushed stainless steel. UL listed for use in damp locations.
- Professional-style, deep 22.5" design.
- Integrated liner simplifies installation for a finished look.
- 50 watt halogen bulbs included (two lamps in 36", three in 48" and 60").
- Internal blower with 1250 MAX Blower CFM for powerful operation (included).
- Three-speed rotary controls.
- Heat Sentry™ detects excessive heat and adjusts blower to high automatically.
- Ducted installation uses 10" round duct.
- Designed to work with optional universal make-up air dampers. Fresh air wall caps are required for make-up air dampers (see pages 25 and 26).

Model No.	Finish	Size	Stock Item	List Price/SRP‡	MAP
<i>Range Hoods with Internal Blower</i>					
CPDI362SB	Stainless	34-3/8" x 22-1/2" x 12"	Yes	\$1,335.00	\$1,202.00
CPDI482SB	Stainless	46-3/8" x 22-1/2" x 12"	Yes	\$1,532.00	\$1,379.00
CPDI602SB	Stainless	58-7/8" x 22-1/2" x 12"	Yes	\$1,927.00	\$1,734.00
<i>Options:</i>					
<i>Light Bulbs</i>					
GU10 ▲		Box of 10	Yes	\$15.00	\$14.00

▲ Price reflects the individual item cost.

Built-In Hoods

D49M Series



Stainless Steel Finish



Black Stainless Steel



- Chimney raises to 18" at the touch of a button.
- Choice of quiet Flex Blower System with 650 MAX Blower CFM or external blower options sold separately.
- Provided in stainless steel or black stainless steel finish.
- LED lighting produces bright, clean light using minimal energy and has an extra long life span, so lights may never need replacement.
- Four-speed electronic controls include 10-minute delay-off, filter clean reminder and Heat Sentry™ to provide convenient operation.
- Optional ACRD remote control button for convenient up/down operation.
- Hidden mesh grease filters are easily removed for cleaning by removal of the front panel.
- Optional end cap extension adds 1" to width for 31", 37" and 49" applications for the perfect fit, sold separately (includes left handed and right handed replacement end caps).
- Optional decorative range trim kit for use with free-standing range applications, sold separately.
- Cooktop trim seal kit recommended for use with gas cooktops, sold separately.
- Will work with optional universal make-up dampers. Fresh air wall caps are required for make-up air dampers (see pages 25 and 26).

Model No.	Finish	Size	Stock Item	List Price/SRP‡	MAP
D49M30BLS	Black Stainless	30"	Yes	\$1,972.00	\$1,775.00
D49M36BLS	Black Stainless	36"	Yes	\$2,039.00	\$1,835.00
D49M30SB	Stainless	30"	Yes	\$1,842.00	\$1,658.00
D49M36SB	Stainless	36"	Yes	\$1,909.00	\$1,718.00
D49M48SB	Stainless	48"	Yes	\$2,213.00	\$1,992.00
Options:					
<u>Internal Blower</u>					
PF6		650 MAX CFM	Yes	\$315.00	\$270.00
<u>Exterior Blowers</u>					
EB6	All items are	665 MAX CFM	Yes	\$664.00	\$598.00
EB9	Brushed Aluminum	890 MAX CFM	Yes	\$789.00	\$710.00
EB12		1300 MAX CFM	Yes	\$1,068.22	\$961.00
EB15		1650 MAX CFM	Yes	\$1,331.22	\$1,198.00
<u>In-Line Blowers</u>					
ILB3	All items are	300 MAX CFM	Yes	\$441.78	\$363.00
ILB6	Galvanized	675 MAX CFM	Yes	\$690.67	\$622.00
ILB9		900 MAX CFM	Yes	\$854.00	\$769.00
ILB11		1500 MAX CFM	Yes	\$1,008.00	\$907.00
<u>Non-Ducted Recirculation Kit (required for recirculating operation)</u>					
ANKD			Yes	\$196.00	\$176.00
<u>Recirculating Filter Replacement</u>					
AFCD			Yes	\$27.00	\$24.00
<u>Range Trim Kit</u>					
ATKD30SB		30"	Yes	\$62.00	\$56.00
ATKD36SB	Stainless	36"	Yes	\$68.00	\$61.00
ATKD48SB		48"	Yes	\$83.00	\$75.00
ATKD30BLS	Black	30"	Yes	\$88.00	\$79.00
ATKD36BLS	Stainless	36"	Yes	\$91.00	\$82.00
<u>Trim Accessories</u>					
ATTD1	Stainless		Yes	\$94.00	\$85.00
ATTD1BLS	Black Stainless		Yes	\$96.00	\$87.00
<u>Remote Control</u>					
ACRD	Stainless		Yes	\$137.00	\$123.00
ACRDBLS	Black Stainless		Yes	\$135.00	\$122.00
<u>Gas Cooktop Trim Seal Kit</u>					
ATSKD30		30"	Yes	\$62.00	\$56.00
ATSKD36		36"	Yes	\$68.00	\$61.00
ATSKD48		48"	Yes	\$83.00	\$75.00
<u>Duct Accessories</u>					
ACVPD8		8" Round Front Panel	Yes	\$51.00	\$46.00
ACVPD10		10" Round Front Panel	Yes	\$51.00	\$46.00
AEDD2		1-7/8" x 19" x 2' Duct	Yes	\$73.00	\$66.00
AVDKD8		1-7/8" x 19" to 8" Round	Yes	\$116.00	\$104.00
AVDKD10		1-7/8" x 19" to 10" Round	Yes	\$125.00	\$113.00
AVDKD219		1-7/8" x 19" Rectangular	Yes	\$52.00	\$47.00
AVDKD8810		Two 8" to 10" Round	Yes	\$142.00	\$128.00
<u>Extension Cable</u>					
AEWD5			Yes	\$72.00	\$65.00

Built-In Hoods

DC54 Series



- Available in stainless steel.
- Flexible blower with either 300 or 350 MAX Blower CFM, sold separately.
- Sones 0.5 on normal.
- Three-speed + boost cap control with white backlight.
- 10 minute delay shutoff.
- Filter clean reminder.
- Stainless steel dishwasher-safe filter with aluminum mesh.
- 8" duct, horizontal left or right.
- 459 transition required for install.

Model No.	Finish	Size	Stock Item	List Price/SRP‡	MAP
Range Hoods					
DC54MSB	Stainless	4-3/4" x 21" (Cut Out) 4-3/4" x 21" (Face Frame)	Yes	\$1,400.00	\$1,259.00
Options:					
Blowers					
PF3		300 MAX CFM	Yes	\$300.00	\$270.00
PF6		650 MAX CFM	Yes	\$315.00	\$284.00
Non-Ducted Recirculation Kit (required for recirculating operation)					
ANKD			Yes	\$196.00	\$176.00
Recirculating Filter Replacement					
AFCD			Yes	\$27.00	\$24.00
Remote Control					
ACR3			Yes	\$89.00	\$80.00
Transition					
459		3-1/4" x 14" to 8" round transition	Yes	\$38.00	\$34.00

UCB3 Series



- Available in brushed stainless steel.
- 30" and 36" wide.
- Internal blower with 550 MAX Blower CFM.
- ENERGY STAR qualified.
- 1.0 sones at low speed.
- 3-1/4" x 10" vertical or horizontal discharge.
- Suitable for 8' to 9' high ceilings.
- PURLED™ light system: boosts light output by 25%, distributes light six times better and improves energy efficiency by 88%.
- Hybrid filter issued from the combination of two filtering technologies, designed to capture 28% more grease.
- Interchangeable glass panels: your choice of 8 trendy colors to help you personalize your kitchen decor.
- Limit CFM to 300 with CRT (Code Ready Technology).

Model No.	Finish	Size	Stock Item	List Price/SRP‡	MAP
Range Hoods					
UCB3I30SBB	Stainless (Black Glass)	29-7/8" x 20-1/8"	Yes	\$1,129.00	\$1,017.00
UCB3I30SBS	Stainless (Brushed Gray Glass)	29-7/8" x 20-1/8"	Yes	\$1,129.00	\$1,017.00
UCB3I30SBN	Stainless (Without Glass*)	29-7/8" x 20-1/8"	Yes	\$1,056.00	\$951.00
UCB3I30SBW	Stainless (White Glass)	29-7/8" x 20-1/8"	Yes	\$1,129.00	\$1,017.00
UCB3I36SBB	Stainless (Black Glass)	35-7/8" x 20-1/8"	Yes	\$1,193.00	\$1,074.00
UCB3I36SBS	Stainless (Brushed Gray Glass)	35-7/8" x 20-1/8"	Yes	\$1,193.00	\$1,074.00
UCB3I36SBN	Stainless (Without Glass*)	35-7/8" x 20-1/8"	Yes	\$1,120.00	\$1,008.00
UCB3I36SBW	Stainless (White Glass)	35-7/8" x 20-1/8"	Yes	\$1,193.00	\$1,074.00
Options:					
Glass Panels					
SV09953BL	Black Front	30"	Yes	\$165.00	\$149.00
SV09953EM	Emerald Front	30"	Yes	\$165.00	\$149.00
SV09953LM	Lime Front	30"	Yes	\$165.00	\$149.00
SV09953OR	Orange Front	30"	Yes	\$165.00	\$149.00
SV09953PU	Purple Front	30"	Yes	\$165.00	\$149.00
SV09953RD	Red Front	30"	Yes	\$165.00	\$149.00
SV09953SS	Brushed Gray Front	30"	Yes	\$165.00	\$149.00
SV09953WH	White Front	30"	Yes	\$165.00	\$149.00
SV09954BL	Black Front	36"	Yes	\$165.00	\$149.00
SV09954EM	Emerald Front	36"	Yes	\$165.00	\$149.00
SV09954LM	Lime Front	36"	Yes	\$165.00	\$149.00
SV09954OR	Orange Front	36"	Yes	\$165.00	\$149.00
SV09954PU	Purple Front	36"	Yes	\$165.00	\$149.00
SV09954RD	Red Front	36"	Yes	\$165.00	\$149.00
SV09954SS	Brushed Gray Front	36"	Yes	\$165.00	\$149.00
SV09954WH	White Front	36"	Yes	\$165.00	\$149.00

* Hood (Without Glass) requires a front glass panel for operation. Hood comes without interchangeable color option front panel to help you personalize your kitchen décor. Complete your hood by selecting a front glass panel color options (purchase separately) available.

‡ Suggested Retail Price

Built-In Hoods

CC34 - 63" Series *iQ*



- Available in stainless steel.
- IQ6, IQ12 and external blower options.
- Four-speed electronic light touch.
- ACR3 remote control included.
- LED strip lighting with three level settings.
- Quick-release, dishwasher-safe grease filters.
- 10 minute delay-off function.
- Filter clean reminder.
- Non duct kit option.
- Recommended for ceilings from 7' to 9'.

Model No.	Finish	Size	Stock Item	List Price/ SRP‡	MAP
Range Hood with IQ6 Internal Blower*					
CC34IQ63SB	Stainless	63" x 27-1/2" x 13-3/4"	Yes	\$3,558.00	\$3,203.00
Range Hood with IQ12 Internal Blower					
CC34IQ123SB	Stainless	63" x 27-1/2" x 13-3/4"	Yes	\$3,800.00	\$3,420.00
Range Hood with External Blower					
CC34E63SB	Stainless	63" x 27-1/2" x 9-7/16"	Yes	\$3,056.00	\$2,751.00
Options:					
External Blowers					
EB6	All items are Brushed Aluminum	665 MAX CFM	Yes	\$664.00	\$598.00
EB9		890 MAX CFM	Yes	\$789.00	\$710.00
EB12		1300 MAX CFM	Yes	\$1,068.22	\$961.00
EB15		1650 MAX CFM	Yes	\$1,331.22	\$1,198.00
In-Line Blowers					
ILB3	All items are Galvanized	300 MAX CFM	Yes	\$441.78	\$398.00
ILB6		675 MAX CFM	Yes	\$690.67	\$622.00
ILB9		900 MAX CFM	Yes	\$854.00	\$769.00
ILB11		1500 MAX CFM	Yes	\$1,008.00	\$907.00
Non-Duct Kit					
ANKCC3463			Yes	\$300.00	\$270.00
Charcoal Replacement Filters					
AFCC3463			Yes	\$160.00	\$144.00

*Limit CFM to 300 or 400 CFM with CRT (Code Ready Technology) to meet MUA Codes.

CC34 - 43" Series *iQ*




- Available in brushed stainless steel or with optional white glass panel accessory.
- Six LED lights provide bright, clean, energy efficient light over the cooktop.
- Choice of quiet internal iQ6 with 800 MAX Blower CFM or external blower options.
- iQ blowers with GPS technology provide up to 2X quieter operation, 30% faster removal of smoke and 22X more energy efficiency.
- Four-speed electronic light touch controls; includes handheld remote control (ACR3).
- Control features delay-off and filter clean reminder.
- Quick release, dishwasher safe grease filters.
- Recommended for ceilings from 7' to 9'.
- Uses 8" round duct.
- Designed to work with optional direct wire make-up air dampers. Fresh air wall caps are required for make-up air dampers (see pages 25 and 26).

Model No.	Finish	Size	Stock Item	List Price/ SRP‡	MAP
Range Hood with IQ6 Internal Blower*					
CC34IQ3SB	Stainless	43-3/8" x 27-1/2"	Yes	\$2,579.00	\$2,321.00
Range Hood with External Blower					
CC34E6SB	Stainless	43-3/8" x 27-1/2"	Yes	\$2,105.00	\$1,895.00
Options:					
White Glass Panels					
AGPCC34W	White		Yes	\$719.00	\$647.00
Non-Duct Kit					
ANKCC34			Yes	\$263.00	\$237.00
Charcoal Replacement Filter					
AFCC34			Yes	\$153.00	\$138.00
External Blowers					
EB6	All items are Brushed Aluminum	665 MAX CFM	Yes	\$664.00	\$598.00
EB9		890 MAX CFM	Yes	\$789.00	\$710.00
EB12		1300 MAX CFM	Yes	\$1,068.22	\$961.00
EB15		1650 MAX CFM	Yes	\$1,331.22	\$1,198.00
In-Line Blowers					
ILB3	All items are Galvanized	300 MAX CFM	Yes	\$441.78	\$398.00
ILB6		675 MAX CFM	Yes	\$690.67	\$622.00
ILB9		900 MAX CFM	Yes	\$854.00	\$769.00
ILB11		1500 MAX CFM	Yes	\$1,008.00	\$907.00
Transition					
414		8" to 10"	Yes	\$43.00	\$39.00
Make-Up Air Dampers					
MD6T		6"	Yes	\$145.00	\$131.00
MD8T		8"	Yes	\$160.00	\$144.00
MD10T		10"	Yes	\$261.00	\$235.00

* Limit CFM to 300 or 400 CFM with CRT (Code Ready Technology) to meet MUA Codes.

Built-In Hoods

P195P Series



- Constructed of brushed standard grade stainless steel.
- Perimeter induction maximizes the flow at the hood edge along with giving it a clean filterless look.
- Two 20 watt halogen bulbs included.
- Choice of an internal blower with 650 MAX Blower CFM (P195P1M52 or P195PM170) or 1300 MAX Blower CFM (P195P2M70).
- Optional recirculating filters for non-ducted operation (only for P1951).
- Four-speed, electronic pushbutton controls with digital display with delay off and filter clean reminder. Optional remote control (ACR3).
- Heat Sentry™ detects excessive heat and adjusts blower to high automatically.
- Optional stainless steel liners to protect cabinetry for standard widths 30", 36" and 48", provides adjustable depth from 17.5" to 20.5".
- Ducted installation uses 6" round for the 1M models and 8" round for the 2M model.
- Designed to work with optional make-up air dampers MD6T, MD8T and MD10T. Fresh air wall caps are required for make-up air dampers (see pages 25 and 26).

Model No.	Finish	Size	Stock Item	List Price/SRP‡	MAP
Range Hoods with Internal Blower					
P195P1M52SB6	Stainless	21-3/16" x 11-1/8" x 10-5/8"	Yes	\$808.00	\$727.00
P195P1M70SB6	Stainless	28-5/16" x 11-1/8" x 10-5/8"	Yes	\$864.00	\$778.00
P195P2M70SB	Stainless	28-5/16" x 11-1/8" x 10-5/8"	Yes	\$1,038.00	\$934.00
Options:					
Liners					
L5230 (For P195P1M52)	Stainless	30"	Yes	\$240.00	\$216.00
L7036 (For P195P_M70)	Stainless	36"	Yes	\$276.00	\$248.00
L7048 (For P195P_M70)	Stainless	48"	Yes	\$307.00	\$276.00
Make-Up Air Dampers					
MD6T		6"	Yes	\$145.00	\$131.00
MD8T		8"	Yes	\$160.00	\$144.00
MD10T		10"	Yes	\$261.00	\$235.00
Recirculating Filter (for non-ducted operation)					
AFCP195P52 (For 21-3/16")			Yes	\$21.00	\$19.00
AFCP195P70 (For 28-5/16")			Yes	\$23.00	\$21.00
Remote Control					
ACR3			Yes	\$89.00	\$80.00

P195ES Series



- Available in brushed stainless steel.
- Flush under cabinet design fits flush to custom cabinet or can be used with optional BEST liners to protect cabinetry.
- ENERGY STAR® rated for optimum energy savings in ducted applications.
- Two 13 watt fluorescent bulbs provide economical, energy-saving lighting (included).
- Efficient internal blower for quiet, dependable operation.
 - 370 CFM, 5.0 Sones (0.3 Sones normal) on P195ES70SB
- Aluminum mesh filters effectively capture grease and are dishwasher-safe.
- Variable three-speed slider control for convenient range of ventilation choices.
- Heat Sentry™ detects excessive heat and adjusts blower speed to high automatically.
- Recirculation filters available for installations where ducting outdoors is not possible. Please note, recirculation installations will not meet ENERGY STAR® requirements.
- Uses 8" duct on P195ES70SB. Includes backdraft damper/adaptor.
- Will work with optional universal make-up dampers. Fresh air wall caps are required for make-up air dampers (see pages 25 and 26).

Model No.	Finish	Size	Stock Item	List Price/SRP‡	MAP
Range Hoods with Internal Blower					
P195ES70SB	Stainless	27-1/2" x 11-1/4" x 9-5/8"	Yes	\$584.00	\$526.00
Options:					
Liners					
L7030	Stainless	30"	Yes	\$240.00	\$216.00
L7036	Stainless	36"	Yes	\$276.00	\$248.00
L7048	Stainless	48"	Yes	\$307.00	\$276.00
Non-Ducted Filters*					
ROUNDFILTER		for P195ES70SB	Yes	\$79.00	\$71.00

* Please note, recirculation installations will not meet ENERGY STAR® requirements.

Built-In Hoods

PK22 Series



- Available in brushed stainless steel.
- Under cabinet design fits flush to custom cabinet or can be used with optional BEST liners to protect cabinetry.
- Two 50 watt halogen bulbs included; three bulbs on 45".
- Powerful internal iQ12 Blower System™ with 1500 MAX Blower CFM, driven by Guaranteed Performance System (GPS) Technology runs up to 2X quieter, clears smoke and odors up to 30% faster and is up to 22X more energy efficient than competitive blowers in its class.
- External (EX) versions for a choice exterior or in-line blowers from 300 to 1650 MAX Blower CFM.
- Hybrid stainless steel baffle and aluminum mesh filters provide quieter operation and capture grease more effectively than typical baffle filters; dishwasher safe.
- Four-speed LED pushbutton control for convenient range of ventilation choices. Optional remote control (ACR3).
- 10 minute delay-off keeps hood running after cooking to clear smoke and odors.
- Filter clean reminder ensures filters can be cleaned regularly and grease is captured at optimum levels.
- Heat Sentry™ detects excessive heat and adjusts blower speed to high automatically.
- Uses 10" duct. Optional 8" reducer (472). Note: May not calibrate when using reducer.
- Designed to work with optional MD6TU, MD8TU and MD10TU universal make-up air dampers. Fresh air wall caps are required for make-up air dampers (see pages 25 and 26).

Model No.	Finish	Size	Stock Item	List Price/ SRP‡	MAP
<i>Range Hoods with Internal iQ12 Blower</i>					
PK2230	Stainless	27-3/4" x 15-7/16" x 11	Yes	\$1,374.00	\$1,237.00
PK2239	Stainless	36-1/2" x 15-7/16" x 11	Yes	\$1,499.00	\$1,349.00
PK2245	Stainless	43-7/16" x 15-7/16" x 11	Yes	\$1,648.00	\$1,483.00
<i>Range Hoods for use with External Blower option</i>					
PKEX2239	Stainless	36-1/2" x 15-7/16" x 11	Yes	\$964.00	\$868.00
PKEX2245	Stainless	43-7/16" x 15-7/16" x 11	Yes	\$1,137.00	\$1,023.00
Options:					
<i>Liners</i>					
AL3036 (For PK2230)	Stainless	36"	Yes	\$302.00	\$272.00
AL3042 (For PK2230)	Stainless	42"	Yes	\$319.00	\$287.00
AL3948 (For PK2239)	Stainless	48"	Yes	\$342.00	\$308.00
AL3954 (For PK2239)	Stainless	54"	Yes	\$355.00	\$320.00
AL4554 (For PK2245)	Stainless	54"	Yes	\$355.00	\$320.00
AL4560 (For PK2245)	Stainless	60"	Yes	\$374.00	\$337.00
<i>Exterior Blowers</i>					
EB6	All items are Brushed Aluminum	665 MAX CFM	Yes	\$664.00	\$598.00
EB9		890 MAX CFM	Yes	\$789.00	\$710.00
EB12		1300 MAX CFM	Yes	\$1,068.22	\$961.00
EB15		1650 MAX CFM	Yes	\$1,331.22	\$1,198.00
<i>In-Line Blowers</i>					
ILB3	All items are Galvanized	300 MAX CFM	Yes	\$441.78	\$398.00
ILB6		675 MAX CFM	Yes	\$690.67	\$622.00
ILB9		900 MAX CFM	Yes	\$854.00	\$769.00
ILB11		1500 MAX CFM	Yes	\$1,008.00	\$907.00
<i>Transition</i>					
472		10" - 8"	Yes	\$46.00	\$41.00
<i>Remote Control</i>					
ACR3			Yes	\$89.00	\$80.00
<i>Light Bulbs</i>					
GU10		Box of 10	Yes	\$15.00	\$14.00

Built-In Hoods

CP5 Series



- Available in stainless steel finish.
- LED lighting provides bright, clean, energy efficient light over the cooktop (2 lamps on 36", 42" and 48"; 4 lamps on 54", 60" and 66") (included).
- Choice of a quiet iQ6 blower with 800 MAX Blower CFM or iQ12 with 1500 MAX Blower CFM or external blower options.
- iQ blower with GPS technology provides up to 2X quieter operation, 30% faster removal of smoke and 22X more energy efficiency.
- Recirculation option available on CP55IQ only.
- Hi-Flow™ baffle filters provide excellent ventilation efficiency.
- Three-speed plus boost electronic controls with delay-off and filter clean reminder; optional remote control (ACR3).
- HeatSentry™ detects excessive heat and adjusts blower to high automatically.
- Designed to work with optional universal make-up air dampers. Fresh air wall caps are required for make-up air dampers (see pages 25 and 26).

Model No.	Finish	Size	Stock Item	List Price/ SRP‡	MAP
<i>Range Hoods with Internal iQ6 Blower*</i>					
CP55IQ369SB	Stainless	34-3/8" x 19-1/4" x 11"	Yes	\$1,719.00	\$1,547.00
CP55IQ429SB	Stainless	40-3/8" x 19-1/4" x 11"	Yes	\$1,877.00	\$1,689.00
<i>Range Hoods with Internal iQ12 Blower</i>					
CP57IQT369SB	Stainless	34-3/8" x 19-1/4" x 11"	Yes	\$2,076.00	\$1,868.00
CP57IQT489SB	Stainless	46-3/8" x 19-1/4" x 11"	Yes	\$2,184.00	\$1,966.00
CP57IQT482SB	Stainless	46-3/8" x 22-1/2" x 11"	Yes	\$2,234.00	\$2,011.00
CP57IQT542SB	Stainless	52-3/8" x 22-1/2" x 11"	Yes	\$2,560.00	\$2,304.00
CP57IQT602SB	Stainless	58-3/8" x 22-1/2" x 11"	Yes	\$2,668.00	\$2,401.00
CP57IQT662SB	Stainless	64-3/8" x 22-1/2" x 11"	Yes	\$2,866.00	\$2,579.00
<i>Range Hoods with External Blower</i>					
CP57E362SB	Stainless	34-3/8" x 22-1/2" x 11"	Yes	\$1,315.00	\$1,184.00
CP57E482SB	Stainless	46-3/8" x 22-1/2" x 11"	Yes	\$1,512.00	\$1,361.00
CP57E602SB	Stainless	58-3/8" x 22-1/2" x 11"	Yes	\$1,789.00	\$1,610.00
<i>Options:</i>					
<i>Non-Duct Kit</i>					
ANKCP55			Yes	\$208.00	\$187.00
<i>Replacement Charcoal Filter</i>					
AFCROUND2			Yes	\$119.00	\$107.00
<i>Exterior Blowers</i>					
EB6	All items are Brushed Stainless	665 MAX CFM	Yes	\$664.00	\$598.00
EB9		890 MAX CFM	Yes	\$789.00	\$710.00
EB12		1300 MAX CFM	Yes	\$1,068.22	\$961.00
EB15		1650 MAX CFM	Yes	\$1,331.22	\$1,198.00
<i>In-Line Blowers</i>					
ILB3	All items are Galvanized	300 MAX CFM	Yes	\$441.78	\$398.00
ILB6		675 MAX CFM	Yes	\$690.67	\$622.00
ILB9		900 MAX CFM	Yes	\$854.00	\$769.00
ILB11		1500 MAX CFM	Yes	\$1,008.00	\$907.00
<i>Remote Control</i>					
ACR3			Yes	\$89.00	\$80.00

* Limit CFM to 300 or 400 CFM with CRT (Code Ready Technology) to meet MUA Codes.

CP3 Series



- Available in brushed stainless steel.
- Two 50 watt halogen bulbs included.
- Choice of models with internal blowers with 290, 670, or 1350 MAX Blower CFM (see chart).
- Dishwasher-safe baffle filter with handles.
- Variable speed control with last setting memory.
- Heat Sentry detects excessive heat and adjusts blower to high automatically.
- 8" or 10" round duct connector with backdraft damper. CP34 and CP35 use 8" and CP37 uses 10".
- Designed to work with optional universal make-up air dampers. Fresh air wall caps are required for make-up air dampers (see pages 25 and 26).

Model No.	Finish	Size	Stock Item	List Price/ SRP‡	MAP
<i>One Piece Hood Liner Insert with 290 MAX Blower CFM Internal Blower</i>					
CP34I309SB	Stainless	28-3/8" x 19-1/4" x 11"	Yes	\$914.00	\$823.00
CP34I369SB	Stainless	34-3/8" x 19-1/4" x 11"	Yes	\$956.00	\$860.00
CP34I429SB	Stainless	40-3/8" x 19-1/4" x 11"	Yes	\$1,030.00	\$927.00
<i>One Piece Hood Liner Insert with 670 MAX Blower CFM Internal Blower</i>					
CP35I309SB	Stainless	28-3/8" x 19-1/4" x 11"	Yes	\$914.00	\$823.00
CP35I369SB	Stainless	34-3/8" x 19-1/4" x 11"	Yes	\$956.00	\$860.00
CP35I429SB	Stainless	40-3/8" x 19-1/4" x 11"	Yes	\$1,030.00	\$927.00
<i>One Piece Hood Liner Insert with 1350 MAX Blower CFM Internal Blower</i>					
CP37I482SB	Stainless	46-3/8" x 22-1/2" x 11"	Yes	\$1,464.00	\$1,318.00
<i>Options:</i>					
<i>Light Bulbs</i>					
GU10 ▲		Box of 10	Yes	\$15.00	\$14.00
<i>CFM Reducer Kit</i>					
ARP8			Yes	\$41.00	\$37.00

▲ Price reflects the individual item cost.

Built-In Hoods

CC45 Series



- Seamless integrated cabinet design, mounts inside cabinet revealing sleek control panel.
- Available in brushed stainless steel.
- Internal blower with 650 MAX Blower CFM, or select from available exterior or in-line blowers.
- Four-speed infrared electronic controls.
- LED strip lighting provides bright, even lighting.
- Mesh dishwasher-safe filter.
- Uses 8" duct vertical.
- Heat Sentry™ detects excessive heat and adjusts speed to high automatically.
- 10-minute delay-off function.

Model No.	Finish	Size	Stock Item	List Price/ SRP‡	MAP
<i>Range Hood with 650 MAX Blower CFM Internal Blower</i>					
CC45I90SB	Stainless	34" x 13"	Yes	\$1,723.00	\$1,551.00
<i>Range Hood with External Blower</i>					
CC45E90SB	Stainless	34" x 13"	Yes	\$1,389.00	\$1,251.00
Options:					
<i>Flue Extension</i>					
AECC45SB	Stainless		Yes	\$193.00	\$174.00
<i>Exterior Blowers</i>					
EB6	All items are Brushed Stainless	665 MAX CFM	Yes	\$664.00	\$598.00
EB9		890 MAX CFM	Yes	\$789.00	\$710.00
EB12		1300 MAX CFM	Yes	\$1,068.22	\$961.00
EB15		1650 MAX CFM	Yes	\$1,331.22	\$1,198.00
<i>In-Line Blowers</i>					
ILB3	All items are Galvanized	300 MAX CFM	Yes	\$441.78	\$398.00
ILB6		675 MAX CFM	Yes	\$690.67	\$622.00
ILB9		900 MAX CFM	Yes	\$854.00	\$769.00
ILB11		1500 MAX CFM	Yes	\$1,008.00	\$907.00
<i>Non-Duct Kit (internal blower only)</i>					
ANKCC45			Yes	\$238.00	\$215.00
<i>Non-Duct Filter</i>					
AFCC45			Yes	\$127.00	\$115.00

CC6 Series



- Brushed stainless steel finish (28-1/8" width to accommodate 30" cabinet space).
- Choice of models with 650 or 1300 MAX Blower CFM.
- NEW and exclusive PURLED™ light system, boosts light output by 25%, distributes light six times better and improves energy efficiency by 88%. Two intensities (2 LED bulbs 5.5 watt included).
- Electronic push button controls with LED (four ventilation speeds).
- 5-minute Delay function.
- Dishwasher-safe thin baffle filters.
- Filter maintenance indicator.
- Heat Sentry™ detects excessive heat and adjusts speed to High automatically.
- Custom hood liners available (protect the exterior base of the custom hood).
- Clasp springs to ease installation.
- 3-1/4" x 10" (CC65I28SB) or 10" round (CC67I28SB) ducted discharge, vertical or horizontal.

Model No.	Finish	Size	Stock Item	List Price/ SRP‡	MAP
<i>Range Hoods with 600 CFM Single Internal Blower</i>					
CC65I28SB	Stainless	28-1/2"	Yes	\$1,036.00	\$933.00
<i>Range Hoods with 1000 Dual Internal Blower</i>					
CC67I28SB	Stainless	28-1/2"	Yes	\$1,427.00	\$1,285.00
Options:					
<i>Liner for 30" Width Custom Hood</i>					
ALCC630SB	Stainless	30"	Yes	\$250.00	\$225.00
<i>Liner for 36" Width Custom Hood</i>					
ALCC636SB	Stainless	36"	Yes	\$286.00	\$258.00
<i>Liner for 42" Width Custom Hood</i>					
ALCC642SB	Stainless	42"	Yes	\$317.00	\$286.00

Built-In Hoods

U102 Series



- Available in brushed stainless steel.
- Modern slim design.
- Two 20 watt halogen bulbs included.
- Dishwasher-safe stainless steel and aluminum filter.
- Provides effective ventilation in an ultra-compact package — 12" retracted and 18" extended.
- Quiet, efficient internal blower with 575 MAX Blower CFM.
- 10-minute time-delay shut-off feature and reminder indicator for filter maintenance.
- Heat Sentry™ detects excessive heat and adjusts speed to high automatically.
- Not recommended for use with gas or electric grills.
- Optional non-ducted filter kit for recirculating operation (ductwork required).
- Uses 8" round duct, includes back-draft damper/adaptor.
- Designed to work with optional universal make-up air dampers. Fresh air wall caps are required for make-up air dampers (see pages 25 and 26).

Model No.	Finish	Size	Stock Item	List Price/ SRP‡	MAP
<i>Range Hoods with Internal Blower</i>					
U10230SBI	Stainless	30"	Yes	\$1,210.00	\$1,089.00
U10236SBI	Stainless	36"	Yes	\$1,278.00	\$1,150.00
Options:					
<i>Non-Ducted Recirculation Kit (required for recirculating operation)</i>					
ANKU10			Yes	\$119.00	\$107.00
<i>Charcoal Filter Replacement</i>					
ROUNDFILTER			Yes	\$79.00	\$71.00
<i>Transition</i>					
414		8" to 10"	Yes	\$43.00	\$39.00
<i>CFM Reducer Kit</i>					
ARP8			Yes	\$41.00	\$37.00

Accessories

24" Duct Sections

Model No.	Description	Stock Item	List Price/ SRP‡	MAP
406	6" Round	Yes	\$20.00	\$18.00
407	7" Round	Yes	\$21.00	\$19.00
408	8" Round	Yes	\$24.00	\$22.00
410	10" Round	Yes	\$27.00	\$24.00

Roof and Wall Caps

Model No.	Description	Stock Item	List Price/ SRP‡	MAP
437	10" round roof cap	Yes	\$181.00	\$163.00
441	10" round wall cap	Yes	\$89.00	\$80.00
610FA	10" aluminum fresh air inlet wall cap	Yes	\$116.00	\$104.00
634	3-1/4" x 10" or up to 8" round roof cap	Yes	\$43.00	\$39.00
639	3-1/4" x 10" wall cap	Yes	\$29.00	\$26.00
641	6" round wall cap	Yes	\$60.00	\$54.00
641FA	Aluminum fresh air inlet wall cap for 6" round duct	Yes	\$49.00	\$44.00
643	8" round wall cap	Yes	\$77.00	\$69.00
643FA	Aluminum fresh air inlet wall cap for 8" round duct	Yes	\$73.00	\$66.00
647	7" round wall cap	Yes	\$67.00	\$60.00
WC638	3-1/4" x 14" wall cap	Yes	\$76.00	\$68.00

Transitions

Model No.	Description	Stock Item	List Price/ SRP‡	MAP
412H	3-1/4" x 10" to 7" round; vertical discharge (412H replaces 412)	Yes	\$26.00	\$23.00
413	3-1/4" x 10" to 8" round; vertical discharge	Yes	\$29.00	\$26.00
414	8" to 10" round	Yes	\$43.00	\$39.00
459	3-1/4" x 14" to 8" round	Yes	\$38.00	\$34.00
472	10" to 8" round reducer	Yes	\$46.00	\$41.00
T460	3-1/4" x 14" to 7" round	Yes	\$30.00	\$27.00
T486	8" to 6" round reducer	Yes	\$29.00	\$26.00
T487	8" to 7" round reducer	Yes	\$29.00	\$26.00

Elbows

Model No.	Description	Stock Item	List Price/ SRP‡	MAP
415	7" round adjustable	Yes	\$16.00	\$14.00
418	10" round adjustable	Yes	\$37.00	\$33.00
419	6" round adjustable	Yes	\$17.00	\$15.00
432	8" round adjustable	Yes	\$27.00	\$24.00

‡ Suggested Retail Price

Accessories

Dampers

Model No.	Description	Stock Item	List Price/ SRP‡	MAP
421	10" damper	Yes	\$39.00	\$35.00

Universal/Automatic Make-Up Air Dampers

Model No.	Description	Stock Item	List Price/ SRP‡	MAP
MD6S	6" make-up air slave damper (damper only)	Yes	\$147.00	\$132.00
MD8S	8" make-up air slave damper (damper only)	Yes	\$162.00	\$146.00
MD10S	10" make-up air slave damper (damper only)	Yes	\$250.00	\$225.00
MD6T	6" automatic make-up air damper	Yes	\$145.00	\$131.00
MD8T	8" automatic make-up air damper	Yes	\$160.00	\$144.00
MD10T	10" automatic make-up air damper	Yes	\$261.00	\$235.00
MD6TU	6" universal automatic make-up air damper with pressure sensor kit	Yes	\$204.00	\$184.00
MD8TU	8" universal automatic make-up air damper with pressure sensor kit	Yes	\$225.00	\$203.00
MD10TU	10" universal automatic make-up air damper with pressure sensor kit	Yes	\$297.00	\$267.00

Fresh air wall caps are required for make-up air dampers. See 610FA, 641FA and 643FA in the Roof and Wall Caps section.

Installation Guidelines

Easy Installation: All Best® range hoods come complete with installation instructions, and all hardware including damper, mounting brackets and screws.

Recommended Distance from Cooktop Surface: For optimal effectiveness, the distance from the cooking surface to the bottom of the range hood should be from 24" to 30", unless otherwise noted for the specific hood. To maintain satisfactory capture of smoke and odors when installing a hood at heights greater than the recommended range use the following guideline: For every 3" increase in installation height add 100 CFM to the minimum exhaust requirement and/or a minimum of 3" to the overall width of the hood or liner. It's never recommended to install a Best hood below 24".

Selecting the Appropriate CFM or Hood Design: To determine the most favorable hood design, consider the user's cooking style and the cooking product. Heavy use, increased installation heights or high BTU gas appliances would favor hood designs that have larger (deeper) capture areas. Observe the appliance manufacturers' recommendations and always consult local codes and standards. As a general rule, use the following for determining CFM (except for Down Draft):

- Under 60,000 BTU: 100 CFM per linear foot of cooktop width.
- Over 60,000 BTU: 1 CFM per 100 BTU of cooktop output.
- With grill or griddle: Add 200 CFM to your estimated needs based on BTU output of the cooktop surface. Example: 60,000 BTU cooktop = 600 CFM, with gas grill add 200 CFM, CFM total = 800.

Peak Exhaust Rates at Lowest Sound Levels: To achieve peak exhaust rates at the lowest sound levels use the following guidelines:

- Never make the size or area of the ductwork smaller than the size that originates at the hood.
- Bigger ductwork is better.
- Keep duct length less than 50 linear feet.
- Minimize use of elbows and transitions (4 or less).
- Always separate 90° elbows with at least 2 feet of straight ductwork.
- When using a remote exterior blower, using one 90° elbow will reduce noise transmission into the hood.
- Place transitions at least 1 foot from the hand outlet or remote blower inlet.

Reversible Telescope Flues: Some Best® range hoods have louvers in the upper flue that allow recirculation of filtered exhaust back into the kitchen in non-ducted applications. The upper section of the flue is reversible so the louvers can be hidden when the hood is ducted to the outside. Note that in applications with 9' ceilings the louvers will be exposed regardless of flue orientation. If the exposed louver is undesirable, order the 10' flue extension (Contact our Technical Support Department for more information at 800-637-1453).

Non-Ducted Installations: A non-ducted recirculating kit (NDK) or charcoal filter(s) is necessary where a hood is used in a non-ducted application. The recirculating kit includes charcoal filter(s), a reducer ring and an air diverter box.

Special Order Timing: Allow 12 to 16 weeks for special order items.

Product Usage: Best® range hoods are designed for use with indoor residential cooking products, except when noted for outdoor use, but are not for use with charcoal grills of any kind.

Electrical Service: 120 Volt service is required. Some Best® range hoods are direct hook-up and some have pre-wired AC plugs.

Technical/Installation Documentation: Technical and installation documents are available online at www.BestRangeHoods.com, or through our Technical Support Department at 800-637-1453.



UL listed. (Underwriters Laboratories tested and approved).



Evaluated by UL to Canadian Standard C22.2 NO.113.

Product Specification Index

Model	UPC Code	Weight	Length	Width	Height	Cube
406	0 26715 02064 5	12.19	2.08	0.64	0.63	0.84
407	0 26715 01118 6	10.63	2.09	0.71	0.74	1.10
408	0 26715 22965 9	2.20	2.00	0.67	0.67	0.90
410	0 26715 02274 8	20.00	0.85	0.82	2.06	1.43
412H	0 26715 00268 9	1.45	0.88	0.87	0.65	0.50
413	0 26715 01599 3	1.90	1.03	1.03	0.87	0.91
414	0 26715 07547 8	1.90	1.02	1.01	0.88	0.90
415	0 26715 00796 7	6.50	1.69	1.68	0.68	1.92
418	0 26715 05945 4	3.40	1.13	1.12	0.90	1.14
419	0 26715 01600 6	1.10	0.98	0.77	0.77	0.58
421	0 26715 03900 5	0.75	0.96	0.84	0.13	0.10
432	0 26715 22966 6	1.95	1.02	1.00	0.85	0.87
437	0 26715 03907 4	12.00	2.34	0.83	1.58	3.07
441	0 26715 03908 1	3.80	1.13	1.17	0.32	0.42
459	0 26715 15379 4	1.90	1.28	0.67	0.77	0.65
472	0 26715 02281 6	2.60	0.87	0.87	0.68	0.51
610FA	0 26715 21105 0	2.50	1.13	1.13	0.90	1.13
634	0 26715 00265 8	5.10	1.60	1.21	0.63	1.22
639	0 26715 00264 1	2.50	1.12	0.82	0.54	0.50
641	0 26715 01137 7	1.30	0.79	0.79	0.67	0.42
641FA	0 26715 19206 9	1.20	0.78	0.78	0.66	0.40
643	0 26715 02294 6	2.40	1.13	1.13	0.88	1.12
643FA	0 26715 19207 6	2.40	1.13	1.13	0.89	1.14
647	0 26715 05212 7	1.40	0.78	0.79	0.68	0.42
ACR3	0 26715 23145 4	0.25	0.42	0.25	0.08	0.01
ACRD	0 26715 23430 1	0.60	0.73	0.27	0.28	0.05
ACRDBLS	0 26715 25575 7	0.60	0.73	0.27	0.28	0.05
ACVPD10	0 26715 23436 3	3.15	1.12	1.12	0.18	0.22
ACVPD8	0 26715 23499 8	3.35	1.12	1.12	0.18	0.22
AECC45SB	0 26715 25639 6	11.40	2.35	1.54	1.31	4.76
AEDD2	0 26715 23440 0	8.10	2.06	1.65	0.24	0.82
AEIC34SB	0 26715 22925 3	47.70	3.55	1.44	1.43	7.29
AEIC34SBN	0 26715 22924 6	47.00	3.58	1.44	1.43	7.36
AEIC35SB	0 26715 19932 7	23.10	2.22	0.95	2.21	4.65
AEICB3SB	0 26715 25945 8	20.00	3.03	2.08	0.66	4.14
AEIPB9SB	0 26715 22920 8	54.55	4.23	1.52	2.08	13.40
AEIPP9SB	0 26715 22794 5	54.00	3.56	1.46	1.42	7.36
AEWC345IQSB	0 26715 22788 4	15.00	4.13	1.38	1.25	7.09
AEWC345IQSBN	0 26715 22787 7	15.00	4.15	1.38	1.25	7.13
AEWCB3SB	0 26715 25990 8	18.00	3.03	2.08	0.66	4.14
AEWCNISS	0 26715 26525 1	20.94	3.25	1.35	1.39	6.09
AEWCP3SB	0 26715 25944 1	18.00	3.33	1.13	2.21	8.00
AEWD5	0 26715 23441 7	0.80	0.73	0.27	0.28	0.05
AEWP28302SB	0 26715 22945 1	14.00	3.31	1.15	2.25	8.54
AEWP28362SB	0 26715 22946 8	14.45	3.31	1.15	2.25	8.54
AEWP28422SB	0 26715 22947 5	17.20	4.31	1.15	2.25	11.12
AEWP28482SB	0 26715 22948 2	17.90	4.31	1.15	2.25	11.12
AEWP28542SB	0 26715 22949 9	51.10	2.00	6.52	2.79	36.41
AEWP28602SB	0 26715 22950 5	51.95	2.00	6.52	2.79	36.41
AEWP302SB	0 26715 17678 6	14.60	3.28	1.18	2.23	8.56
AEWP362SB	0 26715 17679 3	15.30	3.29	1.15	2.25	8.52
AEWP422SB	0 26715 17680 9	29.00	4.29	1.17	2.29	11.47
AEWP482SB	0 26715 17681 6	19.50	4.29	1.17	2.25	11.27
AEWP542SB	0 26715 17682 3	50.50	6.50	2.00	2.79	36.29
AEWP602SB	0 26715 17683 0	52.30	6.50	2.00	2.78	36.18
AEWPB9SBN	0 26715 25337 1	34.00	4.36	1.82	2.21	17.48
AEWPD3054SB	0 26715 22741 9	42.45	2.38	1.38	2.91	9.50
AEWPD3054SBE	0 26715 22742 6	46.40	2.92	1.63	2.38	11.30
AEWPD318SB	0 26715 20397 0	13.10	1.53	1.13	2.21	3.82

Model	UPC Code	Weight	Length	Width	Height	Cube
AEWPD318SBE	0 26715 20400 7	13.30	2.21	1.54	1.38	4.68
AEWPD330SB	0 26715 20398 7	24.10	2.38	1.38	2.91	9.50
AEWPD330SBE	0 26715 20401 4	21.20	2.67	2.08	2.00	11.11
AEWPD36SB	0 26715 20396 3	5.80	2.19	1.12	0.54	1.33
AEWPD36SBE	0 26715 20399 4	4.80	2.15	0.54	1.38	1.60
AEWPP9SBN	0 26715 22791 4	15.75	3.56	1.44	1.44	7.36
AEWTD1629SB	0 26715 25854 3	17.20	1.38	1.27	2.63	4.59
AEWTD3057SB	0 26715 25855 0	28.60	1.38	1.27	3.31	5.79
AEWTD915SB	0 26715 25853 6	12.20	1.38	1.27	2.63	4.59
AEWTT328SB	0 26715 20890 6	26.46	3.33	1.25	1.67	6.94
AEWTT32SB	0 26715 20889 0	20.95	3.42	0.96	1.15	3.75
AFBWGN1	0 26715 26616 6	3.75	1.38	1.41	0.33	0.64
AFCC34	0 26715 25408 8	1.45	1.02	0.28	0.96	0.28
AFCC3463	0 26715 26000 3	3.00	1.67	0.33	0.96	0.53
AFCC345	0 26715 25675 4	0.80	1.02	0.95	0.23	0.22
AFCD	0 26715 23432 5	0.40	1.19	0.23	0.43	0.12
AFCP195P52	0 26715 20870 8	0.10	1.02	0.58	0.02	0.01
AFCP195P70	0 26715 20871 5	0.10	1.46	0.56	0.02	0.01
AFCROUND2	0 26715 22795 2	1.60	0.69	0.69	0.38	0.18
AFCWC345	0 26715 22789 1	1.03	1.00	0.88	0.23	0.20
AFCWPB9	0 26715 25340 1	0.75	0.98	0.85	0.10	0.09
AFCWTT32	0 26715 20891 3	1.55	1.08	1.08	0.10	0.12
AFCWTT326	0 26715 20979 8	1.77	1.33	1.08	0.10	0.15
AGPCC34W	0 26715 22745 7	55.60	3.56	2.60	0.35	3.29
AL3036	0 26715 20905 7	11.50	3.71	2.27	0.42	3.51
AL3042	0 26715 20906 4	14.40	4.71	2.29	0.42	4.50
AL3948	0 26715 20907 1	14.10	4.67	2.27	0.42	4.42
AL3954	0 26715 20908 8	18.80	6.69	2.27	0.42	6.33
AL4554	0 26715 20909 5	17.80	6.69	2.27	0.42	6.33
AL4560	0 26715 20910 1	18.70	6.69	2.27	0.42	6.33
ALCC630SB	0 26715 25994 6	11.00	3.67	0.42	2.25	3.44
ALCC636SB	0 26715 25995 3	12.00	3.67	0.42	2.25	3.44
ALCC642SB	0 26715 25996 0	15.00	4.67	0.42	2.25	4.38
ANKCC34	0 26715 25407 1	4.10	1.29	0.93	0.72	0.86
ANKCC3463	0 26715 25999 1	8.00	2.00	0.94	0.71	1.33
ANKCC45	0 26715 25638 9	3.20	1.33	0.94	0.71	0.89
ANKCP55	0 26715 22914 7	5.10	1.13	1.10	1.13	1.40
ANKD	0 26715 23431 8	7.65	1.51	1.37	0.57	1.17
ANKIBF4	0 26715 20495 3	4.80	1.65	0.71	0.98	1.14
ANKIC34	0 26715 22927 7	6.66	2.08	0.83	1.25	2.17
ANKU10	0 26715 16536 0	2.80	0.88	0.80	0.88	0.61
ANKWBF4	0 26715 20496 0	6.50	1.67	0.83	1.00	1.39
ANKWC345	0 26715 22790 7	6.65	2.10	0.83	1.31	2.30
ANKWCN1	0 26715 26526 8	8.38	3.25	1.12	1.03	3.74
ANKWP306RSB	0 26715 22955 0	20.55	3.31	1.15	2.25	8.54
ANKWP366RSB	0 26715 22956 7	21.85	3.31	1.15	2.25	8.54
ANKWP426RSB	0 26715 22957 4	24.70	4.31	1.15	2.25	11.12
ANKWP486RSB	0 26715 22958 1	25.60	4.31	1.15	2.25	11.12
ANKWPB9	0 26715 25339 5	10.75	1.94	1.53	1.08	3.21
ANKWPP9	0 26715 22793 8	7.00	2.10	0.81	1.31	2.24
ANKWTT320	0 26715 20887 6	11.69	3.25	1.13	1.00	3.66
ANKWTT326	0 26715 20888 3	11.91	3.21	1.10	1.02	3.62
ARP310	0 26715 18222 0	1.25	0.68	0.52	0.40	0.14
ARP6	0 26715 18224 4	1.88	0.68	0.51	0.39	0.13
ARP8	0 26715 18225 1	2.19	1.27	0.45	0.36	0.20
ATKD30SB	0 26715 23433 2	0.95	2.54	0.35	0.31	0.28
ATKD36SB	0 26715 23434 9	1.10	3.04	0.35	0.31	0.33
ATKD48SB	0 26715 23435 6	1.55	4.25	0.28	0.28	0.33
ATSKD30	0 26715 24180 4	1.90	2.38	0.35	0.35	0.30

Model	UPC Code	Weight	Length	Width	Height	Cube
ATSKD36	0 26715 24181 1	2.50	3.02	0.44	0.44	0.58
ATSKD48	0 26715 24182 8	3.40	4.04	0.44	0.44	0.77
ATTD1	0 26715 23437 0	0.45	0.37	0.37	0.56	0.08
ATTD1BLS	0 26715 25574 0	0.45	0.00	0.37	0.56	0.00
AVDKD10	0 26715 23459 2	3.80	2.10	1.08	1.06	2.42
AVDKD219	0 26715 23438 7	1.05	2.58	0.33	0.30	0.26
AVDKD8	0 26715 23439 4	3.50	2.10	1.08	1.06	2.42
AVDKD8810	0 26715 24190 3	3.80	1.36	1.34	1.33	2.43
AWWPD336SB	0 26715 20403 8	14.00	3.33	1.75	0.33	1.94
AWWPD348SB	0 26715 20402 1	17.10	4.21	1.71	0.38	2.76
AWWPD360SB	0 26715 20404 5	19.80	5.29	1.77	0.40	3.71
CC34E63SB	0 26715 25776 8	110.00	6.43	2.57	1.48	24.49
CC34E6SB	0 26715 20659 9	75.60	3.92	2.63	1.38	14.14
CC34IQ63SB	0 26715 25774 4	125.00	6.43	2.57	1.48	24.49
CC34IQSB	0 26715 22740 2	93.75	3.92	2.63	1.38	14.14
CC34IQT63SB	0 26715 25775 1	133.00	6.43	2.57	1.48	24.49
CC45E90SB	0 26715 25637 2	48.00	3.46	1.79	1.30	8.05
CC45I90SB	0 26715 25636 5	57.00	3.46	1.79	1.30	8.05
CC65I28SB	0 26715 25946 5	35.00	2.73	1.65	1.15	5.15
CC67I28SB	0 26715 25947 2	45.00	2.73	1.65	1.15	5.15
CP34I309SB	0 26715 19015 7	44.20	3.32	1.15	2.23	8.49
CP34I369SB	0 26715 19016 4	47.80	3.29	1.13	2.25	8.33
CP34I429SB	0 26715 19017 1	57.20	4.29	1.15	2.25	11.10
CP35I309SB	0 26715 18649 5	44.30	3.30	1.15	2.20	8.35
CP35I369SB	0 26715 18650 1	47.00	3.30	1.15	2.21	8.38
CP35I429SB	0 26715 18651 8	56.10	4.29	1.15	2.25	11.10
CP37I482SB	0 26715 18652 5	63.00	4.33	1.13	2.25	10.97
CP55I369SB	0 26715 22821 8	51.00	3.31	1.15	2.25	8.54
CP55I429SB	0 26715 22822 5	55.00	4.31	1.15	2.25	11.12
CP57E362SB	0 26715 22829 4	43.00	3.31	1.15	2.25	8.54
CP57E482SB	0 26715 22830 0	55.00	4.31	1.15	2.25	11.12
CP57E602SB	0 26715 22831 7	66.00	2.00	6.48	2.79	36.18
CP57IQT369SB	0 26715 22823 2	59.00	3.31	1.15	2.25	8.54
CP57IQT482SB	0 26715 22825 6	73.00	4.31	1.15	2.25	11.12
CP57IQT489SB	0 26715 22824 9	70.00	4.31	1.15	2.25	11.12
CP57IQT542SB	0 26715 22826 3	80.00	2.00	6.48	2.79	36.18
CP57IQT602SB	0 26715 22827 0	83.00	2.00	6.48	2.79	36.18
CP57IQT662SB	0 26715 22828 7	86.00	2.00	6.48	2.79	36.18
CPD9M363SB	0 26715 25847 5	85.00	4.50	2.00	3.08	27.75
CPD9M423SB	0 26715 25849 9	87.00	4.50	2.00	3.08	27.75
CPD9M483SB	0 26715 25851 2	96.50	4.50	2.00	3.08	27.75
CPDI362SB	0 26715 20422 9	67.80	3.13	1.43	2.34	10.52
CPDI482SB	0 26715 20423 6	88.20	4.13	1.40	2.33	13.43
CPDI602SB	0 26715 20424 3	90.40	5.21	1.38	2.36	16.89
D49M30BLS	0 26715 25570 2	67.00	2.88	2.75	0.74	5.83
D49M30SB	0 26715 23420 2	67.00	2.88	2.75	0.74	5.83
D49M36BLS	0 26715 25571 9	77.00	3.25	2.88	0.75	7.01
D49M36SB	0 26715 23421 9	77.00	3.25	2.88	0.75	7.01
D49M48SB	0 26715 23422 6	107.00	2.98	4.45	0.81	10.72
DC54MSB	0 26715 25632 7	21.20	1.96	1.52	1.27	3.78
EB12	0 26715 13943 9	40.40	3.01	1.23	2.19	8.13
EB15	0 26715 13944 6	47.30	3.01	1.23	2.19	8.13
EB6	0 26715 10653 0	32.80	2.63	0.83	2.33	5.04
EB9	0 26715 10654 7	35.20	2.63	0.83	2.34	5.07
FILTEREB40	0 26715 15235 3	1.75	0.77	0.30	0.73	0.17
FILTERECB	0 26715 25606 8	1.50	2.00	1.50	1.50	4.50
GU10	0 26715 16883 5	1.25	0.68	0.62	0.20	0.08
HRKBSS	0 26715 25604 4	19.50	3.29	2.21	1.13	8.18
IBF4I36SB	0 26715 20492 2	66.00	3.17	1.58	2.33	11.70
IC34E100SB	0 26715 22739 6	102.60	2.94	4.58	2.25	30.29
IC34IQ100SB	0 26715 22738 9	113.35	2.98	4.58	2.23	30.44
ICB3I36SBB	0 26715 25938 0	90.00	2.00	3.50	2.83	19.83
ICB3I36SBN	0 26715 25940 3	90.00	2.00	3.50	2.83	19.83
ICB3I36SBS	0 26715 25939 7	90.00	2.00	3.50	2.83	19.83

Model	UPC Code	Weight	Length	Width	Height	Cube
ICB3I36SBW	0 26715 25941 0	90.00	2.00	3.50	2.83	19.83
ILB11	0 26715 16928 3	69.50	2.17	1.87	2.66	10.75
ILB3	0 26715 16925 2	29.10	1.53	1.33	2.11	4.31
ILB6	0 26715 16926 9	47.60	2.12	1.38	2.44	7.11
ILB9	0 26715 16927 6	70.00	2.17	1.83	2.67	10.59
IPB9E48SB	0 26715 22736 5	119.85	2.98	4.58	2.27	31.01
IPB9IQT48SB	0 26715 22735 8	135.60	2.96	4.58	2.25	30.51
IPP9E42SB	0 26715 22734 1	119.71	3.98	3.13	2.77	34.45
IPP9IQT42SB	0 26715 22733 4	125.22	3.98	3.13	2.79	34.71
IQ12	0 26715 22960 4	31.00	2.35	1.29	1.25	3.80
IQ6	0 26715 22959 8	20.00	2.35	1.29	1.25	3.80
L5230	0 26715 15763 1	11.10	3.67	2.28	0.42	3.48
L7030	0 26715 15764 8	10.60	3.67	2.28	0.43	3.61
L7036	0 26715 15765 5	11.20	3.68	2.28	0.43	3.55
L7048	0 26715 15766 2	15.10	4.73	2.28	0.44	4.76
MD10S	0 26715 21104 3	5.30	0.92	0.90	1.29	1.06
MD10T	0 26715 21103 6	6.65	0.92	0.90	1.31	1.08
MD10TU	0 26715 21102 9	6.95	0.92	0.90	1.29	1.06
MD6S	0 26715 20418 2	3.20	0.87	0.57	0.81	0.40
MD6T	0 26715 19203 8	4.30	0.86	0.55	0.81	0.38
MD6TU	0 26715 20378 9	4.70	0.87	0.54	0.81	0.38
MD8S	0 26715 20419 9	4.10	0.85	0.73	0.96	0.60
MD8T	0 26715 19204 5	5.30	0.86	0.73	0.97	0.60
MD8TU	0 26715 20379 6	5.60	0.86	0.73	0.98	0.61
P12	0 26715 10652 3	27.30	2.05	0.99	1.27	2.57
P12NA	0 26715 25852 9	27.30	2.05	0.99	1.27	2.57
P195E570SB	0 26715 20668 1	24.30	2.63	1.15	1.29	3.89
P195P1M52SB6	0 26715 23035 8	36.00	2.48	1.54	1.42	5.41
P195P1M70SB6	0 26715 23036 5	38.00	3.10	1.54	1.40	6.68
P195P2M70SB	0 26715 20666 7	45.00	3.13	1.54	1.42	6.83
P3	0 26715 22961 1	18.00	2.06	0.98	1.23	2.48
P5	0 26715 12434 3	17.60	2.33	1.33	0.50	1.56
P6	0 26715 10651 6	25.30	2.05	1.28	1.54	4.06
P8	0 26715 12435 0	25.90	2.33	1.33	0.42	1.30
PF3	0 26715 25633 4	21.60	1.33	1.20	1.21	1.93
PF6	0 26715 23428 8	21.60	1.33	1.20	1.21	1.93
PK2230	0 26715 20900 2	48.65	2.75	1.76	1.17	5.64
PK2239	0 26715 20901 9	56.00	3.50	1.75	1.17	7.15
PK2245	0 26715 20902 6	62.00	4.04	1.75	1.17	8.25
PKEX2239	0 26715 20903 3	39.00	3.50	1.79	1.17	7.32
PKEX2245	0 26715 20904 0	43.00	4.04	1.75	1.20	8.49
RMP3004	0 26715 15324 4	19.40	3.67	2.25	0.42	3.44
RMP3604	0 26715 15325 1	19.60	3.69	2.26	0.42	3.47
RMP4204	0 26715 15326 8	23.00	4.67	2.25	0.42	4.37
RMP4804	0 26715 15327 5	24.20	4.67	2.25	0.42	4.37
RMP5404	0 26715 15328 2	30.00	6.67	2.27	0.42	6.31
RMP6004	0 26715 15329 9	34.80	6.71	2.26	0.44	6.63
ROUNDFILTER	0 26715 08370 1	1.66	0.75	0.73	0.30	0.16
SV09953BL	7 72371 11552 1	5.00	3.33	0.50	0.69	1.15
SV09953EM	7 72371 12736 4	5.00	3.33	0.50	0.69	1.15
SV09953LM	7 72371 11554 5	5.00	3.33	0.50	0.69	1.15
SV09953OR	7 72371 11555 2	5.00	3.33	0.50	0.69	1.15
SV09953PU	7 72371 12737 1	5.00	3.33	0.50	0.69	1.15
SV09953RD	7 72371 11556 9	5.00	3.33	0.50	0.69	1.15
SV09953SS	7 72371 12991 7	5.00	3.33	0.50	0.69	1.15
SV09953WH	7 72371 11558 3	5.00	3.33	0.50	0.69	1.15
SV09954BL	7 72371 11559 0	6.00	3.33	0.50	0.69	1.15
SV09954EM	7 72371 12738 8	6.00	3.33	0.50	0.69	1.15
SV09954LM	7 72371 11561 3	6.00	3.33	0.50	0.69	1.15
SV09954OR	7 72371 11562 0	6.00	3.33	0.50	0.69	1.15
SV09954PU	7 72371 12739 5	6.00	3.33	0.50	0.69	1.15
SV09954RD	7 72371 11563 7	6.00	3.33	0.50	0.69	1.15
SV09954SS	7 72371 12992 4	6.00	3.33	0.50	0.69	1.15
SV09954WH	7 72371 11565 1	6.00	3.33	0.50	0.69	1.15

‡ Suggested Retail Price

Model	UPC Code	Weight	Length	Width	Height	Cube
SV09955BL	7 72371 11574 3	5.00	3.33	0.50	0.69	1.15
SV09955EM	7 72371 12740 1	5.00	3.33	0.50	0.69	1.15
SV09955LM	7 72371 11576 7	5.00	3.33	0.50	0.69	1.15
SV09955OR	7 72371 11577 4	5.00	3.33	0.50	0.69	1.15
SV09955PU	7 72371 12741 8	5.00	3.33	0.50	0.69	1.15
SV09955RD	7 72371 11578 1	5.00	3.33	0.50	0.69	1.15
SV09955SS	7 72371 12993 1	5.00	3.33	0.50	0.69	1.15
SV09955WH	7 72371 11580 4	5.00	3.33	0.50	0.69	1.15
SV09956BL	7 72371 11581 1	6.00	3.33	0.50	0.69	1.15
SV09956EM	7 72371 12742 5	6.00	3.33	0.50	0.69	1.15
SV09956LM	7 72371 11583 5	6.00	3.33	0.50	0.69	1.15
SV09956OR	7 72371 11584 2	6.00	3.33	0.50	0.69	1.15
SV09956PU	7 72371 12743 2	6.00	3.33	0.50	0.69	1.15
SV09956RD	7 72371 11585 9	6.00	3.33	0.50	0.69	1.15
SV09956SS	7 72371 12994 8	6.00	3.33	0.50	0.69	1.15
SV09956WH	7 72371 11587 3	6.00	3.33	0.50	0.69	1.15
SV09957BL	7 72371 11593 4	6.00	3.33	0.50	0.69	1.15
SV09957EM	7 72371 12744 9	6.00	3.33	0.50	0.69	1.15
SV09957LM	7 72371 11595 8	6.00	3.33	0.50	0.69	1.15
SV09957OR	7 72371 11596 5	6.00	3.33	0.50	0.69	1.15
SV09957PU	7 72371 12745 6	6.00	3.33	0.50	0.69	1.15
SV09957RD	7 72371 11597 2	6.00	3.33	0.50	0.69	1.15
SV09957SS	7 72371 12995 5	6.00	3.33	0.50	0.69	1.15
SV09957WH	7 72371 11599 6	6.00	3.33	0.50	0.69	1.15
T460	0 26715 16881 1	2.00	1.30	0.77	0.67	0.66
T486	0 26715 22964 2	1.50	0.79	0.79	0.67	0.42
U10230SBI	0 26715 16504 9	50.70	2.82	1.38	1.66	6.46
U10236SBI	0 26715 16510 0	56.10	3.32	1.37	1.68	7.63
U10242SBE	0 26715 16516 2	55.40	3.79	1.36	1.70	8.76
UCB3130SBB	0 26715 25932 8	36.00	3.03	2.08	0.66	4.14
UCB3130SBN	0 26715 25933 5	35.00	3.03	2.08	0.66	4.14
UCB3130SBS	0 26715 25948 9	36.00	3.03	2.08	0.66	4.14
UCB3130SBW	0 26715 25934 2	36.00	3.03	2.08	0.66	4.14
UCB3136SBB	0 26715 25935 9	41.00	3.53	2.08	0.66	4.83
UCB3136SBN	0 26715 25936 6	40.00	3.53	2.08	0.66	4.83
UCB3136SBS	0 26715 25949 6	41.00	3.53	2.08	0.66	4.83
UCB3136SBW	0 26715 25937 3	41.00	3.53	2.08	0.66	4.83
UP26M30SB	0 26715 22937 6	30.05	3.29	1.15	2.25	8.49
UP26M36SB	0 26715 22938 3	33.65	3.29	1.15	2.25	8.49
UP26M42SB	0 26715 22939 0	40.20	4.31	1.15	2.25	11.12
UP26M48SB	0 26715 22940 6	43.05	4.31	1.15	2.25	11.12
UP27M30SB	0 26715 22941 3	36.50	3.33	1.13	2.25	8.44
UP27M36SB	0 26715 22942 0	40.05	3.33	1.13	2.25	8.44
UP27M42SB	0 26715 22943 7	48.30	4.33	1.13	2.25	10.97
UP27M48SB	0 26715 22944 4	52.05	4.33	1.13	2.25	10.97
WBF4I30SB	0 26715 20493 9	37.50	2.75	1.25	2.17	7.45
WBF4I36SB	0 26715 20494 6	42.00	3.17	1.23	2.17	8.43
WC34E90SB	0 26715 22712 9	45.00	3.42	1.90	2.48	16.06
WC34IQ90SB	0 26715 22711 2	48.94	3.42	1.88	2.50	16.02
WC35E90SB	0 26715 22714 3	45.00	3.42	1.90	2.48	16.06
WC35IQ90SB	0 26715 22713 6	49.60	3.42	1.88	2.50	16.02
WC45E90SB	0 26715 22732 7	58.40	3.40	1.90	2.50	16.09
WC45IQ90SB	0 26715 22731 0	62.80	3.40	1.88	2.50	15.92
WC638	0 26715 17212 2	3.30	1.38	0.89	0.56	0.69
WCB3130SBB	0 26715 25924 3	56.00	2.00	3.50	2.83	19.83
WCB3130SBN	0 26715 25926 7	56.00	2.00	3.50	2.83	19.83
WCB3130SBS	0 26715 25925 0	56.00	2.00	3.50	2.83	19.83
WCB3130SBW	0 26715 25927 4	56.00	2.00	3.50	2.83	19.83
WCB3136SBB	0 26715 25928 1	59.00	2.00	3.50	2.83	19.83
WCB3136SBN	0 26715 25930 4	59.00	2.00	3.50	2.83	19.83
WCB3136SBS	0 26715 25929 8	59.00	2.00	3.50	2.83	19.83
WCB3136SBW	0 26715 25931 1	59.00	2.00	3.50	2.83	19.83
WCN1306SS	0 26715 26523 7	49.60	2.77	2.23	2.13	13.19
WCN1366SS	0 26715 26524 4	52.03	3.28	2.23	2.13	15.61

Model	UPC Code	Weight	Length	Width	Height	Cube
WCP3130SB	0 26715 25942 7	52.80	2.85	1.81	2.44	12.61
WCP3136SB	0 26715 25943 4	57.30	3.35	1.81	2.44	14.82
WP28M30SB	0 26715 22931 4	60.20	2.00	3.52	2.79	19.66
WP28M36SB	0 26715 22932 1	65.35	2.00	3.52	2.79	19.66
WP28M42SB	0 26715 22933 8	76.25	2.00	4.52	2.79	25.24
WP28M48SB	0 26715 22934 5	80.20	2.00	4.52	2.79	25.24
WP28M54SB	0 26715 22935 2	97.40	2.00	6.52	2.79	36.41
WP28M60SB	0 26715 22936 9	103.70	2.00	6.52	2.79	36.41
WP29M304SB	0 26715 17641 0	60.50	2.04	3.50	2.79	19.95
WP29M364SB	0 26715 17642 7	73.60	3.52	2.00	2.79	19.63
WP29M424SB	0 26715 17643 4	83.50	4.52	2.00	2.79	25.22
WP29M484SB	0 26715 17644 1	90.60	4.52	2.00	2.79	25.22
WP29M544SB	0 26715 17645 8	103.00	6.50	2.00	2.79	36.29
WP29M604SB	0 26715 17646 5	107.00	6.52	2.04	2.79	37.14
WPB9IQ48SB	0 26715 25265 7	86.00	4.40	1.83	2.21	17.80
WPD38I36SB	0 26715 20393 2	90.00	3.54	2.00	2.83	20.07
WPD38I42SB	7 72371 15038 6	100.00	4.33	2.33	1.92	19.37
WPD38I48SB	0 26715 20394 9	108.00	4.54	2.00	2.79	25.36
WPD38I60SB	0 26715 20395 6	136.00	6.25	2.00	2.79	34.90
WPD39M36SB	0 26715 20660 5	90.00	3.50	2.00	3.08	21.58
WPD39M48SB	0 26715 20661 2	108.00	4.50	2.04	3.04	27.95
WPD39M60SB	0 26715 20662 9	136.00	6.58	2.04	3.00	40.32
WPP9E36SB	0 26715 22721 1	53.79	3.40	1.81	2.21	13.59
WPP9E42SB	0 26715 22722 8	62.61	3.96	1.83	2.21	16.03
WPP9E48SB	0 26715 22723 5	73.63	1.81	4.38	2.19	17.35
WPP9E54SB	0 26715 22724 2	82.23	1.81	4.88	2.21	19.51
WPP9IQ36SB	0 26715 22715 0	58.42	3.40	1.79	2.21	13.44
WPP9IQ42SB	0 26715 22717 4	66.80	3.90	1.83	2.21	15.77
WPP9IQ736SB	0 26715 22716 7	63.27	3.38	1.83	2.21	13.66
WPP9IQ742SB	0 26715 22718 1	70.99	3.92	1.83	2.21	15.86
WPP9IQ748SB	0 26715 22719 8	77.60	1.83	4.40	2.21	17.80
WPP9IQ754SB	0 26715 22720 4	86.42	1.83	4.92	2.21	19.91
WTD9M36SB	0 26715 25846 8	76.00	3.50	2.00	3.08	21.58
WTD9M42SB	0 26715 25848 2	82.00	4.50	2.00	3.08	27.75
WTD9M48SB	0 26715 25850 5	92.50	4.50	2.00	3.08	27.75
WTT32I30SB	0 26715 20883 8	49.60	2.98	1.50	2.38	10.61
WTT32I330SB	0 26715 25468 2	49.60	2.98	1.50	2.38	10.61
WTT32I336SB	0 26715 25469 9	52.25	3.46	1.52	2.33	12.27
WTT32I342SB	0 26715 25470 5	59.00	3.96	1.54	2.38	14.51
WTT32I36SB	0 26715 20884 5	52.25	3.46	1.52	2.33	12.27
WTT32I42SB	0 26715 20885 2	58.87	3.96	1.48	2.38	13.91
WTT32I48SB	0 26715 20886 9	78.71	4.46	1.52	2.35	15.96

‡ Suggested Retail Price

All sales are governed by the Terms and Conditions available at www.BestRangeHoods.com/salesterms.com. Buyer's additional or different terms are hereby rejected.

best[®]

926 W. State Street, Hartford, WI 53027
1-800-558-1711 (Main Number)
1-800-637-1453 (Product Specialist)
www.BestRangeHoods.com

BEST[®] reserves the right to change specifications at any time without notice.

99850530CC 02/2021