

Lead Time Bulletin

February 14, 2022 • Volume 2022 • Issue 03

TOTO®

Page 1 of 3

Category	Item Number	Description	LT (wks) as of 02/14/22	LT (wks) as of 01/28/22
1-PC TOILET	CST624CEFGAT40#01	LEGATO® 1-PC WASHLET+TOILET, 1.28 GPF, W/ AUTO FLUSH COMPATIBLE, W/ CEFIONTECT®, ELONG. FRONT, UH, 28-7/16" X 17-5/16" X 27-15/16"	6	7
	CST646CEMFGAT40#01	AQUIA® IV 1-PC WASHLET+ TOILET, 1.28 GPF/ 0.8 GPF W /AUTO FLUSH COMPATIBLE, W/ CEFIONTECT, ELONG. FRONT, UH, 28-1/4" X 15-3/16" X 28-1/8"	9	9
	CST646CUMFGAT40#01	AQUIA IV 1-PC WASHLET+ TOILET, 1.0 GPF/ 0.8 GPF, W /AUTO FLUSH COMPATIBLE, W/ CEFIONTECT, ELONG. FRONT, UH, 28-1/4" X 15-3/16" X 28-1/8"	9	9
	MS614124CEFG#01	CARLYLE® II 1-PC TOILET, 1.28 GPF, W/ CEFIONTECT, ELONG. FRONT, W/ SS124 SEAT, UH, ADA COMPLIANT, 28-1/4" X 16-1/2" X 28-3/4"	8	8
	MS614124CEFG#12		5	
	MS614124CUFG#01	CARLYLE II 1G® 1-PC TOILET, 1.0 GPF, W/CEFIONTECT, ELONG. FRONT, W/ SS124 SEAT, UH, ADA COMPLIANT	5	
	MS624124CEFG#01	LEGATO 1-PC WASHLET+ TOILET ,1.28 GPF, W/ AUTO FLUSH COMPATIBLE, W/ CEFIONTECT, ELONG. FRONT, W/ SS124 SEAT, UH, 28-7/16" X 17-15/16" X 27-15/16"	6	7
	MS624234CEFG#01	LEGATO 1-PC WASHLET+ TOILET, 1.28 GPF, W/ AUTO FLUSH COMPATIBLE, W/ CEFIONTECT, ELONG. FRONT, W/ SS234 SEAT, UH, 28-7/16" X 17-15/16" X 27-15/16"	6	7
	MS634124CEFG#01	SUPREME® II 1-PC TOILET, 1.28 GPF, W/ CEFIONTECT, ELONG. FRONT, W/ SS124 SEAT, UH, ADA COMPLIANT, 28-3/8" X 17-1/8" X 25-5/8"	7	7
	MS642124CEFG#01		8	8
	MS642124CEFG#03		6	
	MS642124CEFG#11	NEXUS® 1-PC TOILET, 1.28 GPF, W/ CEFIONTECT, W/ SS124 SEAT, UH, ADA COMPLIANT, 28-9/16" X 17-1/2" X 27"	6	8
	MS642124CEFG#12		7	9
	MS642124CUFG#01	NEXUS 1G®, 1PC TOILET, 1.0 GPF, W/ CEFIONTECT, ELONG. FRONT, W/ SS124, UH, ADA COMPLIANT, 28-9/16" x 17-1/2" x 27"	6	
	MS642234CUFG#01	NEXUS 1-PC TOILET, 1.0 GPF, W/ CEFIONTECT, W/ SS234 SEAT, UH, ADA COMPLIANT, 28-9/16" X 17-1/2" X 27"	10	12
	MS646124CEMFG#01	AQUIA IV 1-PC TOILET, 1.28 GPF/ 0.8 GPF, W/ CEFIONTECT, AUTO-FLUSH COMPATIBLE, W/ SS124 SEAT, UH, 28-1/4" X 15-3/16" X 28-1/8"	9	9
	MS646124CUMFG#01	AQUIA IV 1-PC TOILET, 1.0 GPF/ 0.8 GPF, W/ CEFIONTECT, AUTO-FLUSH COMPATIBLE, W/ SS124 SEAT, UH, 28-1/4" X 15-3/16" X 28-1/8"	9	9
	MS646234CEMFG#01	AQUIA IV 1-PC TOILET, 1.28 GPF/ 0.8 GPF, W/ CEFIONTECT, AUTO-FLUSH COMPATIBLE, W/ SS234 SEAT, UH, 28-1/4" X 15-3/16" X 28-1/8"	9	9
	MS646234CUMFG#01	AQUIA IV 1-PC TOILET FOR WASHLET+, 1.0 GPF/ 0.8 GPF, W/ CEFIONTECT, AUTOFLUSH COMPATIBLE, W/ SS234 SEAT, UH, 28-1/4" X 15-3/16" X 28-1/8"	9	9
	MS814224CEFG#01	PROMENADE® II 1-PC TOILET, 1.28 GPF, ELONG. FRONT, W/ CEFIONTECT, W/ SS224 SEAT, UH, ADA COMPLIANT, 28-1/2" X 16-1/4" X 29-1/4"	7	8
	MS814224CUFG#01	PROMENADE II 1-PC TOILET, 1.0 GPF, ELONG. FRONT, W/ CEFIONTECT, W/ SS224 SEAT, UH, ADA COMPLIANT, 28-1/2" X 16-1/4" X 29-1/4"	7	8
	MS853113E#01	ECO ULTRAMAX® 1-PC TOILET, 1.28 GPF, ROUND FRONT, W/ SS113 SEAT, 26-1/2" X 16-1/2" X 27-1/8"	9	9
	MS854114EG#01	ECO ULTRAMAX 1-PC TOILET, 1.28 GPF, W/ CEFIONTECT, W/ SS114 SEAT, 28" X 16-1/2" X 27-1/8"	8	10
	MS854114EL#01	ECO ULTRAMAX 1-PC TOILET, 1.28 GPF, ADA COMPLIANT, W/ SS114 SEAT, 28-1/4" X 16-1/2" X 29-1/4"	5	6
	MS854114ELG#01	ECO ULTRAMAX 1-PC TOILET 1.28 GPF W/ CEFIONTECT, ELONG. FRONT, W/ SS114 SEAT, ADA COMPLIANT, 28-1/4" X 16-1/2" X 29-1/4"	5	6
	MS854114SG#01	ULTRAMAX 1-PC TOILET, 1.6 GPF, W/ CEFIONTECT, ELONG. FRONT, W/ SS114 SEAT, 28" X 16-1/2" X 27-1/8"	6	6
	MS854114SL#01	ECO ULTRAMAX 1-PC TOILET, 1.6 GPF, W/ SS114 SEAT, ADA COMPLIANT, 28-1/4" X 16-1/2" X 29-1/4"	5	6
MS964214CEFG#01	ECO SOIREE® 1-PC TOILET, 1.28 GPF, ELONG. FRONT, W/ SS214 SEAT, W/ CEFIONTECT, UH, ADA COMPLIANT, 28-1/8" X 17-3/4" X 27-3/4"	5	6	

- This report presents lead times, at the time of publication, for those SKU's that have lead times of 4 weeks or more.
- The lead time shown here is for reference only and merely represents the static and current lead time status based on the current open orders, backorders and production schedule. Lead times can be subject to frequent change depending on the volume of additional demand in the future or other factors without notice. Therefore, TOTO USA specifically disclaims any liability or responsibility whatsoever resulting directly or indirectly from the lead time guides.
- To check status of your TOTO order – use TOTOSales: <http://totoe2w.totousa.com> or TOTO Customer Service: 888-295-8134

Lead Time Bulletin

February 14, 2022 • Volume 2022 • Issue 03

TOTO®

Page 2 of 3

Category	Item Number	Description	LT (wks) as of 02/14/22	LT (wks) as of 01/28/22
2-PC TOILET	C244EF#12	ENTRADA® 2-PC TOILET, ELONG. FRONT BOWL ONLY, UH, ADA COMPLIANT, 28-5/8" X 14-3/8" X 30"	6	8
	C754EF#12	ECO DARTMOUTH® 2-PC TOILET, ELONG. FRONT BOWL ONLY, UH, ADA COMPLIANT, 28-1/2" X 20-5/8" X 32-1/2"	8	6
	CT446CUFGT40#11	AQUA IV 2-PC TOILET, ELONG. FRONT BOWL ONLY, W/ CEFIONTECT, UH, W/ T40 CONCEALED CONNECTION, 27-3/8" X 15-9/16" X 29-7/8"	6	6
	CT446CUGT40#11	AQUA IV 2-PC TOILET, ELONG. FRONT BOWL ONLY, W/ CEFIONTECT, W/ T40 CONCEALED CONNECTION, 27-3/8" X 15-9/16" X 29-5/16"	6	6
	CT474CUFGT40#01	VESPIN® 2-PC TOILET, ELONG. FRONT BOWL ONLY, W/ CEFIONTECT, UH, ADA COMPLIANT, W/ T40 CONCEALED CONNECTION, 18-1/2" X 16" X 30"	6	7
	CT494CEFG#11	CONNELLY® 2-PC TOILET, ELONG. FRONT BOWL ONLY, W/ CEFIONTECT, UH, 28-3/4" X 15-7/8" X 30-1/4"	8	10
	ST243E#01	ENTRADA 2-PC TOILET, TANK AND COVER ONLY, 1.28 GPF	8	12
	ST494MA#03 / #11	CONNELLY 2-PC TOILET, TANK AND COVER ONLY, 1.28 GPF / 0.9 GPF	8	10
ACCESSORIES	YRH406U#CP	L SERIES ROUND ROBE HOOK	6	
	YS990#CP	NEOREST® REMOTE CONTROL STAND	On-Order Suspension PB# 21-02R7	
BATHTUB	PJY1724PWEU#GW	FLOTATION FREESTANDING SQUARE BATHTUB 66-15/16" X 31-1/2" X 22-1/4"	15	17
	PJYD2200PWEU#GW	FLOTATION TUB W/ZERO DIMENSION® 86-5/8" X 41-5/16" X 30-11/16"	23	25
EFV	TET1GA32#CP	ECOPOWER® TOILET FLUSH VALVE AND VACUUM BREAKER SET, 1.6 GPF, ADA COMPLIANT	8	6
	TET1LAR#CP	ECOPOWER HIGH-EFFICIENCY TOILET FLUSH VALVE ONLY, 1.28 GPF	7	
	TET1LAX32#CP	ECOPOWER HIGH-EFFICIENCY TOILET FLUSH VALVE AND VACUUM BREAKER SET, 1.28 GPF, FOR RECLAIMED WATER, ADA COMPLIANT	30	32
	TET1UA32#CP	ECOPOWER HIGH-EFFICIENCY TOILET FLUSH VALVE, 1.0 GPF	12	
	TET1UAR#CP	ECOPOWER HIGH-EFFICIENCY TOILET FLUSH VALVE ONLY, 1.0 GPF, ADA COMPLIANT	10	14
	TET1UAX32#CP	ECOPOWER HIGH-EFFICIENCY TOILET FLUSH VALVE AND VACUUM BREAKER SET, 1.0 GPF, FOR RECLAIMED WATER, ADA COMPLIANT	20	22
	TET2UA31#SS	ECOPOWER ULTRA HIGH-EFFICIENCY TOILET FLUSH VALVE AND VACUUM BREAKER SET, 1.0 GPF, FOR WALL-HUNG TOILET, ADA COMPLIANT	8	6
	TET2UA32#SS	ECOPOWER ULTRA HIGH-EFFICIENCY TOILET FLUSH VALVE AND VACUUM BREAKER SET, 1.0 GPF, ADA COMPLIANT	8	10
	TET3GA31#SS	ECOPOWER TOILET FLUSH VALVE AND VACUUM BREAKER SET, 1.6 GPF, ADA COMPLIANT	8	14
	TEU1GA12#CP	ECOPOWER EXPOSED URINAL FLUSH VALVE AND VACUUM BREAKER SET, 1.0 GPF, ADA COMPLIANT	8	6
	TEU1LA12#CP	ECOPOWER HIGH EFFICIENCY URINAL FLUSH VALVE AND VACUUM BREAKER SET, 0.5 GPF, ADA COMPLIANT	6	
	TEU1UAX12#CP	ECOPOWER ULTRA HIGH-EFFICIENCY URINAL FLUSH VALVE AND VACUUM BREAKER SET, 0.125 GPF, ADA COMPLIANT	17	19
	TEU2UA12#SS	ECOPOWER ULTRA HIGH-EFFICIENCY URINAL FLUSH VALVE AND VACUUM BREAKER SET, 0.125 GPF, ADA COMPLIANT	8	6
	TEU3LA11#SS	ECOPOWER HIGH-EFFICIENCY URINAL FLUSH VALVE AND VACUUM BREAKER SET, 0.5 GPF, ADA COMPLIANT	8	10
ELECTRONIC FAUCETRY	TELC103R-D20E	CONTROLLER, 0.11 GPC, 20 SECS ON DEMAND	On-Order Suspension PB# 21-02R7	
	TELS105#CP	ECOPOWER STANDARD SPOUT 0.5 GPM	8	10
	TELS1A3#CP	LIBELLA® SPOUT, 0.35 GPM FLOW CONTROL	47	49
	TLE23002U2#CP	LIBELLA TOUCHLESS SPOUT-SEMI-VESSEL, 0.35 GPM	14	17
	TLE23007U1#CP	LIBELLA TOUCHLESS SEMI-VESSEL SPOUT, 0.5 GPM	14	17
	TLE26005U2#CP	HELIX TOUCHLESS SPOUT WALL-MOUNT, 0.35 GPM	18	20
	TLE26008U3#CP	HELIX TOUCHLESS SPOUT, 0.5 GPM	18	6

1. This report presents lead times, at the time of publication, for those SKU's that have lead times of 4 weeks or more.
2. The lead time shown here is for reference only and merely represents the static and current lead time status based on the current open orders, backorders and production schedule. Lead times can be subject to frequent change depending on the volume of additional demand in the future or other factors without notice. Therefore, TOTO USA specifically disclaims any liability or responsibility whatsoever resulting directly or indirectly from the lead time guides.
3. To check status of your TOTO order – use TOTOSales: <http://totoe2w.totousa.com> or TOTO Customer Service: 888-295-8134

Lead Time Bulletin

February 14, 2022 • Volume 2022 • Issue 03

TOTO®

Page 3 of 3

Category	Item Number	Description	LT (wks) as of 02/14/22	LT (wks) as of 01/28/22
LAVATORY	LT1535G#01	RECTANGLE UNDERCOUNTER LAVATORY, W/ CEFIONTECT, FRONT OVERFLOW, ADA COMPLIANT, 17-11/16" X 13"	6	
	LT171G#01	KIWAM® RENESSE® DESIGN I VESSEL LAVATORY, W/ CEFIONTECT, SINGLE- HOLE FAUCET MOUNT, NO OVERFLOW, ADA COMPLIANT, 23-5/8" X 17-3/4"	5	
	LT242.8G#01	PROMINENCE® WALL-MOUNT LAVATORY, W/ CEFIONTECT, W/ FAUCET HOLES ON 8" CENTERS, 29-1/2" X 11-13/16"	10	10
	LT242G#01	PROMINENCE WALL-MOUNT LAVATORY, W/ CEFIONTECT, SINGLE- HOLE FAUCET MOUNT, 26" X 21-1/2"	10	10
	LT415.8G#01	ARVINA® RECTANGLE VESSEL LAVATORY, W/ CEFIONTECT, W/ FAUCET HOLES ON 8" CENTERS, ADA COMPLIANT, FRONT OVERFLOW, 19-11/16" X 18-1/8" X 2-3/4"	17	19
	LT569#12	UNDERCOUNTER LAVATORY, FRONT OVERFLOW, ADA COMPLIANT, 17" X 14"	8	
	LT579G#03	RENDEZVOUS® UNDERCOUNTER LAVATORY, W/ CEFIONTECT, FRONT OVERFLOW, ADA COMPLIANT, 17" X 14"	8	8
	LT597G#03/ #11	DANTESCA® UNDERCOUNTER LAVATORY, W/ CEFIONTECT, FRONT OVERFLOW, ADA COMPLIANT, 19" X 15"	8	8
	PT530N#11/ #12	PROMENADE® PEDESTAL FOOT ONLY	8	6
RESIDENTIAL FAUCETRY	TBW01004U1#CP	ROUND SHOWERHEAD, 2 MODE, 2.5GPM, 8.5"	23	6
	TBW01011U4#BN	ROUND HANDSHOWER, 3 MODE, 1.75 GPM, 4-5/16"	19	5
	TBW01012U4#CP	MODERN SHOWERHEAD, 1 MODE, 1.75 GPM, 4"	7	9
	TBW01014U#CP	WALL-OUTLET, ROUND, 1/2" NPT CONNECTION TO WALL	7	10
	TBW01016U#BN	SLIDE BAR, ROUND 24"	21	10
	TBW01016U#CP		7	9
	TBW01027U#BN	SHOWER HOSE, PVC 63"	14	13
	TBW02019U#BN	HANDSHOWER WALL-MOUNT, ADJUSTABLE	19	17
	TBW02019U#CP		7	9
	TBW03001U4#CP	CLASSIC SHOWERHEAD, 5 MODE, 1.75 GPM	23	
	TL220DD#CP	VIVIAN™ WIDESPREAD LAVATORY FAUCET, 1.5 GPM, W/ CROSS HANDLES	30	32
	TL220DD1#BN/ #CP/ #PN	VIVIAN WIDESPREAD LAVATORY FAUCET, 1.5 GPM, W/ LEVER HANDLES, ADA COMPLIANT		
	TL220DD112#CP	VIVIAN WIDESPREAD LAVATORY FAUCET, 1.2 GPM W/ LEVER HANDLES, ADA COMPLIANT		
	TL220DD12#BN	VIVIAN WIDESPREAD FAUCET, 1.2 GPM W/ CROSS HANDLES		
	TL220DD12#CP	VIVIAN WIDESPREAD LAVATORY FAUCET, 1.2 GPM, W/ CROSS HANDLES		
	TLG02201U#BN	GR WIDESPREAD FAUCET, 1.2 GPM W/ LEVER HANDLES	14	
	TLG11307U#CP	GF WALL-MOUNT FAUCET, 1.2 GPM, ADA COMPLIANT	20	22
	TLS01304U#CP	LB SINGLE-HANDLE FAUCET, 1.2 GPM W/ LEVER HANDLE, ADA COMPLIANT	12	
	TLS04301U#CP	LF SINGLE-HANDLE FAUCET, 1.2 GPM, ADA COMPLIANT	14	17
TSST	1/2" THERMOSTATIC MIXING VALVE (ROUGH VALVE ONLY)	14	17	
SOFTCLOSE SEAT	SS124#01	ELONGATED SOFT CLOSE SEAT	11	11
	SS124#12		6	
URINAL	UT445U#01	COMMERCIAL WASHOUT ULTRA HIGH EFFICIENCY URINAL, 0.125 GPF, 3/4" TOP SPUD INLET, ADA COMPLIANT	6	8
	UT445UV#01	COMMERCIAL WASHOUT ULTRA HIGH EFFICIENCY URINAL, 0.125 GPF, 3/4" BACK SPUD INLET, ADA COMPLIANT	12	14
	UT445UX#01	COMMERCIAL WASHOUT ULTRA HIGH EFFICIENCY URINAL, 0.125 GPF, 3/4" TOP SPUD INLET, FOR RECLAIMED WATER, ADA COMPLIANT	8	10
	UT447E#01	COMMERCIAL WASHOUT HIGH-EFFICIENCY URINAL, 0.5 GPF, 3/4" TOP SPUD INLET, ADA COMPLIANT	6	
WALL-HUNG TOILET	CT426CFGT40#01	AP WALL- HUNG ELONG FRONT BOWL ONLY, W/ T40 CONCEALED CONNECTION, W/ CEFIONTECT, UH	12	8
	CT449CFGT60#01	SP WALL-HUNG SQUARE SHAPE BOWL ONLY, W/ CEFIONTECT, UH, W/ T60 CONCEALED CONNECTION DESIGN	10	10

1. This report presents lead times, at the time of publication, for those SKU's that have lead times of 4 weeks or more.
2. The lead time shown here is for reference only and merely represents the static and current lead time status based on the current open orders, backorders and production schedule. Lead times can be subject to frequent change depending on the volume of additional demand in the future or other factors without notice. Therefore, TOTO USA specifically disclaims any liability or responsibility whatsoever resulting directly or indirectly from the lead time guides.
3. To check status of your TOTO order – use TOTOSales: <http://totoe2w.totousa.com> or TOTO Customer Service: 888-295-8134