

Lead Time Bulletin

February 25, 2022 • Volume 2022 • Issue 04

TOTO®

Page 1 of 3

Category	Item Number	Description	LT (wks) as of 02/25/22	LT (wks) as of 02/14/22
1-PC TOILET	CST624CEFGAT40#01	LEGATO® 1-PC WASHLET+TOILET, 1.28 GPF, W/ AUTO FLUSH COMPATIBLE, W/ CEFIONTECT®, ELONG. FRONT, UH, 28-7/16" X 17-5/16" X 27-15/16"	6	6
	CST646CEMFGAT40#01	AQUIA® IV 1-PC WASHLET+ TOILET, 1.28 GPF/ 0.8 GPF W/AUTO FLUSH COMPATIBLE, W/ CEFIONTECT, ELONG. FRONT, UH, 28-1/4" X 15-3/16" X 28-1/8"	8	9
	CST646CUMFGAT40#01	AQUIA IV 1-PC WASHLET+ TOILET, 1.0 GPF/ 0.8 GPF, W/AUTO FLUSH COMPATIBLE, W/ CEFIONTECT, ELONG. FRONT, UH, 28-1/4" X 15-3/16" X 28-1/8"	8	9
	MS614124CEFG#01	CARLYLE® II 1-PC TOILET, 1.28 GPF, W/ CEFIONTECT, ELONG. FRONT, W/ SS124 SEAT, UH, ADA COMPLIANT, 28-1/4" X 16-1/2" X 28-3/4"	6	8
	MS614124CUFG#01	CARLYLE II 1G® 1-PC TOILET, 1.0 GPF, W/CEFIONTECT, ELONG. FRONT, W/ SS124 SEAT, UH, ADA COMPLIANT	6	5
	MS62124CEFG#01	LEGATO 1-PC WASHLET+ TOILET ,1.28 GPF, W/ AUTO FLUSH COMPATIBLE, W/ CEFIONTECT, ELONG. FRONT, W/ SS124 SEAT, UH, 28-7/16" X 17-15/16" X 27-15/16"	6	6
	MS624234CEFG#01	LEGATO 1-PC WASHLET+ TOILET, 1.28 GPF, W/ AUTO FLUSH COMPATIBLE, W/ CEFIONTECT, ELONG. FRONT, W/ SS234 SEAT, UH, 28-7/16" X 17-15/16" X 27-15/16"	6	6
	MS634124CEFG#01	SUPREME® II 1-PC TOILET, 1.28 GPF, W/ CEFIONTECT, ELONG. FRONT, W/ SS124 SEAT, UH, ADA COMPLIANT, 28-3/8" X 17-1/8" X 25-5/8"	5	7
	MS642124CEFG#01	NEXUS® 1-PC TOILET, 1.28 GPF, W/ CEFIONTECT, W/ SS124 SEAT, UH, ADA COMPLIANT, 28-9/16" X 17-1/2" X 27"	6	8
	MS642124CEFG#03		6	
	MS642124CEFG#11		6	
	MS642124CEFG#12		7	
	MS642124CUFG#01	NEXUS 1G®, 1PC TOILET, 1.0 GPF, W/ CEFIONTECT, ELONG. FRONT, W/ SS124, UH, ADA COMPLIANT, 28-9/16" X 17-1/2" X 27"	6	6
	MS642234CUFG#01	NEXUS 1-PC TOILET, 1.0 GPF, W/ CEFIONTECT, W/ SS234 SEAT, UH, ADA COMPLIANT, 28-9/16" X 17-1/2" X 27"	8	10
	MS646124CEMFG#01	AQUIA IV 1-PC TOILET, 1.28 GPF/ 0.8 GPF, W/ CEFIONTECT, AUTO-FLUSH COMPATIBLE, W/ SS124 SEAT, UH, 28-1/4" X 15-3/16" X 28-1/8"	8	9
	MS646124CUMFG#01	AQUIA IV 1-PC TOILET, 1.0 GPF/ 0.8 GPF, W/ CEFIONTECT, AUTO-FLUSH COMPATIBLE, W/ SS124 SEAT, UH, 28-1/4" X 15-3/16" X 28-1/8"	8	9
	MS646234CEMFG#01	AQUIA IV 1-PC TOILET, 1.28 GPF/ 0.8 GPF, W/ CEFIONTECT, AUTO-FLUSH COMPATIBLE, W/ SS234 SEAT, UH, 28-1/4" X 15-3/16" X 28-1/8"	8	9
	MS646234CUMFG#01	AQUIA IV 1-PC TOILET FOR WASHLET+, 1.0 GPF/ 0.8 GPF, W/ CEFIONTECT, AUTOFLUSH COMPATIBLE, W/ SS234 SEAT, UH, 28-1/4" X 15-3/16" X 28-1/8"	8	9
	MS814224CEFG#01	PROMENADE® II 1-PC TOILET, 1.28 GPF, ELONG. FRONT, W/ CEFIONTECT, W/ SS224 SEAT, UH, ADA COMPLIANT, 28-1/2" X 16-1/4" X 29-1/4"	7	7
	MS814224CUFG#01	PROMENADE II 1-PC TOILET, 1.0 GPF, ELONG. FRONT, W/ CEFIONTECT, W/ SS224 SEAT, UH, ADA COMPLIANT, 28-1/2" X 16-1/4" X 29-1/4"	7	7
	MS853113E#01	ECO ULTRAMAX® 1-PC TOILET, 1.28 GPF, ROUND FRONT, W/ SS113 SEAT, 26-1/2" X 16-1/2" X 27-1/8"	8	9
	MS854114#01	ULTIMATE® 1-PC TOILET, 1.6 GPF, ELONG. FRONT, W/ SS114 SEAT, 28-1/8" X 16-1/2" X 27-1/8"	6	
	MS854114EG#01	ECO ULTRAMAX 1-PC TOILET, 1.28 GPF, W/ CEFIONTECT, W/ SS114 SEAT, 28" X 16-1/2" X 27-1/8"	6	8
	MS854114EL#01	ECO ULTRAMAX 1-PC TOILET, 1.28 GPF, ADA COMPLIANT, W/ SS114 SEAT, 28-1/4" X 16-1/2" X 29-1/4"	5	5
	MS854114S#01	ULTRAMAX 1-PC TOILET, 1.6 GPF, ELONG. FRONT, W/ SS114 SEAT, G-MAX® FLUSHING SYSTEM, 28" X 16-1/2" X 27-1/8"	6	
	MS854114SG#01	ULTRAMAX 1-PC TOILET, 1.6 GPF, W/ CEFIONTECT, ELONG. FRONT, W/ SS114 SEAT, 28" X 16-1/2" X 27-1/8"	5	6
MS854114SL#01	ECO ULTRAMAX 1-PC TOILET, 1.6 GPF, W/ SS114 SEAT, ADA COMPLIANT, 28-1/4" X 16-1/2" X 29-1/4"	5	5	

1. This report presents lead times, at the time of publication, for those SKU's that have lead times of 4 weeks or more.
2. The lead time shown here is for reference only and merely represents the static and current lead time status based on the current open orders, backorders and production schedule. Lead times can be subject to frequent change depending on the volume of additional demand in the future or other factors without notice. Therefore, TOTO USA specifically disclaims any liability or responsibility whatsoever resulting directly or indirectly from the lead time guides.
3. To check status of your TOTO order – use TOTOSales: <http://totoe2w.totousa.com> or TOTO Customer Service: 888-295-8134

Lead Time Bulletin

February 25, 2022 • Volume 2022 • Issue 04

TOTO®

Page 2 of 3

Category	Item Number	Description	LT (wks) as of 02/25/22	LT (wks) as of 02/14/22
2-PC TOILET	CT754EF#12	ECO DARTMOUTH® 2-PC TOILET, ELONG. FRONT BOWL ONLY, UH, ADA COMPLIANT, 28-1/2" X 20-5/8" X 32-1/2"	8	8
	CT446CUGT40#11	AQUIA IV 2-PC TOILET, ELONG. FRONT BOWL ONLY, W/ CEFIONTECT, UH, W/ T40 CONCEALED CONNECTION, 27-3/8" X 15-9/16" X 29-7/8"	10	6
	CT446CUGT40#11	AQUIA IV 2-PC TOILET, ELONG. FRONT BOWL ONLY, W/ CEFIONTECT, W/ T40 CONCEALED CONNECTION, 27-3/8" X 15-9/16" X 29-5/16"	10	6
	CT474CUGT40#01	YESPIN® 2-PC TOILET, ELONG. FRONT BOWL ONLY, W/ CEFIONTECT, UH, ADA COMPLIANT, W/ T40 CONCEALED CONNECTION, 18-1/2" X 16" X 30"	6	6
	CT494CEFG#11	CONNELLY® 2-PC TOILET, ELONG. FRONT BOWL ONLY, W/ CEFIONTECT, UH, 28-3/4" X 15-7/8" X 30-1/4"	6	8
	ST243E#01	ENTRADA 2-PC TOILET, TANK AND COVER ONLY, 1.28 GPF	8	8
	ST448EMA#01	AQUIA IV ARC® 2-PC TOILET, TANK AND COVER ONLY, 1.28 GPF	8	
	ST494MA#03 / #11	CONNELLY 2-PC TOILET, TANK AND COVER ONLY, 1.28 GPF / 0.9 GPF	8	8
	ST784EN#12	ECO CLAYTON® 2-PC TOILET, TANK AND COVER ONLY, 1.28 GPF	6	
WALL-HUNG TOILET	CT426CFGT40#01	AP WALL- HUNG ELONG FRONT BOWL ONLY, W/ T40 CONCEALED CONNECTION, W/ CEFIONTECT, UH	15	12
	CT427CFG#01	RP COMPACT WALL-HUNG TOILET, 1.28 GPF, W/ CEFIONTECT, UH	6	
	CT447CFGT60#01	RP WASHLET+ WALL-HUNG TOILET, 1.28 GPF, D SHAPE FRONT BOWL, W/ CEFIONTECT, UH	6	
	CT449CFG#01	SP WALL-HUNG TOILET, 1.28 GPF, SQUARE SHAPE BOWL, W/ CEFIONTECT, W/ SS249 SEAT, UH	8	
	CT449CFGT60#01	SP WALL-HUNG SQUARE SHAPE BOWL ONLY, W/ CEFIONTECT, UH, W/ T60 CONCEALED CONNECTION DESIGN	10	10
COMMERCIAL TOILET	CT705ULNX#01	COMMERCIAL FLUSHOMETER HIGH-EFFICIENCY TOILET, 1.0 GPF, ELONG. FRONT, FOR RECLAIMED WATER, ADA COMPLIANT	6	
	CT705UNX#01	COMMERCIAL FLUSHOMETER HIGH-EFFICIENCY TOILET, 1.0 GPF, ELONG. FRONT, FOR RECLAIMED WATER	6	
SOFTCLOSE SEAT	SS124#01	ELONGATED SOFTCLOSE® SEAT	8	11
	SS249R#01	SLIM SQUARE SOFTCLOSE SEAT	8	
URINAL	UT105UX#01	COMMERCIAL WASHOUT ULTRA HIGH-EFFICIENCY URINAL, 0.125 GPF, 3/4" TOP SPUD INLET, FOR RECLAIMED WATER	6	
	UT445UV#01	COMMERCIAL WASHOUT ULTRA HIGH EFFICIENCY URINAL, 0.125 GPF, 3/4" BACK SPUD INLET, ADA COMPLIANT	10	12
	UT445UX#01	COMMERCIAL WASHOUT ULTRA HIGH EFFICIENCY URINAL, 0.125 GPF, 3/4" TOP SPUD INLET, FOR RECLAIMED WATER, ADA COMPLIANT	6	8
EFV	TET1GA32#CP	ECOPOWER® TOILET FLUSH VALVE AND VACUUM BREAKER SET, 1.6 GPF, ADA COMPLIANT	10	8
	TET1LAX32#CP	ECOPOWER HIGH-EFFICIENCY TOILET FLUSH VALVE AND VACUUM BREAKER SET, 1.28 GPF, FOR RECLAIMED WATER, ADA COMPLIANT	28	30
	TET1UA32#CP	ECOPOWER HIGH-EFFICIENCY TOILET FLUSH VALVE, 1.0 GPF	10	12
	TET1UAR#CP	ECOPOWER HIGH-EFFICIENCY TOILET FLUSH VALVE ONLY, 1.0 GPF, ADA COMPLIANT	9	10
	TET1UAX32#CP	ECOPOWER HIGH-EFFICIENCY TOILET FLUSH VALVE AND VACUUM BREAKER SET, 1.0 GPF, FOR RECLAIMED WATER, ADA COMPLIANT	18	20
	TET2UA32#SS	ECOPOWER ULTRA HIGH-EFFICIENCY TOILET FLUSH VALVE AND VACUUM BREAKER SET, 1.0 GPF, ADA COMPLIANT	6	8
	TEU1GA12#CP	ECOPOWER EXPOSED URINAL FLUSH VALVE AND VACUUM BREAKER SET, 1.0 GPF, ADA COMPLIANT	6	8
	TEU1UAX12#CP	ECOPOWER ULTRA HIGH-EFFICIENCY URINAL FLUSH VALVE AND VACUUM BREAKER SET, 0.125 GPF, ADA COMPLIANT	15	17
	TEU2UA12#SS	ECOPOWER ULTRA HIGH-EFFICIENCY URINAL FLUSH VALVE AND VACUUM BREAKER SET, 0.125 GPF, ADA COMPLIANT	6	8
LAVATORY	LT171G#01	KIWAMI® RENESSE® DESIGN I VESSEL LAVATORY, W/ CEFIONTECT, SINGLE- HOLE FAUCET MOUNT, NO OVERFLOW, ADA COMPLIANT, 23-5/8" X 17-3/4"	6	5
	LT242.8G#01	PROMINENCE® WALL-MOUNT LAVATORY, W/ CEFIONTECT, W/ FAUCET HOLES ON 8" CENTERS, 29-1/2" X 11-13/16"	8	10
	LT242G#01	PROMINENCE® WALL-MOUNT LAVATORY, W/ CEFIONTECT, SINGLE- HOLE FAUCET MOUNT, 26" X 21-1/2"	8	10
	LT530#01	PROMENADE® LAVATORY ONLY, SINGLE-HOLE FAUCET	6	
	LT579G#03	RENDEZVOUS® UNDERCOUNTER LAVATORY, W/ CEFIONTECT, FRONT OVERFLOW, ADA COMPLIANT, 17" X 14"	6	8
	LT597G#03/ #11	DANTESCA® UNDERCOUNTER LAVATORY, W/ CEFIONTECT, FRONT OVERFLOW, ADA COMPLIANT, 19" X 15"	6	8
	LT780.4#01	CLAYTON® LAVATORY ONLY, 4" CENTERS	19	
	PT530N#11/ #12	PROMENADE PEDESTAL FOOT ONLY	6	8

1. This report presents lead times, at the time of publication, for those SKU's that have lead times of 4 weeks or more.
2. The lead time shown here is for reference only and merely represents the static and current lead time status based on the current open orders, backorders and production schedule. Lead times can be subject to frequent change depending on the volume of additional demand in the future or other factors without notice. Therefore, TOTO USA specifically disclaims any liability or responsibility whatsoever resulting directly or indirectly from the lead time guides.
3. To check status of your TOTO order – use TOTOSales: <http://totoe2w.totousa.com> or TOTO Customer Service: 888-295-8134

Lead Time Bulletin

February 25, 2022 • Volume 2022 • Issue 04

TOTO®

Page 3 of 3

Category	Item Number	Description	LT (wks) as of 02/25/22	LT (wks) as of 02/14/22
BATHTUB	PJY1724PWEU#GW	FLOTATION FREESTANDING SQUARE BATHTUB 66-15/16" X 31-1/2" X 22-1/4"	17	15
	PJYD2200PWEU#GW	FLOTATION TUB W/ZERO DIMENSION® 86-5/8" X 41-5/16" X 30-11/16"	21	23
ELECTRONIC FAUCETRY	TELC103R-D20E	CONTROLLER, 0.11 GPC, 20 SECS ON DEMAND	On-Order Suspension PB# 21-02R7	
	TELS101#CP	ECOPOWER STANDARD SPOUT 1.0 GPM	6	
	TELS105#CP	ECOPOWER STANDARD SPOUT 0.5 GPM	6	8
	TLE23002U2#CP	LIBELLA® TOUCHLESS SPOUT-SEMI-VESSEL, 0.35 GPM	10	14
	TLE23007U1#CP	LIBELLA TOUCHLESS SPOUT, 0.5 GPM	13	14
	TLE26005U2#CP	HELIX® TOUCHLESS SPOUT WALL-MOUNT, 0.35 GPM	13	18
RESIDENTIAL FAUCETRY	TLE28003U1#BN	ECOPOWER STANDARD-R SPOUT, 1.0 GPM	13	
	TBN01105U	FLOOR MOUNT BATHTUB FILLER BASE	11	
	TBW01003U1#BN	G SERIES ROUND SHOWERHEAD, 1 MODE, 2.5 GPM, 8.5"	18	
	TBW01004U1#CP	ROUND SHOWERHEAD, 2 MODE, 2.5GPM, 8.5"	22	23
	TBW01011U4#BN	ROUND HANDSHOWER, 3 MODE, 1.75 GPM, 4-5/16"	18	19
	TBW01012U4#CP	MODERN SHOWERHEAD, 1 MODE, 1.75 GPM, 4"	6	7
	TBW01014U#BN		19	
	TBW01014U#CP	WALL-OUTLET, ROUND, 1/2" NPT CONNECTION TO WALL	6	7
	TBW01016U#CP	SLIDE BAR, ROUND 24"	6	7
	TBW01027U#BN		13	14
	TBW01027U#CP	SHOWER HOSE, PVC 63"	10	
	TBW02019U#BN		17	19
	TBW02019U#CP	HANDSHOWER WALL-MOUNT, ADJUSTABLE	6	7
	TL220DD#CP	VIVIAN™ WIDESPREAD LAVATORY FAUCET, 1.5 GPM, W/ CROSS HANDLES	28	30
	TL220DD1#BN/ #CP/ #PN	VIVIAN WIDESPREAD LAVATORY FAUCET, 1.5 GPM, W/ LEVER HANDLES, ADA COMPLIANT		
	TL220DD112#CP	VIVIAN WIDESPREAD LAVATORY FAUCET, 1.2 GPM W/ LEVER HANDLES, ADA COMPLIANT		
	TL220DD12#BN	VIVIAN WIDESPREAD FAUCET, 1.2 GPM W/ CROSS HANDLES		
	TL220DD12#CP	VIVIAN WIDESPREAD LAVATORY FAUCET, 1.2 GPM, W/ CROSS HANDLES		
	TLG02201U#BN	GR WIDESPREAD FAUCET, 1.2 GPM, W/ LEVER HANDLES	13	14
	TLG02309U#CP	GR SIDE HANDLE FAUCET, 1.2 GPM, W/ LEVER HANDLES	10	
	TLG08303U#CP	GC SINGLE HANDLE FAUCET - SEMI VESSEL, 1.2 GPM, W/ LEVER HANDLE, ADA COMPLIANT	25	
	TLG11307U#CP	GF WALL-MOUNT FAUCET - SHORT, 1.2 GPM, W/ LEVER HANDLE, ADA COMPLIANT	18	20
	TLG11308U#CP	GF WALL-MOUNT FAUCET - LONG, 1.2 GPM, W/ LEVER HANDLE, ADA COMPLIANT	25	
	TLS01304U#CP	LB SINGLE-HANDLE FAUCET, 1.2 GPM W/ LEVER HANDLE, ADA COMPLIANT	10	12
	TLS04301U#CP	LF SINGLE-HANDLE FAUCET, 1.2 GPM, ADA COMPLIANT	13	14
	TSST	1/2" THERMOSTATIC MIXING VALVE (ROUGH VALVE ONLY)	12	14
	ACCESSORIES	YH902U#CP	G SERIES ROUND PAPER HOLDER	28
YS990#CP		NEOREST® REMOTE CONTROL STAND	On-Order Suspension PB# 21-02R7	
YT902S6U#CP		G SERIES ROUND TOWEL BAR 24"	5	
WASHLET®	SW4047T60#01	RX WASHLET+ WALL-HUNG & IN-WALL TANK SYSTEM	13	
	SW583#01	WASHLET S350E, ROUND FRONT	5	

1. This report presents lead times, at the time of publication, for those SKU's that have lead times of 4 weeks or more.
2. The lead time shown here is for reference only and merely represents the static and current lead time status based on the current open orders, backorders and production schedule. Lead times can be subject to frequent change depending on the volume of additional demand in the future or other factors without notice. Therefore, TOTO USA specifically disclaims any liability or responsibility whatsoever resulting directly or indirectly from the lead time guides.
3. To check status of your TOTO order – use TOTOSales: <http://totoe2w.totousa.com> or TOTO Customer Service: 888-295-8134