

Lead Time Bulletin

March 28, 2022 • Volume 2022 • Issue 06

TOTO®

Page 1 of 3

Category	Item Number	Description	LT (wks) as of 03/28/22	LT (wks) as of 03/14/22
1-PC TOILET	CST646CEMFGAT40#01	AQUIA® IV 1-PC WASHLET+ TOILET, 1.28 GPF/ 0.8 GPF W/AUTO FLUSH COMPATIBLE, W/ CEFIONTECT®, ELONG. FRONT, UH, 28-1/4" X 15-3/16" X 28-1/8"	5	7
	CST646CUMFGAT40#01	AQUIA IV 1-PC WASHLET+ TOILET, 1.0 GPF/ 0.8 GPF, W/AUTO FLUSH COMPATIBLE, W/ CEFIONTECT, ELONG. FRONT, UH, 28-1/4" X 15-3/16" X 28-1/8"	5	7
	MS642124CEFG#11	NEXUS® 1-PC TOILET, 1.28 GPF, W/ CEFIONTECT, W/ SS124 SEAT, UH, ADA COMPLIANT, 28-9/16" X 17-1/2" X 27"	6	6
	MS642124CEFG#12		6	
	MS642234CUFG#01	NEXUS 1-PC TOILET, 1.0 GPF, W/ CEFIONTECT, W/ SS234 SEAT, UH, ADA COMPLIANT, 28-9/16" X 17-1/2" X 27"	11	8
	MS646124CEMFG#01	AQUIA IV 1-PC TOILET, 1.28 GPF/ 0.8 GPF, W/ CEFIONTECT, AUTO-FLUSH COMPATIBLE, W/ SS124 SEAT, UH, 28-1/4" X 15-3/16" X 28-1/8"	5	7
	MS646124CUMFG#01	AQUIA IV 1-PC TOILET, 1.0 GPF/ 0.8 GPF, W/ CEFIONTECT, AUTO-FLUSH COMPATIBLE, W/ SS124 SEAT, UH, 28-1/4" X 15-3/16" X 28-1/8"		
	MS646234CEMFG#01	AQUIA IV 1-PC TOILET, 1.28 GPF/ 0.8 GPF, W/ CEFIONTECT, AUTO-FLUSH COMPATIBLE, W/ SS234 SEAT, UH, 28-1/4" X 15-3/16" X 28-1/8"		
	MS646234CUMFG#01	AQUIA IV 1-PC TOILET FOR WASHLET+, 1.0 GPF/ 0.8 GPF, W/ CEFIONTECT, AUTOFLUSH COMPATIBLE, W/ SS234 SEAT, UH, 28-1/4" X 15-3/16" X 28-1/8"		
	MS814224CEFG#01	PROMENADE® II 1-PC TOILET, 1.28 GPF, ELONG. FRONT, W/ CEFIONTECT, W/ SS224 SEAT, UH, ADA COMPLIANT, 28-1/2" X 16-1/4" X 29-1/4"	5	6
	MS814224CUFG#01	PROMENADE II 1-PC TOILET, 1.0 GPF, ELONG. FRONT, W/ CEFIONTECT, W/ SS224 SEAT, UH, ADA COMPLIANT, 28-1/2" X 16-1/4" X 29-1/4"		
	MS853113#01	ULTIMATE® 1-PC TOILET, 1.6 GPF, ROUND FRONT, W/ SS113 SEAT, 26-1/4" X 16-1/2" X 27-1/8"	5	6
	MS853113E#01	ECO ULTRAMAX® 1-PC TOILET, 1.28 GPF, ROUND FRONT, W/ SS113 SEAT, 26-1/2" X 16-1/2" X 27-1/8"		
	MS853113S#01	ULTRAMAX 1-PC TOILET, 1.6 GPF, ROUND FRONT, W/ SS113 SEAT, 26-1/2" X 16-1/2" X 27-1/8"		
	MS854114EG#01	ECO ULTRAMAX 1-PC TOILET, 1.28 GPF, W/ CEFIONTECT, W/ SS114 SEAT, 28" X 16-1/2" X 27-1/8"	6	8
	MS854114EL#01	ECO ULTRAMAX 1-PC TOILET, 1.28 GPF, ADA COMPLIANT, W/ SS114 SEAT, 28-1/4" X 16-1/2" X 29-1/4"	5	5
MS854114S#01	ULTRAMAX 1-PC TOILET, 1.6 GPF, ELONG. FRONT, W/ SS114 SEAT, G-MAX® FLUSHING SYSTEM, 28" X 16-1/2" X 27-1/8"	5	5	
MS854114SL#01	ECO ULTRAMAX 1-PC TOILET, 1.6 GPF, W/ SS114 SEAT, ADA COMPLIANT, 28-1/4" X 16-1/2" X 29-1/4"	5	5	
2-PC TOILET	C754EF#01 / #12	ECO DARTMOUTH® 2-PC TOILET, 1.28 GPF, ELONG. FRONT BOWL, UH, ADA COMPLIANT, 28-1/2" X 20-5/8" X 32-1/2"	6	8
	CT446CUFGT40#11	AQUIA IV 2-PC TOILET, ELONG. FRONT BOWL ONLY, W/ CEFIONTECT, UH, W/ T40 CONCEALED CONNECTION, 27-3/8" X 15-9/16" X 29-7/8"	8	8
	CT446CUGT40#11	AQUIA IV 2-PC TOILET, ELONG. FRONT BOWL ONLY, W/ CEFIONTECT, W/ T40 CONCEALED CONNECTION, 27-3/8" X 15-9/16" X 29-5/16"	8	11
	CT494CEFG#11	CONNELLY® 2-PC TOILET, ELONG. FRONT BOWL ONLY, W/ CEFIONTECT, UH, 28-3/4" X 15-7/8" X 30-1/4"	6	8
	ST243E#01	ENTRADA® 2-PC TOILET, TANK AND COVER ONLY, 1.28 GPF	6	6
	ST436UMA#01	AQUIA IV CUBE 1G® TANK AND COVER ONLY, 1.0 GPF / 0.8 GPF	5	
	ST448EMA#01	AQUIA IV ARC 2-PC TOILET, TANK AND COVER ONLY, 1.28 GPF	8	8
	ST494MA#03	CONNELLY 2-PC TOILET, TANK AND COVER ONLY, 1.28 GPF / 0.9 GPF	11	8
	ST494MA#11		6	8

1. This report presents lead times, at the time of publication, for those SKU's that have lead times of 4 weeks or more.
2. The lead time shown here is for reference only and merely represents the static and current lead time status based on the current open orders, backorders and production schedule. Lead times can be subject to frequent change depending on the volume of additional demand in the future or other factors without notice. Therefore, TOTO USA specifically disclaims any liability or responsibility whatsoever resulting directly or indirectly from the lead time guides.
3. To check status of your TOTO order – use TOTOSales: <http://totoe2w.totousa.com> or TOTO Customer Service: 888-295-8134

Lead Time Bulletin

March 28, 2022 • Volume 2022 • Issue 06

TOTO®

Page 2 of 3

Category	Item Number	Description	LT (wks) as of 03/28/22	LT (wks) as of 03/14/22
WALL-HUNG TOILET	CT426CFG40#01	AP WALL- HUNG ELONG FRONT BOWL ONLY, W/ T40 CONCEALED CONNECTION, W/ CEFIONTECT, UH	11	13
	CT449CFG60#01	SP WALL-HUNG SQUARE SHAPE BOWL ONLY, W/ CEFIONTECT, UH, W/ T60 CONCEALED CONNECTION DESIGN	6	8
SOFTCLOSE SEAT	SS124#01	ELONGATED SOFTCLOSE® SEAT	Contact Your TOTO Sales Manager	
URINAL	UT445UV#01	COMMERCIAL WASHOUT ULTRA HIGH EFFICIENCY URINAL, 0.125 GPF, 3/4" BACK SPUD INLET, ADA COMPLIANT	13	13
EFV	TET1GA32#CP	ECOPOWER® TOILET FLUSH VALVE AND VACUUM BREAKER SET, 1.6 GPF, ADA COMPLIANT	6	8
	TET1LA32#CP	ECOPOWER HIGH-EFFICIENCY TOILET FLUSH VALVE AND VACUUM BREAKER SET, 1.28 GPF, ADA COMPLIANT	11	8
	TET1LAX32#CP	ECOPOWER HIGH-EFFICIENCY TOILET FLUSH VALVE AND VACUUM BREAKER SET, 1.28 GPF, FOR RECLAIMED WATER, ADA COMPLIANT	24	26
	TET1UA32#CP	ECOPOWER HIGH-EFFICIENCY TOILET FLUSH VALVE, 1.0 GPF	6	8
	TET1UAX32#CP	ECOPOWER HIGH-EFFICIENCY TOILET FLUSH VALVE AND VACUUM BREAKER SET, 1.0 GPF, FOR RECLAIMED WATER, ADA COMPLIANT	24	26
	TEU1UA12#CP	ECOPOWER ULTRA HIGH-EFFICIENCY URINAL FLUSH VALVE AND VACUUM BREAKER SET, 0.125 GPF, ADA COMPLIANT	6	
	TEU1UAX12#CP	ECOPOWER ULTRA HIGH-EFFICIENCY URINAL FLUSH VALVE AND VACUUM BREAKER SET, 0.125 GPF, FOR RECLAIMED WATER, ADA COMPLIANT	11	8
	TEU3UA11#SS	ECOPOWER ULTRA HIGH-EFFICIENCY URINAL FLUSH VALVE AND VACUUM BREAKER SET, 0.125 GPF, ADA COMPLIANT	11	
	VB0932X#CP	VACUUM BREAKER AND ANGLE STOP SET WITH VB TUBE	11	
MANUAL FLUSH VALVE	TMT1LN#CP	MANUAL TOILET FLUSH VALVE ONLY, 1.28 GPF	6	
LAVATORY	LT1535G#01	RECTANGLE UNDERCOUNTER LAVATORY, W/ CEFIONTECT, FRONT OVERFLOW, ADA COMPLIANT, 17-11/16" X 13"	11	13
	LT242.8G#01	PROMINENCE® WALL-MOUNT LAVATORY, W/ CEFIONTECT, W/ FAUCET HOLES ON 8" CENTERS, 29-1/2" X 11-13/16"	8	8
	LT242G#01	PROMINENCE WALL-MOUNT LAVATORY, W/ CEFIONTECT, SINGLE- HOLE FAUCET MOUNT, 26" X 21-1/2"	8	8
	LT415.8G#01	ARVINA® RECTANGLE VESSEL LAVATORY, W/ CEFIONTECT, FRONT OVERFLOW, W/ FAUCET HOLES ON 8" CENTERS, ADA COMPLIANT	11	13
	LT579G#11	RENDEZVOUS® UNDERCOUNTER LAVATORY, W/ CEFIONTECT, FRONT OVERFLOW, ADA COMPLIANT, 17" X 14"	6	8
	LT597G#03	DANTESCA® UNDERCOUNTER LAVATORY, W/ CEFIONTECT, FRONT OVERFLOW, ADA COMPLIANT, 19" X 15"	6	8
	LT597G#12		6	
BATHTUB	PJY1724PWEU#GW	FLOTATION FREESTANDING SQUARE BATHTUB 66-15/16" X 31-1/2" X 22-1/4"	17	15
	PJYD2200PWEU#GW	FLOTATION TUB W/ZERO DIMENSION® 86-5/8" X 41-5/16" X 30-11/16"	19	19
ELECTRONIC FAUCETRY	TELC101R-D10E	CONTROLLER, 0.18 GPC, 10 SECS ON DEMAND	21	
	TELC103R-D20E	CONTROLLER, 0.11 GPC, 20 SECS ON DEMAND	On-Order Suspension PB# 21-02R7	
	TELC105R-C20E	CONTROLLER, 0.19 GPC, 20 SECS CONTINUOUS	5	7
	TLE23007U1#CP	LIBELLA® TOUCHLESS SEMI-VESSEL SPOUT, 0.5 GPM	9	10
	TLE26005U2#CP	HELIX® TOUCHLESS SPOUT WALL-MOUNT, 0.35 GPM	9	10

1. This report presents lead times, at the time of publication, for those SKU's that have lead times of 4 weeks or more.
2. The lead time shown here is for reference only and merely represents the static and current lead time status based on the current open orders, backorders and production schedule. Lead times can be subject to frequent change depending on the volume of additional demand in the future or other factors without notice. Therefore, TOTO USA specifically disclaims any liability or responsibility whatsoever resulting directly or indirectly from the lead time guides.
3. To check status of your TOTO order – use TOTOSales: <http://totoe2w.totousa.com> or TOTO Customer Service: 888-295-8134

Lead Time Bulletin

March 28, 2022 • Volume 2022 • Issue 06

TOTO®

Page 3 of 3

Category	Item Number	Description	LT (wks) as of 03/28/22	LT (wks) as of 03/14/22
RESIDENTIAL FAUCETRY	TBG02306U#CP	GR FREESTANDING TUB FILLER, LEVER HANDLE, W/ 1.75 GPM HANDSHOWER WITH 60" METAL HOSE	27	31
	TBN01001U	MINI UNIT ROUGH-IN BOX		
	TBN01105U	FLOOR MOUNT BATHTUB FILLER BASE		
	TBV02406U#CP	THERMOSTATIC MIXING VALVE 2-FUNCTION TRIM, FOR USE WITH MINI UNIT		
	TBW01011U4#BN	ROUND HANDSHOWER, 3 MODE, 1.75 GPM, 4-5/16"	8	16
	TBW01012U4#CP	MODERN SHOWERHEAD, 1 MODE, 1.75 GPM	20	
	TBW01014U#CP	WALL-OUTLET, ROUND	19	
	TBW01016U#BN	SLIDE BAR, ROUND 24"	15	17
	TBW01016U#CP		12	
	TBW01026U#CP	SHOWER HOSE, METAL 63"	19	17
	TBW01027U#BN	SHOWER HOSE, PVC 63"	14	17
	TBW01027U#CP		8	
	TBW02019U#BN	HANDSHOWER WALL-MOUNT, ADJUSTABLE	23	17
	TBW02019U#CP		19	21
	TL220DD#BN / #CP	VIVIAN™ WIDESPREAD LAVATORY FAUCET, 1.5 GPM, W/ CROSS HANDLES	24	26
	TL220DD1#BN / #CP / #PN	VIVIAN WIDESPREAD LAVATORY FAUCET, 1.5 GPM, W/ LEVER HANDLES, ADA COMPLIANT		
	TL220DD112#BN / #CP	VIVIAN WIDESPREAD LAVATORY FAUCET, 1.2 GPM W/ LEVER HANDLES, ADA COMPLIANT		
	TL220DD12#BN / #CP	VIVIAN WIDESPREAD FAUCET, 1.2 GPM W/ CROSS HANDLES		
	TL363SDA05#CP	OBERON-S® SINGLE-HANDLE FAUCET, 0.5 GPM, NO DRAIN ASSEMBLY		
	TLG02201U#BN	GR WIDESPREAD FAUCET, 1.2 GPM, W/ LEVER HANDLES	7	17
	TLG02307U#CP	GR SINGLE-HANDLE FAUCET - VESSEL, 1.2 GPM, W/ LEVER HANDLE	27	31
	TLG02309U#CP	GR SIDE HANDLE FAUCET, 1.2 GPM, W/ LEVER HANDLE	7	11
	TLG02311U#CP	GR WALL-MOUNT FAUCET, 1.2 GPM, ADA COMPLIANT	27	31
	TLG03301U#CP	GS SINGLE-HANDLE FAUCET, 1.2 GPM W/ LEVER HANDLE, ADA COMPLIANT	7	10
	TLG03305U#CP	GS SINGLE-HANDLE FAUCET - VESSEL, 1.2 GPM W/ LEVER HANDLE, ADA COMPLIANT	27	13
	TLG10301U#BN	GB SINGLE-HANDLE FAUCET, 1.2 GPM W/ LEVER HANDLE, ADA COMPLIANT	7	13
	TLS01304U#CP	LB SINGLE-HANDLE FAUCET, 1.2 GPM, W/ LEVER HANDLE, ADA COMPLIANT	7	11
TLS01307U#CP	LB SINGLE-HANDLE FAUCET - VESSEL, 1.2 GPM, W/ LEVER HANDLE, ADA COMPLIANT	27	31	
TLS04301U#CP	LF SINGLE-HANDLE FAUCET, 1.2 GPM, ADA COMPLIANT	7	17	
TLS04306U#CP	LF SINGLE-HANDLE FAUCET - VESSEL, 1.2 GPM, W/ LEVER HANDLE, ADA COMPLIANT	27	31	
TS110MC6#CP	RAIN SHOWER ARM, 16" LENGTH	6		
TSST	1/2" THERMOSTATIC MIXING VALVE (ROUGH VALVE ONLY)	7	13	
ACCESSORIES	YH902U#CP	G SERIES ROUND PAPER HOLDER	29	19
	YS990#CP	NEOREST® REMOTE CONTROL STAND	On-Order Suspension PB# 21-02R7	
WASHLET®	SW3054#01	WASHLET S550E - CLASSIC, ELONG FRONT	6	
	SW3084#01	WASHLET C5, ELONG FRONT	5	6
	SW4047T60#01	RX WASHLET+ WALL-HUNG & IN-WALL TANK SYSTEM	14	17
	SW583#01	WASHLET S350E, ROUND FRONT	5	7

1. This report presents lead times, at the time of publication, for those SKU's that have lead times of 4 weeks or more.
2. The lead time shown here is for reference only and merely represents the static and current lead time status based on the current open orders, backorders and production schedule. Lead times can be subject to frequent change depending on the volume of additional demand in the future or other factors without notice. Therefore, TOTO USA specifically disclaims any liability or responsibility whatsoever resulting directly or indirectly from the lead time guides.
3. To check status of your TOTO order – use TOTOSales: <http://totoe2w.totousa.com> or TOTO Customer Service: 888-295-8134