

Lead Time Bulletin

April 25, 2022 • Volume 2022 • Issue 08

TOTO®

Page 1 of 3

Category	Item Number	Description	LT (wks) as of 04/25/22	LT (wks) as of 04/08/22	
1-PC TOILET	CST614CEFGAT40#01	CARLYLE® II 1-PC WASHLET+ TOILET, 1.28 GPF, W/ CEFIONTECT®, W/ SS124 SEAT, UH, ADA COMPLIANT, 28-1/4" X 16-1/2" X 28-3/4"	7	8	
	MS604124CEFG#12	ULTRAMAX® II 1-PC TOILET, 1.28 GPF, W/ CEFIONTECT, ELONG. FRONT W/ SS124 SEAT, ADA COMPLIANT, UH, 28-5/16" X 16-1/2" X 30"	6		
	MS642124CEFG#11#12	NEXUS® 1-PC TOILET, 1.28 GPF, W/ CEFIONTECT, W/ SS124 SEAT, UH, ADA COMPLIANT, 28-9/16" X 17-1/2" X 27"	7		
	MS642124CUFG#01	NEXUS 1-PC TOILET, 1.0 GPF, W/ CEFIONTECT, ELONG. FRONT, ADA COMPLIANT, UH, 28-9/16" X 17-1/2" X 27"	7		
	MS642234CUFG#01	NEXUS 1-PC TOILET, 1.0 GPF, W/ CEFIONTECT, W/ SS234 SEAT, UH, ADA COMPLIANT, 28-9/16" X 17-1/2" X 27"	8	9	
	MS646124CUMFG#01	AQUA IV 1-PC TOILET, 1.0 GPF/ 0.8 GPF, W/ CEFIONTECT, AUTO-FLUSH COMPATIBLE, W/ SS124 SEAT, UH, 28-1/4" X 15-3/16" X 28-1/8"	6	5	
	MS646234CEMFG#01	AQUA IV 1-PC TOILET, 1.28 GPF/ 0.8 GPF, W/ CEFIONTECT, AUTO-FLUSH COMPATIBLE, W/ SS234 SEAT, UH, 28-1/4" X 15-3/16" X 28-1/8"	6		
	MS646234CUMFG#01	AQUA IV 1-PC TOILET FOR WASHLET®, 1.0 GPF/ 0.8 GPF, W/ CEFIONTECT, AUTOFLUSH COMPATIBLE, W/ SS234 SEAT, UH, 28-1/4" X 15-3/16" X 28-1/8"	6	5	
	MS854114EG#01	ECO ULTRAMAX 1-PC TOILET, 1.28 GPF, W/ CEFIONTECT, W/ SS114 SEAT, 28" X 16-1/2" X 27-1/8"	7		
	MS854114EL#12	ECO ULTRAMAX 1-PC TOILET, 1.28 GPF, ELONG. FRONT, W/ SS114 SEAT, ADA COMPLIANT, 28-1/4" X 16-1/2" X 29-1/4"	6	8	
2-PC TOILET	CT754EF#01#12	ECO DARTMOUTH® 2-PC TOILET, ELONG. FRONT BOWL ONLY, UH, ADA COMPLIANT, 28-1/2" X 20-5/8" X 32-1/2"	7		
	CT446CUGT40#11	AQUA IV 2-PC TOILET, ELONG. FRONT BOWL ONLY, W/ CEFIONTECT, UH, W/ T40 CONCEALED CONNECTION, 27-3/8" X 15-9/16" X 29-7/8"			6
	CT446CUGT40#11	AQUA IV 2-PC TOILET, ELONG. FRONT BOWL ONLY, W/ CEFIONTECT, W/ T40 CONCEALED CONNECTION, 27-3/8" X 15-9/16" X 29-5/16"			6
	CT494CEFG#03#11	CONNELLY® 2-PC TOILET, ELONG. FRONT BOWL ONLY, W/ CEFIONTECT, UH, 28-3/4" X 15-7/8" X 30-1/4"			
	ST448EMA#01	AQUA IV ARC 2-PC TOILET, TANK AND COVER ONLY, 1.28 GPF			6
	ST494MA#03	CONNELLY 2-PC TOILET, TANK AND COVER ONLY, 1.28 GPF / 0.9 GPF			9
	ST494MA#11				
WALL-HUNG TOILET	CT426CFGT40#01	AP WALL- HUNG ELONG. FRONT BOWL ONLY, W/ T40 CONCEALED CONNECTION, W/ CEFIONTECT, UH	11	9	
	CT427CFGT#01	RP COMPACT WALL-HUNG TOILET, 1.28 GPF / 0.9 GPF, D SHAPE BOWL, W/ CEFIONTECT, W/ SS227 SEAT, UH	7		
	CT447CFGT60#01	RP WASHLET+ WALL-HUNG TOILET, 1.28 GPF, D SHAPE FRONT BOWL, W/ CEFIONTECT, UH			
	CT449CFGT60#01	SP WALL-HUNG SQUARE SHAPE BOWL ONLY, W/ CEFIONTECT, UH, W/ T60 CONCEALED CONNECTION DESIGN			
COMMERCIAL TOILET	CT705ULNG#01	COMMERCIAL FLUSHOMETER HIGH-EFFICIENCY TOILET, 1.0 GPF, W/ CEFIONTECT, ELONG. FRONT, ADA COMPLIANT	8		
	CT708UGX#01	COMMERCIAL FLUSHOMETER HIGH-EFFICIENCY WALL-HUNG TOILET, 1.0 GPF, W/ CEFIONTECT, ELONG. FRONT, ADA COMPLIANT	20		
SOFTCLOSE® SEAT	SS124#01	ELONGATED SOFTCLOSE SEAT	Contact Your TOTO Sales Manager		
	SS227#01	SLIM D-SHAPE SOFTCLOSE SEAT	9		
URINAL	UT445U#01	COMMERCIAL WASHOUT ULTRA HIGH-EFFICIENCY URINAL, 0.125 GPF, 3/4" TOP SPUD INLET, ADA COMPLIANT	8		
	UT445UV#01	COMMERCIAL WASHOUT ULTRA HIGH-EFFICIENCY URINAL, 0.125 GPF, 3/4" BACK SPUD INLET, ADA COMPLIANT	7	11	
	UT447EV#01	COMMERCIAL WASHOUT HIGH-EFFICIENCY URINAL, 0.5 GPF, 3/4" BACK SPUD INLET, ADA COMPLIANT	8		
EFV	TET1GA32#CP	ECOPOWER® TOILET FLUSH VALVE AND VACUUM BREAKER SET, 1.6 GPF, ADA COMPLIANT	11		
	TET1LA32#CP	ECOPOWER HIGH-EFFICIENCY TOILET FLUSH VALVE AND VACUUM BREAKER SET, 1.28 GPF, ADA COMPLIANT	7	9	
	TET1LAX32#CP	ECOPOWER HIGH-EFFICIENCY TOILET FLUSH VALVE AND VACUUM BREAKER SET, 1.28 GPF, FOR RECLAIMED WATER, ADA COMPLIANT	24	26	
	TET1UA32#CP	ECOPOWER HIGH-EFFICIENCY TOILET FLUSH VALVE, 1.0 GPF	7		
	TET1UAX32#CP	ECOPOWER HIGH-EFFICIENCY TOILET FLUSH VALVE AND VACUUM BREAKER SET, 1.0 GPF, FOR RECLAIMED WATER, ADA COMPLIANT	29	31	

1. This report presents lead times, at the time of publication, for those SKU's that have lead times of 4 weeks or more.
2. The lead time shown here is for reference only and merely represents the static and current lead time status based on the current open orders, backorders and production schedule. Lead times can be subject to frequent change depending on the volume of additional demand in the future or other factors without notice. Therefore, TOTO USA specifically disclaims any liability or responsibility whatsoever resulting directly or indirectly from the lead time guides.
3. To check status of your TOTO order – use TOTOSales: <http://totoe2w.totousa.com> or TOTO Customer Service: 888-295-8134

888-295-8134
www.totousa.com
© 2022 TOTO U.S.A.

Lead Time Bulletin

April 25, 2022 • Volume 2022 • Issue 08

TOTO®

Page 2 of 3

Category	Item Number	Description	LT (wks) as of 04/25/22	LT (wks) as of 04/08/22
LAVATORY	LT1535G#01	RECTANGLE UNDERCOUNTER LAVATORY, W/ CEFIONTECT, FRONT OVERFLOW, ADA COMPLIANT, 17-11/16" X 13"	11	13
	LT242.8G#01	PROMINENCE® WALL-MOUNT LAVATORY, W/ CEFIONTECT, W/ FAUCET HOLES ON 8" CENTERS, 29-1/2" X 11-13/16"	7	6
	LT242G#01	PROMINENCE WALL-MOUNT LAVATORY, W/ CEFIONTECT, SINGLE- HOLE FAUCET MOUNT, 26" X 21-1/2"	7	6
	LT780.4#01	CLAYTON® LAVATORY ONLY, 4" CENTERS	13	17
	LT780.8#01	CLAYTON LAVATORY ONLY, 8" CENTERS	11	
	PT243#12	PROMINENCE PEDESTAL FOOT ONLY	11	11
BATHTUB	ABY782P#01YCP	CLAYTON SOAKER, W/ GRAB BAR, LEFT DRAIN, 60" X 32" X 24-1/2"	27	11
	ABY782Q#01YCP	CLAYTON SOAKER, W/ GRAB BAR, RIGHT DRAIN, 60" X 32" X 24-1/2"	27	11
	PJY1724PWEU#GW	FLOTATION FREESTANDING SQUARE BATHTUB 66-15/16" X 31-1/2" X 22-1/4"	18	15
	PJYD2200PWEU#GW	FLOTATION TUB W/ZERO DIMENSION® 86-5/8" X 41-5/16" X 30-11/16"	18	17
RESIDENTIAL FAUCETRY	TBG02306U#CP	GR FREESTANDING TUB FILLER, LEVER HANDLE, W/ 1.75 GPM HANDSHOWER WITH 60" METAL HOSE	25	25
	TBN01001U	MINI UNIT ROUGH-IN BOX		
	TBN01105U	FLOOR MOUNT BATHTUB FILLER BASE		
	TBV02406U#CP	THERMOSTATIC MIXING VALVE 2-FUNCTION TRIM, FOR USE WITH MINI UNIT		
	TBW01014U#CP	WALL-OUTLET, ROUND	20	19
	TBW01016U#BN	SLIDE BAR, ROUND 24"	14	
	TBW01026U#CP	SHOWER HOSE, METAL 63"	20	19
	TBW01027U#BN	SHOWER HOSE, PVC 63"	9	19
	TBW02019U#BN	HANDSHOWER WALL-MOUNT, ADJUSTABLE	10	10
	TBW02019U#CP		18	19
	TL220DD#BN/ #CP	VIVIAN™ WIDESPREAD LAVATORY FAUCET, 1.5 GPM, W/ CROSS HANDLES	20	22
	TL220DD1#BN/ #CP/ #PN	VIVIAN WIDESPREAD LAVATORY FAUCET, 1.5 GPM, W/ LEVER HANDLES, ADA COMPLIANT		
	TL220DD112#BN / #CP	VIVIAN WIDESPREAD LAVATORY FAUCET, 1.2 GPM W/ LEVER HANDLES, ADA COMPLIANT		
	TL220DD12#BN / #CP	VIVIAN WIDESPREAD FAUCET, 1.2 GPM W/ CROSS HANDLES		
	TLG01304U#BN	GO SINGLE-HANDLE FAUCET, SEMI-VESSEL, 1.2 GPM, LEVER HANDLE, ADA COMPLIANT	17	
	TLG02201U#CP	GR WIDESPREAD FAUCET, 1.2 GPM, W/ LEVER HANDLES	7	9
	TLG02304U#PBR	GR SINGLE-HANDLE FAUCET, SEMI-VESSEL, 1.2 GPM, W/ LEVER HANDLE	17	
	TLG02307U#CP	GR SINGLE-HANDLE FAUCET - VESSEL, 1.2 GPM, W/ LEVER HANDLE	25	25
	TLG02307U#PBR		17	
	TLG02311U#CP	GR WALL-MOUNT FAUCET, 1.2 GPM, ADA COMPLIANT	25	25
	TLG02311U#PBR		17	
	TLG03301U#CP	GS SINGLE-HANDLE FAUCET, 1.2 GPM W/ LEVER HANDLE, ADA COMPLIANT	7	9
	TLG03305U#CP	GS SINGLE-HANDLE FAUCET - VESSEL, 1.2 GPM W/ LEVER HANDLE, ADA COMPLIANT	25	25
	TLG07307U#PFG	GE WALL-MOUNT FAUCET - SHORT, 1.2 GPM W/ LEVER HANDLE, ADA COMPLIANT	17	
	TLG08307U#PBR	GC WALL-MOUNT FAUCET - SHORT, 1.2 GPM W/ LEVER HANDLE, ADA COMPLIANT	17	
	TLG09307U#CP	GM WALL-MOUNT FAUCET - SHORT, 1.2 GPM W/ LEVER HANDLE, ADA COMPLIANT	8	
	TLG10301U#BN	GB SINGLE-HANDLE FAUCET, 1.2 GPM W/ LEVER HANDLE, ADA COMPLIANT	9	11
	TLG10307U#CP	GB WALL-MOUNT FAUCET - SHORT, 1.2 GPM W/ LEVER HANDLE, ADA COMPLIANT	15	
	TLG11307U#CP	GF WALL-MOUNT FAUCET - SHORT, 1.2 GPM W/ LEVER HANDLE, ADA COMPLIANT	7	
	TLP03301U#XBC	ZA SINGLE-HANDLE FAUCET, 1.2 GPM W/ LEVER HANDLE	30	
	TLS01307U#CP	LB SINGLE-HANDLE FAUCET - VESSEL, 1.2 GPM, W/ LEVER HANDLE, ADA COMPLIANT	9	10
	TLS04301U#CP	LF SINGLE-HANDLE FAUCET, 1.2 GPM, ADA COMPLIANT	7	10
TLS04306U#CP	LF SINGLE-HANDLE FAUCET - VESSEL, 1.2 GPM, W/ LEVER HANDLE, ADA COMPLIANT	25	25	
TSST	1/2" THERMOSTATIC MIXING VALVE (ROUGH VALVE ONLY)	7	9	

1. This report presents lead times, at the time of publication, for those SKU's that have lead times of 4 weeks or more.
2. The lead time shown here is for reference only and merely represents the static and current lead time status based on the current open orders, backorders and production schedule. Lead times can be subject to frequent change depending on the volume of additional demand in the future or other factors without notice. Therefore, TOTO USA specifically disclaims any liability or responsibility whatsoever resulting directly or indirectly from the lead time guides.
3. To check status of your TOTO order – use TOTOSales: <http://totoe2w.totousa.com> or TOTO Customer Service: 888-295-8134

Lead Time Bulletin

April 25, 2022 • Volume 2022 • Issue 08

TOTO®

Page 3 of 3

Category	Item Number	Description	LT (wks) as of 04/25/22	LT (wks) as of 04/08/22
ELECTRONIC FAUCETRY	TELC101R-D10E	CONTROLLER, 0.18 GPC, 10 SECS ON DEMAND	27	28
	TELC103R-D20E	CONTROLLER, 0.11 GPC, 20 SECS ON DEMAND	On-Order Suspension PB# 21-02R7	
	TELS133#CP	HELIX® M SPOUT, 0.35 GPM	30	
	TLE23007U1#CP	LIBELLA TOUCHLESS SEMI-VESSEL SPOUT, 0.5 GPM	8	10
	TLE26005U2#CP	HELIX TOUCHLESS SPOUT WALL-MOUNT, 0.35 GPM	8	7
ACCESSORIES	YH902U#CP	G SERIES ROUND PAPER HOLDER	20	23
	YS990#CP	NEOREST® REMOTE CONTROL STAND	On-Order Suspension PB# 21-02R7	
WASHLET®	SW3054#01	WASHLET S550E - CLASSIC, ELONG. FRONT	5	9
	SW3084#12	WASHLET C5, ELONG FRONT	7	
	SW4047T60#01	RX WASHLET+ WALL-HUNG & IN-WALL TANK SYSTEM	20	13

1. This report presents lead times, at the time of publication, for those SKU's that have lead times of 4 weeks or more.
2. The lead time shown here is for reference only and merely represents the static and current lead time status based on the current open orders, backorders and production schedule. Lead times can be subject to frequent change depending on the volume of additional demand in the future or other factors without notice. Therefore, TOTO USA specifically disclaims any liability or responsibility whatsoever resulting directly or indirectly from the lead time guides.
3. To check status of your TOTO order – use TOTOSales: <http://totoe2w.totousa.com> or TOTO Customer Service: 888-295-8134