

best[®]

PERFORMANCE THAT INSPIRES

THE PRICE SCHEDULE

EFFECTIVE APRIL 1, 2023

“A great range hood doesn’t just move the air around us. **It moves something within us.**”



THE PRICE SCHEDULE

EFFECTIVE APRIL 1, 2023

Chimney Hoods

Island Hoods

Built-In Hoods

Ceiling Hoods

Downdrafts

Pro-Style Hoods

Outdoor Hoods

Under-Cabinet Hoods

Accessories

CONTENTS

CHIMNEY HOODS

WCP1 (CRT)	4
WCS1 (CRT)	5
WCT1 (CRT)	6
WPP9 (iQ, CRT)	7
WCN1 (CRT)	8
WCB3 (CRT)	9
WPB9 (iQ)	10

ISLAND HOODS

IPB9 (iQ)	11
ICB3 (CRT)	12

BUILT-IN HOODS

HBN1 (CRT)	13
P195P	15
PK22 (iQ)	16
CP5 (iQ, CRT)	18
CP3	20
CC6	21

CEILING HOODS

HBC1	22
------------	----

DOWNDRAFTS

D49M (CRT)	23
------------------	----

PRO-STYLE HOODS

WP28 (iQ, CRT)	28
UP26 (iQ, CRT)	30

OUTDOOR HOODS

WTD9M	32
CPD9M	33
WPD39M	34
WPD38I	35
CPD	36

UNDER-CABINET HOODS

UCB3 (CRT)	37
------------------	----

ACCESSORIES

24" DUCT SECTIONS	38
ROOF AND WALL CAPS	38
DAMPERS	38
TRANSITIONS	39
ELBOWS	39
UNIVERSAL/AUTOMATIC MAKE-UP AIR DAMPERS	39

PRODUCT SPEC INDEX	40
---------------------------------	----

LIMITED WARRANTY	BACK COVER
-------------------------------	------------




WCP1 SERIES



Recommended replacement for WTT32 series.

- Elegant high-profile pyramidal hood powered by an internal blower system with 650 Max Blower CFM.
- Very quiet at less than 1 sone at normal setting.
- Voice activation provides hands-free operation of your range hood; control power, fan speed, and lights using only your voice.
- SmartSense® uses infrared sensors to monitor the heat coming from your range and then automatically adjusts your hood's fan speed to eliminate heat, CO₂, and other cooking effluents.
- The capacitive touch slider offers precise control from beneath your range hood, allowing the hood's elegant lines to inspire.
- Heat-resistant rectangular LED modules provide excellent task lighting.
- Dishwasher-safe hybrid baffle filters effectively capture grease.
- Code Ready™ Technology (CRT) provides the ability to reduce airflow to 300 or 400 CFM to address local codes or make-up air requirements.
- Easy, single-person installation.
- Multiple ducting sizes (6", 8") and exhausts (vertical, horizontal and recirculating) help meet customer needs for new construction and remodeling; recirculation kit sold separately.

LIMITED
5/2
WARRANTY



Scan for More Information.

MODEL NO.	FINISH	SIZE	LIST PRICE / SRP ‡	MAP
RANGE HOODS WITH 650 MAX BLOWER CFM INTERNAL BLOWER				
WCP1306SS	Stainless	30" x 22"	\$1166.00	\$1049.00
WCP1366SS	Stainless	36" x 22"	\$1277.00	\$1149.00
OPTIONS:				
FLUE EXTENSION AEWCP1SS		11"	\$408.00	\$368.00
NON-DUCT KIT ANKWCPST1			\$466.00	\$419.00

* Limit CFM to 300 or 400 CFM with CRT (Code Ready™ Technology) to meet MUA Codes.



WCS1 SERIES

Recommended replacement for WCP3 series.

- Elegant low-profile pyramidal hood powered by an internal blower system with 650 Max Blower CFM.
- Very quiet at less than 1 sone at normal setting.
- Voice activation provides hands-free operation of your range hood; control power, fan speed, and lights using only your voice.
- SmartSense® uses infrared sensors to monitor the heat coming from your range and then automatically adjusts your hood's fan speed to eliminate heat, CO₂, and other cooking effluents.
- The capacitive touch slider offers precise control from beneath your range hood, allowing the hood's elegant lines to inspire.
- Heat-resistant rectangular LED modules provide excellent task lighting.
- Dishwasher-safe hybrid baffle filters effectively capture grease.
- Code Ready™ Technology (CRT) provides the ability to reduce airflow to 300 or 400 CFM to address local codes or make-up air requirements.
- Easy, single-person installation.
- Multiple ducting sizes (6", 8") and exhausts (vertical, horizontal and recirculating) help meet customer needs for new construction and remodeling; recirculation kit sold separately.

LIMITED
5/2
WARRANTY



Scan for More Information.

MODEL NO.	FINISH	SIZE	LIST PRICE / SRP ‡	MAP
RANGE HOODS WITH 650 MAX BLOWER CFM INTERNAL BLOWER				
WCS1306SS	Stainless	30" x 20"	\$1166.00	\$1049.00
WCS1366SS	Stainless	36" x 20"	\$1277.00	\$1149.00
WCS1306BLS	Black Stainless	30" x 20"	\$1166.00	\$1049.00
OPTIONS:				
NON-DUCT KIT ANKWCPST1			\$466.00	\$419.00

* Limit CFM to 300 or 400 CFM with CRT (Code Ready™ Technology) to meet MUA Codes.



WCT1 SERIES

Recommended replacement for WBF4 series.

- Distinctive T-style hood offers a modern touch and is powered by an internal blower system with 650 Max Blower CFM.
- Very quiet at less than 1 sone at normal setting.
- Voice activation provides hands-free operation of your range hood; control power, fan speed, and lights using only your voice.
- SmartSense® uses infrared sensors to monitor the heat coming from your range and then automatically adjusts your hood's fan speed to eliminate heat, CO₂, and other cooking effluents.
- The capacitive touch slider offers precise control from beneath your range hood, allowing the hood's elegant lines to inspire.
- Heat-resistant rectangular LED modules provide excellent task lighting.
- Dishwasher-safe hybrid baffle filters effectively capture grease.
- Code Ready™ Technology (CRT) provides the ability to reduce airflow to 300 or 400 CFM to address local codes or make-up air requirements.
- Easy, single-person installation.
- Multiple ducting sizes (6", 8") and exhausts (vertical, horizontal and recirculating) help meet customer needs for new construction and remodeling recirculation kit sold separately.

LIMITED
5/2
WARRANTY



Scan for More Information.

MODEL NO.	FINISH	SIZE	LIST PRICE / SRP ‡	MAP
RANGE HOODS WITH 650 MAX BLOWER CFM INTERNAL BLOWER				
WCT1306SS	Stainless	30" x 20"	\$1166.00	\$1049.00
WCT1366SS	Stainless	36" x 20"	\$1277.00	\$1149.00
OPTIONS:				
NON-DUCT KIT ANKWCPST1			\$466.00	\$419.00

* Limit CFM to 300 or 400 CFM with CRT (Code Ready™ Technology) to meet MUA Codes.



WPP9 SERIES

- Available in brushed stainless steel.
- Bright halogen lighting; three bulbs on 36" and 42", four bulbs on 48" (included).
- Quiet iQ6 with 800 MAX Blower CFM or iQ12 with 1500 MAX Blower CFM internal blower.
- iQ blower with GPS technology provides up to 2X quieter operation, 30% faster removal of smoke and 22X more energy efficiency.
- Three-speed plus boost, electronic pushbutton control with speed display.
- Control features delay-off and filter clean reminder.
- Hi-Flow™ baffle filters provide excellent ventilation efficiency.
- Heat Sentry™ detects excessive heat and adjusts blower to high automatically.
- Telescopic flue accommodates ceiling heights 8' to 9'.
- Uses 8" round duct for iQ6 blower, 10" round duct for iQ12.
- Designed to work with optional universal make-up air dampers. Fresh air wall caps are required for make-up air dampers (see pages 38 and 39).

LIMITED
5/2
WARRANTY



Scan for More Information.

MODEL NO.	FINISH	SIZE	LIST PRICE / SRP ‡	MAP
RANGE HOODS WITH INTERNAL iQ6 BLOWER*				
WPP9IQ36SB	Stainless	36" x 24"	\$2989.00	\$2690.00
WPP9IQ42SB	Stainless	42" x 24"	\$3218.00	\$2897.00
RANGE HOODS WITH INTERNAL iQ12 BLOWER				
WPP9IQT36SB	Stainless	36" x 24"	\$4029.00	\$3620.00
WPP9IQT42SB	Stainless	42" x 24"	\$4191.00	\$3772.00
WPP9IQT48SB	Stainless	48" x 24"	\$4519.00	\$4060.00
OPTIONS:				
FLUE EXTENSION AEWPP9SBN ■		10' - 11'	\$615.00	\$554.00

■ Discontinued - Limited quantities available.

* Limit CFM to 300 or 400 CFM with CRT (Code Ready™ Technology) to meet MUA Codes.



WCN1 SERIES

- Sleek, gently curving profile will match perfectly with your modern décor.
- 4-speed high-performance blower features a MAX blower CFM of 685.
- Integrated LED modules offer three intensity levels.
- Quick-release, dishwasher-safe decorative mesh grease filters.
- Telescopic chimney for 8' to 9' ceiling features vents to allow for non-ducted operation. Reversible design allows openings to be hidden in most ducted applications.
- Optional flue extension available for 10' to 11' ceilings.
- Works with optional universal make-up air dampers.
- Code Ready™ Technology (CRT) provides the ability to reduce airflow to 300 or 400 CFM to address local codes or make-up air requirements.

LIMITED
5/2
WARRANTY



Scan for More Information.

MODEL NO.	FINISH	SIZE	LIST PRICE / SRP †	MAP
RANGE HOODS WITH 685 MAX BLOWER CFM INTERNAL BLOWER				
WCN1306SS	Stainless	30" x 19-11/16"	\$996.00	\$897.00
WCN1366SS	Stainless	36" x 19-11/16"	\$1128.00	\$1016.00
OPTIONS:				
FLUE EXTENSION (Ducted/ Non-Ducted) AEWCN1SS	Stainless	10' - 11'	\$559.00	\$503.00
NON-DUCTED RECIRCULATION KIT ANKWCN1		30" & 36"	\$251.00	\$227.00
BAFFLE FILTER KIT (Set of 2) AFBWCN1		30" & 36"	\$126.00	\$113.00

* Limit CFM to 300 or 400 CFM with CRT (Code Ready™ Technology) to meet MUA Codes.



WCB3 SERIES

- Available in brushed stainless steel.
- 30" and 36" wide.
- Internal blower with 650 MAX Blower CFM.
- 1.4 sones at low speed.
- 3-1/4" x 10" vertical or horizontal discharge.
- Suitable for 8' to 9' high ceilings.
- PURLED™ light system boosts light output by 25%, distributes light six times better and improves energy efficiency by 88%.
- Hybrid filter issued from the combination of two filtering technologies, designed to capture 28% more grease.
- Limit CFM to 300 CFM with CRT (Code Ready™ Technology) to meet MUA Codes.

LIMITED
5/2
WARRANTY



Scan for More Information.

MODEL NO.	FINISH	SIZE	LIST PRICE / SRP †	MAP
RANGE HOODS WITH 650 MAX BLOWER CFM INTERNAL BLOWER				
WCB3I30SBB	Stainless (Black Glass)	29-7/8" x 20-7/8"	\$1669.00	\$1500.00
WCB3I30SBS	Stainless (Brushed Gray Glass)	29-7/8" x 20-7/8"	\$1669.00	\$1500.00
WCB3I36SBB	Stainless (Black Glass)	35-7/8" x 20-7/8"	\$1749.00	\$1570.00
WCB3I36SBS	Stainless (Brushed Gray Glass)	35-7/8" x 20-7/8"	\$1749.00	\$1570.00

* Replacement glass panels available as service parts.

* Limit CFM to 300 or 400 CFM with CRT (Code Ready™ Technology) to meet MUA Codes.



WPB9 SERIES *iQ* BLOWER SYSTEM

- Available in brushed stainless steel.
- Internal iQ centrifugal blower with 1500 MAX Blower CFM.
- Three-speed electronic control plus boost, includes 10-minute delay-off, filter clean reminder and Heat Sentry™ to provide convenient operation.
- Hybrid baffle filters provide ultraefficient grease removal with superior airflow.
- Ducted/Non-Ducted Telescopic Flue accommodates ceiling heights from 8' to 9'.
- Works with optional handheld remote.
- Compatible with optional make-up air dampers.

LIMITED
5/2
WARRANTY



Scan for More Information.

MODEL NO.	FINISH	SIZE	LIST PRICE / SRP †	MAP
RANGE HOOD WITH INTERNAL IQ12 BLOWER				
WPB9IQ1248SB	Brushed Stainless	48"	\$4519.00	\$4070.00
OPTIONS:				
REMOTE CONTROL ACR3 ■			\$113.00	\$103.00

■ Discontinued - Limited quantities available.



IPB9 SERIES

- Available in brushed stainless steel.
- Four 25-watt halogen bulbs included.
- Quiet iQ12 internal blower with 1500 MAX Blower CFM.
- iQ blower with GPS technology provides up to 2X quieter operation, 30% faster removal of smoke and 22X more energy efficiency.
- Three-speed plus boost, electronic pushbutton control with speed display; optional remote control (ACR3).
- Control features delay-off and filter clean reminder.
- Hi-Flow™ baffle filters provide excellent ventilation efficiency.
- Heat Sentry™ detects excessive heat and adjusts blower to high automatically.
- Telescopic flue accommodates ceiling heights 8' to 9'.
- Uses 10" round duct.
- Designed to work with optional universal make-up air dampers. Fresh air wall caps are required for make-up air dampers. (see pages 38 and 39).

LIMITED
5/2
WARRANTY



Scan for More Information.

MODEL NO.	FINISH	SIZE	LIST PRICE / SRP †	MAP
RANGE HOOD WITH INTERNAL IQ12 BLOWER				
IPB9IQ1248SB ■	Stainless	48" x 27"	\$5359.00	\$4820.00
OPTIONS:				
REMOTE CONTROL ACR3 ■			\$113.00	\$103.00

■ Discontinued - Limited quantities available.



ICB3 SERIES

- Available in brushed stainless steel.
- 36" wide.
- Internal blower with 650 MAX Blower CFM.
- 1.2 sones at low speed.
- 8" vertical discharge.
- Suitable for 8' to 9' high ceilings.
- PURLED™ light system boosts light output by 25%, distributes light six times better and improves energy efficiency by 88% (four light settings).
- Hybrid filter issued from the combination of two filtering technologies, designed to capture 28% more grease.
- Limit CFM to 300 CFM with CRT (Code Ready™ Technology) to meet MUA Codes.

LIMITED
5/2
WARRANTY



Scan for More Information.

MODEL NO.	FINISH	SIZE	LIST PRICE / SRP †	MAP
RANGE HOODS WITH 650 MAX BLOWER CFM INTERNAL BLOWER				
ICB3I36SBB	Stainless (Black Glass)	35-15/16" x 22"	\$2599.00	\$2330.00
ICB3I36SBS	Stainless (Brushed Gray Glass)	35-15/16" x 22"	\$2599.00	\$2330.00

* Replacement glass panels available as service parts.

* Limit CFM to 300 or 400 CFM with CRT (Code Ready™ Technology) to meet MUA Codes.



HBN1 SERIES

Recommended replacement for P195ES series.

- Winner of the 2022 Good Design Award.
- Built-in hood insert with a flush appearance that fits into almost any kitchen cabinet.
- Powerful 650 Max Blower CFM operates at less than 1 sone at normal speed.
- 4-speed backlit soft-touch control. Voice control with on-board Wi-Fi connectivity for hands-free operation.
- SmartSense® automatic infrared sensing gives this range hood the ability to automatically adjust the fan speed based on the amount of heat being produced.
- Code Ready™ Technology (CRT) provides capability to reduce CFM level to 300 or 400 CFM to address local codes or make-up air requirements.
- Bright 3-level, heat-resistant LED modules enhance your cooking experience.
- Dishwasher-safe hybrid baffle filters feature quick-release latch for easy removal.
- EZ1 Installation System provides easy, single-person installation.



Scan for More Information.

MODEL NO.	FINISH	SIZE	LIST PRICE / SRP †	MAP
RANGE HOODS WITH 650 MAX BLOWER CFM INTERNAL BLOWER				
HBN1246SS	Stainless	24"	\$824.00	\$742.00
HBN1306SS	Stainless	30"	\$859.00	\$774.00

[See Product Specs and Pricing on the Next Page >](#)

HBN1 Series Continued

MODEL NO.	FINISH	SIZE	LIST PRICE / SRP †	MAP
OPTIONS:				
STAINLESS STEEL 15" DEEP EXTENSION FOR HBN1 24" HADTBN24	Stainless		\$38.00	\$35.00
STAINLESS STEEL 15" DEEP EXTENSION FOR HBN1 30" HADTBN30	Stainless		\$45.00	\$41.00
NON-DUCT KIT FOR HBN1 24" HARKBN24			\$125.00	\$113.00
NON-DUCT KIT FOR HBN1 30" HARKBN30			\$125.00	\$113.00
SIDE FILLER KIT FOR HBN1 30" HAWTBN36			\$55.00	\$50.00
ADA LOW-VOLTAGE WIRING KIT HAWRK5			\$91.00	\$83.00



P195P SERIES

- Constructed of brushed standard-grade stainless steel.
- Perimeter induction maximizes the flow at the hood edge and gives it clean filterless look.
- Two 20-watt halogen bulbs included.
- Choice of an internal blower with 650 MAX Blower CFM (P195P1M52 or P195P1M70) or 1300 MAX Blower CFM (P195P2M70).
- Optional recirculating filters for non-ducted operation (only for P195P1M).
- Four-speed, electronic pushbutton controls with digital display with delay-off and filter clean reminder. Optional remote control (ACR3).
- Heat Sentry™ detects excessive heat and adjusts blower to high automatically.
- Ducted installation uses 6" round for the 1M models and 8" round for the 2M model.
- Designed to work with optional makeup air dampers. Fresh air wall caps are required for make-up air dampers (see pages 38 and 39).



Scan for More Information.

MODEL NO.	FINISH	SIZE	LIST PRICE / SRP †	MAP
RANGE HOODS WITH 650 MAX BLOWER CFM INTERNAL BLOWER				
P195P1M52SB6 ■	Stainless	21-3/16" x 11-1/8" x 10-5/8"	\$1019.00	\$910.00
P195P1M70SB6 ■	Stainless	28-5/16" x 11-1/8" x 10-5/8"	\$1089.00	\$980.00
RANGE HOODS WITH 1300 MAX BLOWER CFM INTERNAL BLOWER				
P195P2M70SB ■	Stainless	28-5/16" x 11-1/8" x 10-5/8"	\$1309.00	\$1170.00
OPTIONS:				
RECIRCULATING FILTERS (For Non-Ducted Operation)	Stainless	(For 21-3/16")	\$28.00	\$26.00
AFCP195P52 ■				
AFCP195P70 ■		(For 28-5/16")	\$30.00	\$28.00
REMOTE CONTROL			\$113.00	\$103.00
ACR3 ■				

■ Discontinued - Limited quantities available.

† Suggested Retail Price



PK22 SERIES *iQ* BLOWER SYSTEM

- Available in brushed stainless steel.
- Design fits flush to custom cabinet to protect cabinetry.
- Two LED bulbs included; three bulbs on 45".
- Powerful internal iQ12 Blower System™ with 1500 MAX Blower CFM, driven by Guaranteed Performance System (GPS) Technology runs up to 2X quieter, clears smoke and odors up to 30% faster and is up to 22X more energy efficient than competitive blowers in its class.
- External (EX) versions offer a choice of exterior or in-line blowers from 300 to 1650 MAX Blower CFM.
- Hybrid stainless steel baffle and aluminum mesh filters provide quieter operation and capture grease more effectively; dishwasher safe.
- Four-speed LED pushbutton control for convenient range of ventilation choices. Optional remote control (ACR3).
- 10 minute delay-off keeps hood running after cooking to clear the air.
- Filter clean reminder ensures filters can be cleaned regularly and grease is captured at optimum levels.
- Heat Sentry™ detects excessive heat and adjusts blower speed to high automatically.
- Uses 10" duct.
- Designed to work with optional universal make-up air dampers. Fresh air wall caps are required for make-up air dampers (see pages 38 and 39).



Scan for More Information.

MODEL NO.	FINISH	SIZE	LIST PRICE / SRP ‡	MAP
RANGE HOODS WITH INTERNAL iQ12 BLOWER				
PK2230	Stainless	27-3/4" x 15-7/16" x 11"	\$1979.00	\$1770.00
PK2239	Stainless	36-1/2" x 15-7/16" x 11"	\$2069.00	\$774.00
PK2245	Stainless	43-7/16" x 15-7/16" x 11"	\$2169.00	\$1850.00
RANGE HOODS FOR USE WITH EXTERIOR OR IN-LINE OPTIONS (BLOWER SOLD SEPARATELY)				
PKEX2239	Stainless	36-1/2" x 15-7/16" x 11"	\$1219.00	\$1090.00
PKEX2245	Stainless	43-7/16" x 15-7/16" x 11"	\$1429.00	\$1280.00

See Product Specs and Pricing on the Next Page >

PK22 Series Continued

MODEL NO.	FINISH	SIZE	LIST PRICE / SRP †	MAP
OPTIONS:				
EXTERIOR BLOWERS EB9	All items are Brushed Aluminum	840 MAX CFM	\$991.00	\$893.00
EB15	All items are Brushed Aluminum	1650 MAX CFM	\$1673.00	\$1506.00
IN-LINE BLOWERS ILB3	All items are Galvanized	300 MAX CFM	\$578.00	\$520.00
ILB6	All items are Galvanized	675 MAX CFM	\$901.00	\$812.00
ILB9	All items are Galvanized	900 MAX CFM	\$1071.00	\$964.00
ILB11	All items are Galvanized	1500 MAX CFM	\$1265.00	\$1139.00
REMOTE CONTROL ACR3 ■			\$113.00	\$103.00

■ Discontinued - Limited quantities available.



CP5 SERIES

- Available in stainless steel finish.
- LED lighting provides bright, clean, energy-efficient light over the cooktop (two lamps included on 36", 42" and 48"; four lamps on 54", 60" and 66").
- Choice of a quiet iQ6 blower with 800 MAX Blower CFM or iQ12 with 1500 MAX Blower CFM or external blower options.
- iQ blower with GPS technology provides up to 2X quieter operation, 30% faster removal of smoke and 22X more energy efficiency.
- Recirculation option available on CP55IQ only.
- Hi-Flow™ baffle filters provide excellent ventilation efficiency.
- Three-speed plus boost electronic controls with delay-off and filter clean reminder; optional remote control (ACR3).
- Heat Sentry™ detects excessive heat and adjusts blower to high automatically.
- Designed to work with optional universal make-up air dampers. Fresh air wall caps are required for make-up air dampers (see pages 38 and 39).



Scan for More Information.

MODEL NO.	FINISH	SIZE	LIST PRICE / SRP †	MAP
RANGE HOODS WITH INTERNAL IQ6 BLOWER*				
CP55IQ369SB	Stainless	34-3/8" x 19-1/4" x 11"	\$2159.00	\$1940.00
CP55IQ429SB	Stainless	40-3/8" x 19-1/4" x 11"	\$2359.00	\$2120.00
RANGE HOODS WITH INTERNAL IQ12 BLOWER				
CP57IQT369SB	Stainless	34-3/8" x 19-1/4" x 11"	\$2659.00	\$2390.00
CP57IQT489SB	Stainless	46-3/8" x 19-1/4" x 11"	\$2799.00	\$2510.00
CP57IQT482SB	Stainless	46-3/8" x 22-1/2" x 11"	\$2859.00	\$2570.00

* Limit CFM to 300 or 400 CFM with CRT (Code Ready™ Technology) to meet MUA Codes.

See Product Specs and Pricing on the Next Page >

CP5 Series Continued

MODEL NO.	FINISH	SIZE	LIST PRICE / SRP †	MAP
RANGE HOODS WITH INTERNAL IQ12 BLOWER				
CP57IQT542SB	Stainless	52-3/8" x 22-1/2" x 11"	\$3279.00	\$2940.00
CP57IQT602SB	Stainless	58-3/8" x 22-1/2" x 11"	\$3419.00	\$3070.00
CP57IQT662SB	Stainless	64-3/8" x 22-1/2" x 11"	\$3669.00	\$3300.00
RANGE HOODS FOR USE WITH EXTERIOR OR IN-LINE OPTIONS (BLOWER SOLD SEPARATELY)				
CP57E362SB	Stainless	34-3/8" x 22-1/2" x 11"	\$1659.00	\$1490.00
CP57E482SB	Stainless	46-3/8" x 22-1/2" x 11"	\$1899.00	\$1710.00
CP57E602SB	Stainless	58-3/8" x 22-1/2" x 11"	\$2249.00	\$2020.00
OPTIONS:				
NON-DUCT KIT ANKCP55			\$263.00	\$236.00
EXTERIOR BLOWERS EB9	All items are Brushed Aluminum	840 MAX CFM	\$991.00	\$893.00
EB15	All items are Brushed Aluminum	1650 MAX CFM	\$1673.00	\$1506.00
IN-LINE BLOWERS ILB3	All items are Galvanized	300 MAX CFM	\$578.00	\$520.00
ILB6	All items are Galvanized	675 MAX CFM	\$901.00	\$812.00
ILB9	All items are Galvanized	900 MAX CFM	\$1071.00	\$964.00
ILB11	All items are Galvanized	1500 MAX CFM	\$1265.00	\$1139.00
REMOTE CONTROL ACR3 ■			\$113.00	\$103.00

■ Discontinued - Limited quantities available.

* Limit CFM to 300 or 400 CFM with CRT (Code Ready™ Technology) to meet MUA Codes.



CP3 SERIES

- Available in brushed stainless steel.
- Two LED bulbs included.
- Choice of models with internal blowers with 290, 670, or 1350 MAX Blower CFM.
- Dishwasher-safe baffle filter with handles.
- Variable-speed control with last setting memory.
- Heat Sentry™ detects excessive heat and adjusts blower to high automatically.
- 8" or 10" round duct connector with backdraft damper. CP34 and CP35 use 8" and CP37 uses 10".
- Designed to work with optional universal make-up air dampers. Fresh air wall caps are required for make-up air dampers (see pages 38 and 39).



Scan for More Information.

MODEL NO.	FINISH	SIZE	LIST PRICE / SRP †	MAP
RANGE HOODS WITH 290 MAX BLOWER CFM INTERNAL BLOWER				
CP34I309SB	Stainless	28-3/8" x 19-1/4" x 11"	\$1209.00	\$1080.00
CP34I369SB	Stainless	34-3/8" x 19-1/4" x 11"	\$1259.00	\$1130.00
CP34I429SB	Stainless	40-3/8" x 19-1/4" x 11"	\$1359.00	\$1220.00
RANGE HOODS WITH 670 MAX BLOWER CFM INTERNAL BLOWER				
CP35I309SB	Stainless	28-3/8" x 19-1/4" x 11"	\$1209.00	\$1080.00
CP35I369SB	Stainless	34-3/8" x 19-1/4" x 11"	\$1259.00	\$1130.00
CP35I429SB	Stainless	40-3/8" x 19-1/4" x 11"	\$1359.00	\$1220.00
RANGE HOOD WITH 1350 MAX BLOWER CFM INTERNAL BLOWER				
CP37I482SB	Stainless	46-3/8" x 22-1/2" x 11"	\$1929.00	\$1730.00



CC6 SERIES

- Brushed stainless steel finish (28-1/8" width to accommodate 30" cabinet space).
- 650 MAX Blower CFM.
- PURLED™ light system boosts light output by 25%, distributes light six times better and improves energy efficiency by 88%. Two LED bulbs included.
- Electronic push button controls with LED (four ventilation speeds).
- 5-minute delay-off function.
- Dishwasher-safe thin baffle filters.
- Filter maintenance indicator.
- Heat Sentry™ detects excessive heat and adjusts speed to high automatically.
- Claspings springs to ease installation.
- 3-1/4" x 10" ducted discharge, vertical or horizontal.



Scan for More Information.

MODEL NO.	FINISH	SIZE	LIST PRICE / SRP †	MAP
RANGE HOOD WITH 650 MAX BLOWER CFM INTERNAL BLOWER				
CC65I28SB	Stainless	28-1/2" x 14-3/4"	\$1299.00	\$1170.00



HBC1 SERIES

Recommended replacement for CC34 series.

- 650 to 1650 Max Blower CFM options for powerful, high-performance operation that meets virtually any cooking demands; blower sold separately.
- 4-speed electronic controls offer the right speed for any cooking application.
- Equipped with Code Ready™ Technology (CRT), which provides the ability to reduce CFM levels to address local codes or make-up air requirements.
- Three levels of LED light intensities to supply as much light as you need.
- 10-minute delay-off feature offers additional convenience and peace of mind.
- ADA capable via remote control to increase accessibility for all users.
- Dishwasher-safe aluminum mesh grease filters.
- Blends seamlessly into the ceiling to help keep sightlines open.



Scan for More Information.

MODEL NO.	FINISH	SIZE	LIST PRICE / SRP †	MAP
RANGE HOODS FOR USE WITH INTERNAL OR EXTERNAL OPTIONS (BLOWER SOLD SEPARATELY)				
HBC143ESS	Stainless	43"	\$2599.00	\$2340.00
HBC143EWH	White	43"	\$2599.00	\$2340.00
HBC163ESS	Stainless	63"	\$3359.00	\$3020.00
OPTIONS:				
INTERNAL BLOWERS				
PM6		650 MAX CFM	\$371.00	\$334.00
PM12		1260 MAX CFM	\$582.00	\$524.00
EXTERIOR BLOWERS				
EB9	All items are Brushed Aluminum	840 MAX CFM	\$991.00	\$893.00
EB15	All items are Brushed Aluminum	1650 MAX CFM	\$1,673.00	\$1,506.00
IN-LINE BLOWERS				
ILB6	All items are Galvanized	675 MAX CFM	\$901.00	\$812.00
ILB9	All items are Galvanized	900 MAX CFM	\$1,071.00	\$964.00
ILB11	All items are Galvanized	1500 MAX CFM	\$1,265.00	\$1,139.00



Stainless Steel Finish



Black Stainless Steel



Scan for More Information.

D49M SERIES

- Chimney raises to 18" at the touch of a button.
- Choice of quiet Flex Blower System with 650 MAX Blower CFM or external blower options sold separately.
- Available in stainless steel or black stainless steel finish.
- LED lighting produces bright, clean light using minimal energy and has an extra long life span, so lights may never need replacement.
- Four-speed electronic controls include 10-minute delay-off, filter clean reminder and Heat Sentry™ to provide convenient operation.
- Optional ACRD remote control button for convenient up/down operation.
- Hidden mesh grease filters are easily removed for cleaning by removal of the front panel.
- Optional end cap extension adds 1" to width for 31", 37", and 49" applications for the perfect fit, sold separately (includes left-handed and right-handed replacement end caps).
- Optional decorative range trim kit for use with free-standing range applications, sold separately.
- Cooktop trim seal kit recommended for use with gas cooktops, sold separately.
- Will work with optional universal make-up dampers. Fresh air wall caps are required for make-up air dampers (see pages 38 and 39).

MODEL NO.	FINISH	SIZE	LIST PRICE / SRP †	MAP
RANGE HOODS FOR USE WITH INTERNAL OR EXTERNAL OPTIONS (BLOWER SOLD SEPARATELY)				
D49M30BLS	Black Stainless	30"	\$3699.00	\$3349.00
D49M36BLS	Black Stainless	36"	\$3749.00	\$3399.00
D49M30SB	Stainless	30"	\$3559.00	\$3199.00
D49M36SB	Stainless	36"	\$3599.00	\$3249.00
D49M48SB	Stainless	48"	\$ 4019.00	\$3649.00

[See Product Specs and Pricing on the Next Page >](#)

D49M Series Continued

MODEL NO.	FINISH	SIZE	LIST PRICE / SRP †	MAP
OPTIONS:				
INTERNAL BLOWER PF6		650 MAX CFM	\$397.00	\$358.00
EXTERIOR BLOWERS EB9	All items are Brushed Aluminum	840 MAX CFM	\$991.00	\$893.00
EB15	All items are Brushed Aluminum	1650 MAX CFM	\$1673.00	\$1506.00
IN-LINE BLOWERS ILB3	All items are Galvanized	300 MAX CFM	\$578.00	\$520.00
ILB6	All items are Galvanized	675 MAX CFM	\$901.00	\$812.00
ILB9	All items are Galvanized	900 MAX CFM	\$1071.00	\$964.00
ILB11	All items are Galvanized	1500 MAX CFM	\$1265.00	\$1139.00
NON-DUCTED RECIRCULATION KIT ANKD			\$247.00	\$223.00
RECIRCULATING FILTER REPLACEMENT AFCD			\$35.00	\$32.00
RANGE TRIM KITS ATKD30SB	Stainless	30"	\$80.00	\$72.00
ATKD36SB	Stainless	36"	\$86.00	\$78.00
ATKD48SB	Stainless	48"	\$105.00	\$95.00
ATKD30BLS	Black Stainless	30"	\$111.00	\$101.00
ATKD36BLS	Black Stainless	36"	\$116.00	\$104.00

* Internal PF6 blower can be reduced to 400 CFM.

D49M Series Continued

MODEL NO.	FINISH	SIZE	LIST PRICE / SRP †	MAP
OPTIONS:				
TRIM ACCESSORIES ATTD1	Stainless		\$120.00	\$108.00
ATTD1BLS	Black Stainless		\$122.00	\$110.00
REMOTE CONTROLS ACRD	Stainless		\$173.00	\$156.00
ACRDBLS	Black Stainless		\$171.00	\$154.00
GAS COOKTOP TRIM SEAL KITS ATSKD30		30"	\$80.00	\$72.00
ATSKD36		36"	\$86.00	\$78.00
ATSKD48		48"	\$105.00	\$95.00
DUCT ACCESSORIES ACVPD8		8" Round Front Panel	\$65.00	\$59.00
ACVPD10		10" Round Front Panel	\$65.00	\$59.00
AEDD2		1-7/8" x 19" x 2' Duct	\$95.00	\$85.00
AVDKD8		1-7/8" x 19" to 8" Round	\$147.00	\$132.00
AVDKD10		1-7/8" x 19" to 10" Round	\$158.00	\$142.00
AVDKD219		1-7/8" x 19" Rectangular	\$66.00	\$60.00
AVDKD8810		Two 8" to 10" Round	\$180.00	\$162.00
EXTENSION CABLE AEWD5			\$91.00	\$83.00

D49M Installation Options

OPTION	INSTALLATION	PARTS NEEDED D49M (30", 36" AND 48")
1	FRONT / Internal / In Cabinet Ref. Page 8 spec sheet	PF6 - Internal blower 408 - 8" Rd Duct, 432 - 8" Elbow (as required), 643 - 8" Rd wall cap ANKD - Recirculation kit (optional)
2	FRONT / Internal / Under Floor Ref. Page 9 spec sheet	PF6 - Internal blower ACVPD8 - Front panel rough-in plate 8" round 408 - 8" Rd Duct, 432 - 8" Elbow (as required), 643 - 8" Rd wall cap
3	FRONT / Exterior or In-Line Ref. Page 13 spec sheet	EB9, EB15, ILB11 - Exterior or in-line blower ACVPD10 - Front panel rough-in plate 10" round, 410 - 10" Rd Duct, 418 - 10" Elbow (as required), 441 - 10" Rd wall cap (If ILB11 in-line blower is used)
4	REAR / Internal / In Cabinet For Clear Front Ref. Page 11 spec sheet	PF6 - Internal blower ATKD30SB/30BLS, ATKD36SB/36BLS, ATKD48SB - Range trim kit SS or BLS (If slide-in range) AVDKD219 (1-7/8" x 19" rectangular adapter) AEED2 (optional rectangular duct), AVDKD8 - Transition to 8" round 408 - 8" Rd Duct, 432 - 8" Elbow (as required) ANKD - Recirculation kit (optional)
5	REAR / Internal / Under Floor For Clear Front Ref. Page 11 spec sheet	PF6 - Internal blower ATKD30SB/30BLS, ATKD36SB/36BLS, ATKD48SB - Range trim kit SS or BLS (If slide-in range) AVDKD219 (1-7/8" x 19" rectangular adapter) AEED2 (optional rectangular duct), AVDKD8 - Transition to 8" round 408 - 8" Rd Duct, 432 - 8" Elbow (as required), 643 - 8" Rd wall cap
6	REAR / Exterior or In-Line For Clear Front Ref. Page 14 spec sheet FOR 48" slide-in range or applications with grill, recommend using Option 9 with dual outlet and EB15.	EB9, EB15, ILB11 - Exterior or in-line blower ATKD30SB/30BLS, ATKD36SB/36BLS, ATKD48SB - Range trim kit SS or BLS (If slide-in range) AVDKD219 (1-7/8" x 19" rectangular adapter) AEED2 (optional rectangular duct), AVDKD10 - Transition to 10" round 410 - 10" Rd Duct, 418 - 10" Elbow (as required), 441 - 10" Rd wall cap
7	Left or Right / Internal / In Cabinet For Clear Front Ref. Page 10 spec sheet	PF6 - Internal blower ATKD30SB/30BLS, ATKD36SB/36BLS, ATKD48SB - Range trim kit SS or BLS (If slide-in range) AVDKD219 (1-7/8" x 19" rectangular adapter) AEED2 (optional rectangular duct) AVDKD8 - Transition to 8" round, 408 - 8" Rd Duct, 432 - 8" Elbow (as required), 643 - 8" Rd wall cap, ANKD - Recirculation kit (optional)

D49M Installation Options Continued

OPTION	INSTALLATION	PARTS NEEDED D49M (30", 36" AND 48")
8	Left or Right / Internal / Under Floor For Clear Front Ref. Page 10 spec sheet	PF6 - Internal blower ATKD30SB/30BLS, ATKD36SB/36BLS, ATKD48SB - Range trim kit SS or BLS (If slide-in range) AVDKD219 (1-7/8" x 19" rectangular adapter), AEED2 (optional rectangular duct), AVDKD8 - Transition to 8" round, 408 - 8" Rd Duct, 432 - 8" Elbow (as required), 643 - 8" Rd wall cap
9	Left or Right / Exterior or In-Line For Clear Front Ref. Page 14 spec sheet FOR 48" slide-in range or applications with grill, recommend using Option 9 with dual outlet and EB15	EB9, EB15, ILB11 - Exterior or in-line blower ATKD30SB/30BLS, ATKD36SB/36BLS, ATKD48SB - Range trim kit SS or BLS (If slide-in range) AVDKD219 (1-7/8" x 19" rectangular adapter), AEED2 (optional rectangular duct), AVDKD10 - Transition to 10" round (for single outlet) AVDKD8 (2) - Transition to 8" round (for dual outlet) ATKD8810 - "Y" Transition Two 8" in to one 10" (for dual outlet) 441 - 10" Rd wall cap
10	Below vent / Internal / Under Floor Ref. Page 12 spec sheet	PF6 - Internal blower ATKD30SB/30BLS, ATKD36SB/36BLS, ATKD48SB - Range trim kit SS or BLS (If slide-in range) AVDKD8 - Transition to 8" round, 408 - 8" Rd Duct, 432 - 8" Elbow (as required), 643 - 8" Rd wall cap, ANKD - Recirculation kit (optional)
11	Below vent / Exterior or In-Line Ref. Page 15 spec sheet FOR 48" slide-in range or applications with grill, recommend using Option 9 with dual outlet and EB15	EB9, EB15, ILB11 - Exterior or in-line blower ATKD30SB/30BLS, ATKD36SB/36BLS, ATKD48SB - Range trim kit SS or BLS (If slide-in range) AVDKD10 - Transition to 10" round 410 - 10" Rd Duct, 418 - 10" Elbow (as required), 441 - 10" Rd wall cap

ACRD/ACRDBLS: **Remote up/down control.** Stainless Steel/Black Stainless (optional),

AEWD5: **5' ext. cable for electrical panel.** Only required if electrical panel is more than two feet away from downdraft. Use up to two extension cables connected together.

ATTD1/ATTD1BLS: **End cap trim extension to expand 1" overall trim width.** Includes left and right trim caps. Stainless Steel/Black Stainless (optional).

ATSKD30, 36, 48: **Gas cooktop seal kit.** Use if a gas cooktop is installed.

Note: For range top applications that are 48" or with grill, recommend Option 3 with EB15. For slide-in range applications with grill, recommend Option 9 using dual outlet with EB15.

For any additional support, please contact our BEST technical support at 1-800-637-1453.



WP28 SERIES

- Professional-style, 18" wall-mounted design in brushed stainless steel.
- Double-wall construction for easy cleanup.
- LED lighting; two bulbs included on 30" and 36" or four bulbs on other sizes.
- Choice of nine blower options: three internal, the quiet iQ6 with 800 MAX Blower CFM, iQ12 with 1500 MAX Blower CFM, or standard high-pressure P12 blower with 1300 MAX Blower CFM, or six external blowers up to 1650 MAX Blower CFM.
- iQ blower with GPS technology provides up to 2X quieter operation, 30% faster removal of smoke and 22X more energy efficiency.
- Hi-Flow™ baffle filters provide excellent ventilation efficiency.
- Variable-speed rotary control with last setting memory.
- Heat Sentry™ detects excessive heat and adjusts blower to high automatically.
- Uses 8" round (iQ6) or 10" round (iQ12, P12) duct with internal blowers, 10" round with external blowers; damper adapter included. Allows horizontal and vertical exhaust.
- Designed to work with optional universal make-up air dampers. Fresh air wall caps are required for make-up air dampers (see pages 38 and 39).



Scan for More Information.

MODEL NO.	FINISH	SIZE	LIST PRICE / SRP †	MAP
RANGE HOODS FOR USE WITH INTERNAL OR EXTERNAL OPTIONS (BLOWER SOLD SEPARATELY)				
WP28M30SB	Stainless	30" x 24"	\$1549.00	\$1390.00
WP28M36SB	Stainless	36" x 24"	\$1709.00	\$1530.00
WP28M42SB	Stainless	42" x 24"	\$1859.00	\$1670.00
WP28M48SB	Stainless	48" x 24"	\$1929.00	\$1730.00
WP28M54SB	Stainless	54" x 24"	\$2079.00	\$1860.00
WP28M60SB	Stainless	60" x 24"	\$2479.00	\$2230.00

[See Product Specs and Pricing on the Next Page >](#)

WP28 Series Continued

MODEL NO.	FINISH	SIZE	LIST PRICE / SRP †	MAP
OPTIONS:				
INTERNAL BLOWERS iQ6*	with GPS	800 MAX CFM	\$950.00	\$856.00
iQ12	with GPS	1500 MAX CFM	\$1385.00	\$1247.00
P12		1300 MAX CFM	\$582.00	\$524.00
EXTERIOR BLOWERS EB9	All items are Brushed Aluminum	840 MAX CFM	\$991.00	\$893.00
EB15	All items are Brushed Aluminum	1650 MAX CFM	\$1673.00	\$1506.00
IN-LINE BLOWERS ILB3	All items are Galvanized	300 MAX CFM	\$578.00	\$520.00
ILB6	All items are Galvanized	675 MAX CFM	\$901.00	\$812.00
ILB9	All items are Galvanized	900 MAX CFM	\$1071.00	\$964.00
ILB11	All items are Galvanized	1500 MAX CFM	\$1265.00	\$1139.00

* Limit CFM to 300 or 400 CFM with CRT (Code Ready™ Technology) to meet MUA Codes.



UP26 SERIES

- Professional-style, under-cabinet design available in brushed stainless steel.
- LED lighting; two bulbs included on 30" and 36", four bulbs on 42" and 48".
- Double-wall construction for easy cleanup.
- Choice of nine blower options: three internal, the quiet iQ6 with 800 MAX Blower CFM or standard high-pressure P5 or P8 blowers, or six external blowers up to 1650 MAX Blower CFM.
- iQ blower with GPS technology provides up to 2X quieter operation, 30% faster removal of smoke and 22X more energy efficiency.
- Hi-Flow™ baffle filters provide excellent ventilation efficiency.
- Variable-speed rotary control with last setting memory.
- Heat Sentry™ detects excessive heat and adjusts blower to high automatically.
- Uses 8" round duct for single internal blowers (iQ6) and 10" round for external blowers; includes damper/adaptor. All vertical exhaust.
- Uses 3-1/4" x 10" (P5) or 3-1/8" x 14" (P8) duct for blowers. Allows horizontal and vertical exhaust.
- Designed to work with optional universal make-up air dampers. Fresh air wall caps are required for make-up air dampers (see pages 38 and 39).

LIMITED
5/2
WARRANTY



Scan for More Information.

MODEL NO.	FINISH	SIZE	LIST PRICE / SRP †	MAP
RANGE HOODS FOR USE WITH INTERNAL OR EXTERNAL OPTIONS (BLOWER SOLD SEPARATELY)				
UP26M30SB	Stainless	30" x 22"	\$1059.00	\$950.00
UP26M36SB	Stainless	36" x 22"	\$1119.00	\$1010.00
UP26M42SB	Stainless	42" x 22"	\$1319.00	\$1190.00
UP26M48SB	Stainless	48" x 22"	\$1369.00	\$1230.00

[See Product Specs and Pricing on the Next Page >](#)

UP26 Series Continued

MODEL NO.	FINISH	SIZE	LIST PRICE / SRP †	MAP
OPTIONS:				
INTERNAL BLOWERS iQ6*	with GPS	800 MAX CFM	\$950.00	\$856.00
P5		530 MAX CFM (V&H)	\$510.00	\$460.00
P8 (36", 42", 48")		950 MAX CFM (V&H)	\$925.00	\$833.00
EXTERIOR BLOWERS EB9	All items are Brushed Aluminum	840 MAX CFM	\$991.00	\$893.00
EB15	All items are Brushed Aluminum	1650 MAX CFM	\$1673.00	\$1506.00
IN-LINE BLOWERS ILB3	All items are Galvanized	300 MAX CFM	\$578.00	\$520.00
ILB6	All items are Galvanized	675 MAX CFM	\$901.00	\$812.00
ILB9	All items are Galvanized	900 MAX CFM	\$1071.00	\$964.00
ILB11	All items are Galvanized	1500 MAX CFM	\$1265.00	\$1139.00

* Limit CFM to 300 or 400 CFM with CRT (Code Ready™ Technology) to meet MUA Codes.



WTD9M SERIES

- Chimney style designed for outdoor patios and lanais.
- Constructed of corrosion-resistant brushed stainless steel.
- 36", 42" and 48" widths.
- 30" depth.
- Internal blower with 1300 MAX Blower CFM, sold separately.
- Two LED bulbs.
- Stainless steel baffle filters.
- Variable-speed rotary control.
- Heat Sentry™ detects excessive heat and adjusts blower to high automatically.
- Ducted installation uses 10" round duct.
- Three choices of flue extensions (sold separately).



Scan for More Information.

MODEL NO.	FINISH	SIZE	LIST PRICE / SRP †	MAP
RANGE HOODS FOR USE WITH INTERNAL OPTION (BLOWER SOLD SEPARATELY)				
WTD9M36SB	Stainless	30" x 36" x 14"	\$1849.00	\$1660.00
WTD9M42SB ■	Stainless	30" x 42" x 14"	\$2029.00	\$1820.00
WTD9M48SB	Stainless	30" x 48" x 14"	\$2249.00	\$2020.00
OPTIONS:				
INTERNAL BLOWER P12NA		1300 MAX CFM	\$457.00	\$412.00
FLUE EXTENSIONS AEWTD915SB	Stainless	8' - 8.5' Chimney	\$339.00	\$306.00
AEWTD1629SB	Stainless	8.5' - 9' Chimney	\$404.00	\$364.00
AEWTD3057SB	Stainless	9.5' - 12' Chimney	\$584.00	\$526.00

■ Discontinued - Limited quantities available.



CPD9M SERIES

- Constructed of corrosion-resistant brushed stainless steel.
- 36", 42" and 48" widths.
- 28-3/8" depth.
- Internal blower with 1300 MAX Blower CFM, sold separately.
- Two LED bulbs.
- Baffle filters.
- Variable-speed rotary control.
- Heat Sentry™ detects excessive heat and adjusts blower to high automatically.
- Ducted installation uses 10" round duct.

LIMITED
5/2
WARRANTY



Scan for More Information.

MODEL NO.	FINISH	SIZE	LIST PRICE / SRP †	MAP
RANGE HOODS FOR USE WITH INTERNAL OPTION (BLOWER SOLD SEPARATELY)				
CPD9M363SB	Stainless	30" x 36" x 14"	\$1709.00	\$1540.00
CPD9M423SB ■	Stainless	30" x 42" x 14"	\$1899.00	\$1700.00
CPD9M483SB	Stainless	30" x 48" x 14"	\$1959.00	\$1760.00
OPTIONS:				
INTERNAL BLOWER P12NA		1300 MAX CFM	\$457.00	\$412.00

■ Discontinued - Limited quantities available.



WPD39M SERIES

- Constructed of corrosion-resistant brushed stainless steel.
- Professional-style, deep 30" design.
- LED lighting (bulbs included): two on 36", three on 48" and 60".
- Choice of internal or external blowers for powerful and quiet operation (sold separately).
- 304 Stainless Steel baffle filters with handles.
- Special non-stick surface on filter grease rails and removable grease tray for easy cleanup.
- Variable-speed rotary controls with separate on/off switch for last setting memory.
- Heat Sentry™ detects excessive heat and adjusts blower to high automatically.
- Optional telescopic flue cover for standard depth installations for 10' to 12' ceilings.
- 10" round duct with internal blower with 1300 MAX Blower CFM or external blowers.
- Designed to work with optional universal make-up air dampers. Fresh air wall caps are required for make-up air dampers (see pages 38 and 39).



Scan for More Information.

MODEL NO.	FINISH	SIZE	LIST PRICE / SRP †	MAP
RANGE HOODS FOR USE WITH INTERNAL OR EXTERNAL OPTIONS (BLOWER SOLD SEPARATELY)				
WPD39M36SB	Stainless	36" x 30"	\$2359.00	\$2120.00
WPD39M42SB ■	Stainless	42" x 30"	\$2509.00	\$2250.00
WPD39M48SB	Stainless	48" x 30"	\$2659.00	\$2390.00
WPD39M60SB	Stainless	60" x 30"	\$2969.00	\$2670.00
OPTIONS:				
DECORATIVE FLUE COVER (STANDARD 30" DEPTH) AEWPD3054SB	Stainless	30" - 54"	\$773.00	\$696.00
INTERNAL BLOWER P12		1300 MAX CFM	\$582.00	\$524.00
EXTERIOR BLOWER EB15	Brushed Aluminum	1650 MAX CFM	\$1673.00	\$1506.00
IN-LINE BLOWER ILB11	Galvanized	1500 MAX CFM	\$1265.00	\$1139.00

■ Discontinued - Limited quantities available.



WPD38I SERIES

- Constructed of corrosion-resistant brushed stainless steel.
- Professional-style, deep 27" design.
- LED lighting (bulbs included): two on 36", three on 48" and 60".
- Internal blower with 1300 MAX blower CFM for powerful and quiet operation.
- 304 Stainless Steel baffle filters.
- Four-speed rotary controls with illuminated on/off switch.
- Heat Sentry™ detects excessive heat and adjusts blower to high automatically.
- Ducted installation uses 10" round duct.
- Optional telescopic flue cover for standard depth installations for 10' to 12' ceilings.
- Designed to work with optional universal make-up air dampers. Fresh air wall caps are required for make-up air dampers (see pages 38 and 39).



Scan for More Information.

MODEL NO.	FINISH	SIZE	LIST PRICE / SRP †	MAP
RANGE HOODS WITH 1300 MAX BLOWER CFM INTERNAL BLOWER				
WPD38I36SB ■	Stainless	36" x 27"	\$2429.00	\$2180.00
WPD38I42SB ■	Stainless	42" x 27"	\$2579.00	\$2320.00
WPD38I48SB ■	Stainless	48" x 27"	\$2729.00	\$2460.00
WPD38I60SB ■	Stainless	60" x 27"	\$3049.00	\$2740.00
OPTIONS:				
DECORATIVE FLUE COVER (STANDARD 27" DEPTH) AEWPD3054SB	Stainless	30" - 54"	\$773.00	\$696.00

■ Discontinued - Limited quantities available.



CPD SERIES

- Constructed of corrosion-resistant brushed stainless steel. UL listed for use in damp locations.
- Professional-style, deep 22.5" design.
- Integrated liner simplifies installation for a finished look.
- 50-watt halogen bulbs included (two lamps on 36", three on 48" and 60").
- Internal blower with 1250 MAX Blower CFM for powerful operation.
- Three-speed rotary controls.
- Heat Sentry™ detects excessive heat and adjusts blower to high automatically.
- Ducted installation uses 10" round duct.
- Designed to work with optional universal make-up air dampers. Fresh air wall caps are required for make-up air dampers (see pages 38 and 39).



Scan for More Information.

MODEL NO.	FINISH	SIZE	LIST PRICE / SRP †	MAP
RANGE HOODS WITH 1250 MAX BLOWER CFM INTERNAL BLOWER				
CPDI362SB ■	Stainless	34-3/8" x 22-1/2" x 12"	\$1679.00	\$1510.00
CPDI482SB ■	Stainless	46-3/8" x 22-1/2" x 12"	\$1929.00	\$1730.00
CPDI602SB ■	Stainless	58-7/8" x 22-1/2" x 12"	\$2419.00	\$2180.00

■ Discontinued - Limited quantities available.



UCB3 SERIES

- Available in brushed stainless steel.
- 30" wide.
- Internal blower with 550 MAX Blower CFM.
- ENERGY STAR qualified.
- 1.0 sones at low speed.
- 3-1/4" x 10" vertical or horizontal discharge.
- Suitable for 8' to 9' high ceilings.
- PURLED™ light system boosts light output by 25%, distributes light six times better and improves energy efficiency by 88%.
- Hybrid filter issued from the combination of two filtering technologies, designed to capture 28% more grease.
- Limit CFM to 300 with CRT (Code Ready™ Technology).

LIMITED
5/2
WARRANTY



Scan for More Information.

MODEL NO.	FINISH	SIZE	LIST PRICE / SRP †	MAP
RANGE HOODS WITH 550 MAX BLOWER CFM INTERNAL BLOWER				
UCB3130SBB	Stainless (Black Glass)	29-7/8" x 20-1/8"	\$1419.00	\$1280.00
UCB3130SBS	Stainless (Brushed Gray Glass)	29-7/8" x 20-1/8"	\$1419.00	\$1280.00
UCB3130SBW	Stainless (White Glass)	29-7/8" x 20-1/8"	\$1419.00	\$1280.00

* Replacement glass panels available as service parts.

* Limit CFM to 300 or 400 CFM with CRT (Code Ready Technology) to meet MUA Codes.

24" DUCT SECTIONS

MODEL NO.	DESCRIPTION	LIST PRICE / SRP ‡	MAP
408	8" Round	\$30.00	\$28.00
410	10" Round	\$34.00	\$30.00

ROOF AND WALL CAPS

MODEL NO.	DESCRIPTION	LIST PRICE / SRP ‡	MAP
441	10" round wall cap	\$110.00	\$100.00
610FA	10" aluminum fresh air inlet wall cap	\$145.00	\$131.00
634	3-1/4" x 10" or up to 8" round roof cap	\$54.00	\$48.00
639	3-1/4" x 10" wall cap	\$36.00	\$33.00
641	6" round wall cap	\$76.00	\$68.00
641FA	Aluminum fresh air inlet wall cap for 6" round duct	\$61.00	\$56.00
643	8" round wall cap	\$97.00	\$87.00
643FA	Aluminum fresh air inlet wall cap for 8" round duct	\$90.00	\$82.00

DAMPERS

MODEL NO.	DESCRIPTION	LIST PRICE / SRP ‡	MAP
421	10" damper	\$49.00	\$45.00

Fresh air wall caps are required for make-up air dampers. See 641FA and 643FA in the Roof and Wall Caps section.

TRANSITIONS

MODEL NO.	DESCRIPTION	LIST PRICE / SRP †	MAP
412H	3-1/4" x 10" to 7" round; vertical discharge (412H replaces 412)	\$33.00	\$29.00
413	3-1/4" x 10" to 8" round; vertical discharge	\$36.00	\$33.00
414	8" to 10" round	\$53.00	\$47.00
423	4-1/2" x 18-1/2" to 10" round; vertical discharge	\$69.00	\$62.00
427	4-1/2" x 18-1/2" to 10" round; lateral	\$74.00	\$66.00
459	3-1/4" x 14" to 8" round	\$48.00	\$44.00

ELBOWS

MODEL NO.	DESCRIPTION	LIST PRICE / SRP †	MAP
418	10" round adjustable	\$47.00	\$43.00
432	8" round adjustable	\$35.00	\$32.00

UNIVERSAL/AUTOMATIC MAKE-UP AIR DAMPERS

MODEL NO.	DESCRIPTION	LIST PRICE / SRP †	MAP
MD6T	6" automatic make-up air damper	\$181.00	\$163.00
MD6TU	6" universal automatic make-up air damper with pressure sensor kit	\$258.00	\$233.00
MD8S	8" make-up air slave damper (damper only)	\$204.00	\$184.00
MD8T	8" automatic make-up air damper	\$200.00	\$180.00
MD8TU	8" universal automatic make-up air damper with pressure sensor kit	\$284.00	\$255.00
MD10TU	10" universal automatic make-up air damper with pressure sensor kit	\$374.00	\$337.00

Fresh air wall caps are required for make-up air dampers. See 641FA and 643FA in the Roof and Wall Caps section.

MODEL	UPC CODE	MSRP	MAP	WEIGHT	LENGTH	WIDTH	HEIGHT	CUBE
408	0 26715 22965 9	\$30.00	\$28.00	2.20	2.00	0.67	0.67	0.90
410	0 26715 02274 8	\$34.00	\$30.00	20.00	0.85	0.82	2.06	1.43
412H	0 26715 00268 9	\$33.00	\$29.00	1.45	0.88	0.87	0.65	0.50
413	0 26715 01599 3	\$36.00	\$33.00	1.90	1.03	1.03	0.87	0.91
414	0 26715 07547 8	\$53.00	\$47.00	2.00	1.03	1.02	0.90	0.93
418	0 26715 05945 4	\$47.00	\$43.00	3.40	1.13	1.12	0.90	1.14
421	0 26715 03900 5	\$49.00	\$45.00	0.75	0.96	0.84	0.13	0.10
423	0 26715 03902 9	\$69.00	\$62.00	3.60	1.60	0.95	0.95	1.44
427	0 26715 12607 1	\$74.00	\$66.00	2.50	1.65	0.94	0.60	0.93
432	0 26715 22966 6	\$35.00	\$32.00	1.95	1.02	1.00	0.85	0.87
441	0 26715 03908 1	\$110.00	\$100.00	3.80	1.18	1.15	0.32	0.43
459	0 26715 15379 4	\$48.00	\$44.00	1.90	1.28	0.67	0.77	0.65
610FA	0 26715 21105 0	\$145.00	\$131.00	2.50	1.13	1.13	0.90	1.13
634	0 26715 00265 8	\$54.00	\$48.00	5.10	1.60	1.21	0.63	1.22
639	0 26715 00264 1	\$36.00	\$33.00	2.50	1.11	0.81	0.53	0.48
641	0 26715 01137 7	\$76.00	\$68.00	1.30	0.79	0.79	0.67	0.42
641FA	0 26715 19206 9	\$61.00	\$56.00	1.20	0.78	0.78	0.66	0.40
643	0 26715 02294 6	\$97.00	\$87.00	2.40	1.13	1.13	0.88	1.12
643FA	0 26715 19207 6	\$90.00	\$82.00	2.40	1.13	1.13	0.89	1.14
ACR3	0 26715 23145 4	\$113.00	\$103.00	0.25	0.42	0.25	0.08	0.01
ACRD	0 26715 23430 1	\$173.00	\$156.00	0.60	0.73	0.27	0.28	0.05
ACRDBLS	0 26715 25575 7	\$171.00	\$154.00	0.60	0.73	0.27	0.28	0.05
ACVPD10	0 26715 23436 3	\$65.00	\$59.00	3.15	1.12	1.12	0.18	0.22
ACVPD8	0 26715 23499 8	\$65.00	\$59.00	3.35	1.12	1.12	0.18	0.22
AEDD2	0 26715 25639 6	\$95.00	\$85.00	8.10	2.06	1.65	0.24	0.82
AEWCN1SS	0 26715 25990 8	\$559.00	\$503.00	20.94	3.25	1.35	1.39	6.09
AEWCP1SS	0 26715 26525 1	\$408.00	\$368.00	22.25	3.25	1.08	2.14	7.51
AEWD5	0 26715 26989 1	\$91.00	\$83.00	0.80	0.73	0.27	0.28	0.05
AEWPD3054SB	0 26715 25337 1	\$773.00	\$696.00	42.45	2.38	1.38	2.91	9.50

MODEL	UPC CODE	MSRP	MAP	WEIGHT	LENGTH	WIDTH	HEIGHT	CUBE
AEWPP9SBN	0 26715 22742 6	\$615.00	\$554.00	15.75	3.56	1.44	1.44	7.36
AEWTD1629SB	0 26715 22791 4	\$404.00	\$364.00	17.20	1.38	1.27	2.63	4.59
AEWTD3057SB	0 26715 25854 3	\$584.00	\$526.00	28.60	1.38	1.27	3.31	5.79
AEWTD915SB	0 26715 25855 0	\$339.00	\$306.00	12.20	1.38	1.27	2.63	4.59
AFBWCN1	0 26715 25853 6	\$126.00	\$113.00	3.75	1.38	1.41	0.33	0.64
AFCD	0 26715 26616 6	\$35.00	\$32.00	0.40	1.19	0.23	0.43	0.12
AFCP195P52	0 26715 23432 5	\$28.00	\$26.00	0.10	1.02	0.58	0.02	0.01
AFCP195P70	0 26715 20870 8	\$30.00	\$28.00	0.10	1.46	0.56	0.02	0.01
ANKCP55	0 26715 25340 1	\$263.00	\$236.00	5.10	1.13	1.10	1.13	1.40
ANKD	0 26715 22914 7	\$247.00	\$223.00	7.65	1.51	1.37	0.57	1.17
ANKWCN1	0 26715 20495 3	\$251.00	\$227.00	8.38	3.25	1.12	1.03	3.74
ANKWCPST1	0 26715 26526 8	\$466.00	\$419.00	7.50	1.71	1.27	0.92	2.00
ATKD30BLS	0 26715 25572 6	\$111.00	\$101.00	0.95	2.54	0.35	0.31	0.28
ATKD30SB	0 26715 26990 7	\$80.00	\$72.00	0.95	2.54	0.35	0.31	0.28
ATKD36BLS	0 26715 23433 2	\$116.00	\$104.00	1.10	3.04	0.35	0.31	0.33
ATKD36SB	0 26715 23434 9	\$86.00	\$78.00	1.10	3.04	0.35	0.31	0.33
ATKD48SB	0 26715 23435 6	\$105.00	\$95.00	1.55	4.25	0.28	0.28	0.33
ATSKD30	0 26715 24180 4	\$80.00	\$72.00	1.90	2.38	0.35	0.35	0.30
ATSKD36	0 26715 24181 1	\$86.00	\$78.00	2.50	3.02	0.44	0.44	0.58
ATSKD48	0 26715 24182 8	\$105.00	\$95.00	3.40	4.04	0.44	0.44	0.77
ATTD1	0 26715 23437 0	\$120.00	\$108.00	0.45	0.37	0.37	0.56	0.08
ATTD1BLS	0 26715 25574 0	\$122.00	\$110.00	0.45	0.37	0.37	0.56	0.08
AVDKD10	0 26715 23459 2	\$158.00	\$142.00	3.80	2.10	1.08	1.06	2.42
AVDKD219	0 26715 23438 7	\$66.00	\$60.00	1.05	2.58	0.33	0.30	0.26
AVDKD8	0 26715 23439 4	\$147.00	\$132.00	3.50	2.10	1.08	1.06	2.42
AVDKD8810	0 26715 24190 3	\$180.00	\$162.00	3.80	1.36	1.34	1.33	2.43
CC65I28SB	0 26715 25946 5	\$1,299.00	\$1,170.00	35.00	2.73	1.65	1.15	5.15
CP34I309SB	0 26715 19015 7	\$1,209.00	\$1,080.00	44.20	3.32	1.15	2.23	8.49
CP34I369SB	0 26715 19016 4	\$1,259.00	\$1,130.00	47.80	3.29	1.13	2.25	8.33
CP34I429SB	0 26715 19017 1	\$1,359.00	\$1,220.00	57.20	4.29	1.15	2.25	11.10

MODEL	UPC CODE	MSRP	MAP	WEIGHT	LENGTH	WIDTH	HEIGHT	CUBE
CP35I309SB	0 26715 18649 5	\$1,209.00	\$1,080.00	44.30	3.30	1.15	2.20	8.35
CP35I369SB	0 26715 18650 1	\$1,259.00	\$1,130.00	47.00	3.30	1.15	2.21	8.38
CP35I429SB	0 26715 18651 8	\$1,359.00	\$1,220.00	56.10	4.29	1.15	2.25	11.10
CP37I482SB	0 26715 18652 5	\$1,929.00	\$1,730.00	63.00	4.33	1.13	2.25	10.97
CP55IQ369SB	0 26715 22821 8	\$2,159.00	\$1,940.00	51.00	3.31	1.15	2.25	8.54
CP55IQ429SB	0 26715 22822 5	\$2,359.00	\$2,120.00	55.00	4.31	1.15	2.25	11.12
CP57E362SB	0 26715 22829 4	\$1,659.00	\$1,490.00	43.00	3.31	1.15	2.25	8.54
CP57E482SB	0 26715 22830 0	\$1,899.00	\$1,710.00	55.00	4.31	1.15	2.25	11.12
CP57E602SB	0 26715 22831 7	\$2,249.00	\$2,020.00	66.00	2.00	6.48	2.79	36.18
CP57IQT369SB	0 26715 22823 2	\$2,659.00	\$2,390.00	59.00	3.31	1.15	2.25	8.54
CP57IQT482SB	0 26715 22825 6	\$2,859.00	\$2,570.00	73.00	4.31	1.15	2.25	11.12
CP57IQT489SB	0 26715 22824 9	\$2,799.00	\$2,510.00	70.00	4.31	1.15	2.25	11.12
CP57IQT542SB	0 26715 22826 3	\$3,279.00	\$2,940.00	80.00	2.00	6.48	2.79	36.18
CP57IQT602SB	0 26715 22827 0	\$3,419.00	\$3,070.00	83.00	2.00	6.48	2.79	36.18
CP57IQT662SB	0 26715 22828 7	\$3,669.00	\$3,300.00	86.00	2.00	6.48	2.79	36.18
CPD9M363SB	0 26715 25847 5	\$1,709.00	\$1,540.00	85.00	4.50	2.00	3.08	27.75
CPD9M423SB	0 26715 25849 9	\$1,899.00	\$1,700.00	87.00	4.50	2.00	3.08	27.75
CPD9M483SB	0 26715 25851 2	\$1,959.00	\$1,760.00	96.50	4.50	2.00	3.08	27.75
CPDI362SB	0 26715 20422 9	\$1,679.00	\$1,510.00	67.80	3.13	1.43	2.34	10.52
CPDI482SB	0 26715 20423 6	\$1,929.00	\$1,730.00	88.20	4.13	1.40	2.33	13.43
CPDI602SB	0 26715 20424 3	\$2,419.00	\$2,180.00	90.40	5.21	1.38	2.36	16.89
D49M30BLS	0 26715 25570 2	\$3,699.00	\$3,349.00	67.00	2.88	2.75	0.74	5.83
D49M30SB	0 26715 23420 2	\$3,559.00	\$3,199.00	67.00	2.88	2.75	0.74	5.83
D49M36BLS	0 26715 25571 9	\$3,749.00	\$3,399.00	77.00	3.25	2.88	0.75	7.01
D49M36SB	0 26715 23421 9	\$3,599.00	\$3,249.00	77.00	3.25	2.88	0.75	7.01
D49M48SB	0 26715 23422 6	\$4,019.00	\$3,649.00	107.00	2.98	4.45	0.81	10.72
EB15	0 26715 13944 6	\$1,673.00	\$1,506.00	47.30	3.01	1.23	2.19	8.13
EB9	0 26715 10654 7	\$991.00	\$893.00	35.20	2.63	0.83	2.34	5.07
HADTBN24	0 26715 26823 8	\$38.00	\$35.00	3.01	3.00	0.42	0.42	0.53
HADTBN30	0 26715 26824 5	\$45.00	\$41.00	3.55	3.00	0.42	0.42	0.53

MODEL	UPC CODE	MSRP	MAP	WEIGHT	LENGTH	WIDTH	HEIGHT	CUBE
HARKBN24	0 26715 26809 2	\$125.00	\$113.00	6.25	1.66	1.21	1.06	2.13
HARKBN30	0 26715 26807 8	\$125.00	\$113.00	6.25	1.66	1.21	1.06	2.13
HAWRK5	0 26715 26811 5	\$91.00	\$83.00	0.50	0.48	0.45	0.20	0.04
HAWTBN36	0 26715 27081 1	\$55.00	\$50.00	1.40	1.17	0.33	0.33	0.13
HBC143ESS	0 26715 26938 9	\$2,599.00	\$2,340.00	95.00	2.58	3.83	1.33	13.14
HBC143EWH	0 26715 26939 6	\$2,599.00	\$2,340.00	95.00	2.58	3.83	1.33	13.14
HBC163ESS	0 26715 26940 2	\$3,359.00	\$3,020.00	120.00	2.58	5.50	1.33	18.87
HBN1246SS	0 26715 26782 8	\$824.00	\$742.00	15.85	2.23	1.25	1.14	3.18
HBN1306SS	0 26715 26783 5	\$859.00	\$774.00	15.85	2.73	1.25	1.14	3.89
ICB3I36SBB	0 26715 25938 0	\$2,599.00	\$2,330.00	90.00	2.00	3.50	2.83	19.83
ICB3I36SBS	0 26715 25939 7	\$2,599.00	\$2,330.00	90.00	2.00	3.50	2.83	19.83
ILB11	0 26715 16928 3	\$1,265.00	\$1,139.00	69.50	2.17	1.87	2.66	10.75
ILB3	0 26715 16925 2	\$578.00	\$520.00	29.10	1.53	1.33	2.11	4.31
ILB6	0 26715 16926 9	\$901.00	\$812.00	47.60	2.12	1.38	2.44	7.11
ILB9	0 26715 16927 6	\$1,071.00	\$964.00	70.00	2.17	1.83	2.67	10.59
IPB9IQT48SB	0 26715 22735 8	\$5,359.00	\$4,820.00	135.60	2.96	4.58	2.25	30.51
iQ12	0 26715 22960 4	\$1,385.00	\$1,247.00	31.00	2.35	1.29	1.25	3.80
iQ6	0 26715 22959 8	\$950.00	\$856.00	20.00	2.35	1.29	1.25	3.80
MD10TU	0 26715 21102 9	\$374.00	\$337.00	6.95	0.92	0.90	1.29	1.06
MD6T	0 26715 19203 8	\$181.00	\$163.00	4.30	0.86	0.55	0.81	0.38
MD6TU	0 26715 20378 9	\$258.00	\$233.00	4.70	0.87	0.54	0.81	0.38
MD8S	0 26715 20419 9	\$204.00	\$184.00	4.10	0.85	0.73	0.96	0.60
MD8T	0 26715 19204 5	\$200.00	\$180.00	5.30	0.86	0.73	0.97	0.60
MD8TU	0 26715 20379 6	\$284.00	\$255.00	5.60	0.86	0.73	0.98	0.61
P12	0 26715 10652 3	\$582.00	\$524.00	27.30	2.05	0.99	1.27	2.57
P12NA	0 26715 25852 9	\$457.00	\$412.00	27.30	2.05	0.99	1.27	2.57
P195P1M52SB6	0 26715 23035 8	\$1,019.00	\$910.00	36.00	2.48	1.54	1.42	5.41
P195P1M70SB6	0 26715 23036 5	\$1,089.00	\$980.00	38.00	3.10	1.54	1.40	6.68
P195P2M70SB	0 26715 20666 7	\$1,309.00	\$1,170.00	45.00	3.13	1.54	1.42	6.83
P5	0 26715 12434 3	\$510.00	\$460.00	17.60	2.33	1.33	0.50	1.56

MODEL	UPC CODE	MSRP	MAP	WEIGHT	LENGTH	WIDTH	HEIGHT	CUBE
P8	0 26715 12435 0	\$925.00	\$833.00	25.90	2.33	1.33	0.42	1.30
PF6	0 26715 23428 8	\$397.00	\$358.00	21.60	1.33	1.20	1.21	1.93
PK2230	0 26715 20900 2	\$1,979.00	\$1,770.00	48.65	2.75	1.76	1.17	5.64
PK2239	0 26715 20901 9	\$2,069.00	\$1,850.00	56.00	3.50	1.75	1.17	7.15
PK2245	0 26715 20902 6	\$2,169.00	\$1,950.00	62.00	4.04	1.75	1.17	8.25
PKEX2239	0 26715 20903 3	\$1,219.00	\$1,090.00	30.00	3.50	1.79	1.17	7.32
PKEX2245	0 26715 20904 0	\$1,429.00	\$1,280.00	43.00	4.04	1.75	1.20	8.49
PM12	0 26715 26956 3	\$582.00	\$524.00	27.00	2.06	0.96	1.29	2.55
PM6	0 26715 26955 6	\$371.00	\$334.00	18.00	2.06	0.96	1.29	2.55
UCB3I30SBB	0 26715 25932 8	\$1,419.00	\$1,280.00	36.00	3.03	2.08	0.66	4.14
UCB3I30SBS	0 26715 25948 9	\$1,419.00	\$1,280.00	36.00	3.03	2.08	0.66	4.14
UCB3I30SBW	0 26715 25934 2	\$1,419.00	\$1,280.00	36.00	3.03	2.08	0.66	4.14
UP26M30SB	0 26715 22937 6	\$1,059.00	\$950.00	30.05	3.29	1.15	2.25	8.49
UP26M36SB	0 26715 22938 3	\$1,119.00	\$1,010.00	33.65	3.29	1.15	2.25	8.49
UP26M42SB	0 26715 22939 0	\$1,319.00	\$1,190.00	40.20	4.31	1.15	2.25	11.12
UP26M48SB	0 26715 22940 6	\$1,369.00	\$1,230.00	43.05	4.31	1.15	2.25	11.12
WCB3I30SBB	0 26715 25924 3	\$1,669.00	\$1,500.00	56.00	2.00	3.50	2.83	19.83
WCB3I30SBS	0 26715 25925 0	\$1,669.00	\$1,500.00	56.00	2.00	3.50	2.83	19.83
WCB3I36SBB	0 26715 25928 1	\$1,749.00	\$1,570.00	59.00	2.00	3.50	2.83	19.83
WCB3I36SBS	0 26715 25929 8	\$1,749.00	\$1,570.00	59.00	2.00	3.50	2.83	19.83
WCN1 306SS	0 26715 26523 7	\$996.00	\$897.00	49.60	2.77	2.23	2.13	13.19
WCN1 366SS	0 26715 26524 4	\$1,128.00	\$1,016.00	52.03	3.28	2.23	2.13	15.61
WCP1 306SS	0 26715 26985 3	\$1,166.00	\$1,049.00	53.00	2.83	1.83	2.50	12.95
WCP1 366SS	0 26715 26986 0	\$1,277.00	\$1,149.00	57.00	3.33	1.83	2.50	15.23
WCS1 306BLS	0 26715 26991 4	\$1,166.00	\$1,049.00	53.00	2.83	1.83	2.50	12.95
WCS1 306SS	0 26715 26983 9	\$1,166.00	\$1,049.00	53.00	2.83	1.83	2.50	12.95
WCS1 366SS	0 26715 26984 6	\$1,277.00	\$1,149.00	57.00	3.33	1.83	2.50	15.23
WCT1 306SS	0 26715 26987 7	\$1,166.00	\$1,049.00	53.00	2.83	1.83	2.50	12.95
WCT1 366SS	0 26715 26988 4	\$1,277.00	\$1,149.00	57.00	3.33	1.83	2.50	15.23
WP28M30SB	0 26715 22931 4	\$1,549.00	\$1,390.00	60.20	2.00	3.52	2.79	19.66

MODEL	UPC CODE	MSRP	MAP	WEIGHT	LENGTH	WIDTH	HEIGHT	CUBE
WP28M36SB	0 26715 22932 1	\$1,709.00	\$1,530.00	65.35	2.00	3.52	2.79	19.66
WP28M42SB	0 26715 22933 8	\$1,859.00	\$1,670.00	76.25	2.00	4.52	2.79	25.24
WP28M48SB	0 26715 22934 5	\$1,929.00	\$1,730.00	80.20	2.00	4.52	2.79	25.24
WP28M54SB	0 26715 22935 2	\$2,079.00	\$1,860.00	97.40	2.00	6.52	2.79	36.41
WP28M60SB	0 26715 22936 9	\$2,479.00	\$2,230.00	103.70	2.00	6.52	2.79	36.41
WPB9IQT48SB	0 26715 25265 7	\$4,519.00	\$4,070.00	86.00	4.40	1.83	2.21	17.80
WPD38I36SB	0 26715 20393 2	\$2,429.00	\$2,180.00	90.00	3.54	2.00	2.83	20.07
WPD38I42SB	7 72371 15038 6	\$2,579.00	\$2,320.00	100.00	4.33	2.33	1.92	19.37
WPD38I48SB	0 26715 20394 9	\$2,729.00	\$2,460.00	108.00	4.54	2.00	2.79	25.36
WPD38I60SB	0 26715 20395 6	\$3,049.00	\$2,740.00	136.00	6.25	2.00	2.79	34.90
WPD39M36SB	0 26715 20660 5	\$2,359.00	\$2,120.00	90.00	3.50	2.00	3.08	21.58
WPD39M42SB	7 72371 15037 9	\$2,509.00	\$2,250.00	102.00	4.50	2.00	3.07	27.60
WPD39M48SB	0 26715 20661 2	\$2,659.00	\$2,390.00	108.00	4.50	2.04	3.04	27.95
WPD39M60SB	0 26715 20662 9	\$2,969.00	\$2,670.00	136.00	6.58	2.04	3.00	40.32
WPP9IQ36SB	0 26715 22715 0	\$2,989.00	\$2,690.00	58.42	3.40	1.79	2.21	13.44
WPP9IQ42SB	0 26715 22717 4	\$3,218.00	\$2,897.00	66.80	3.90	1.83	2.21	15.77
WPP9IQT36SB	0 26715 22716 7	\$4,029.00	\$3,620.00	63.27	3.38	1.83	2.21	13.66
WPP9IQT42SB	0 26715 22716 7	\$4,191.00	\$3,772.00	70.99	3.92	1.83	2.21	15.86
WPP9IQT48SB	0 26715 22719 8	\$4,519.00	\$4,060.00	77.60	1.83	4.40	2.21	17.80
WTD9M36SB	0 26715 25846 8	\$1,849.00	\$1,660.00	76.00	3.50	2.00	3.08	21.58
WTD9M42SB	0 26715 25848 2	\$2,029.00	\$1,820.00	82.00	4.50	2.00	3.08	27.75
WTD9M48SB	0 26715 25850 5	\$2,249.00	\$2,020.00	92.50	4.50	2.00	3.08	27.75



BestRangeHoods.com


926 W. State Street, Hartford, WI 53027, USA

1-800-558-1711

All sales are governed by terms and conditions available at

<https://bestrangehoods.com/owner-support/warranty>

Buyer's additional or different terms are hereby rejected.



Scan for More Information.

BEST® reserves the right to change specifications at any time without notice.