

**PRO
CHEF**
JULIEN

EVERYDAY STYLE



SINKS & ACCESSORIES

USD | Effective May 15th, 2025

CUSTOMER SERVICE

Our Customer Service Department is totally committed to providing support before, during, and after purchase. If you have a question or would like to place an order, a member of our team will be happy to provide advice and assistance. Contact us Monday to Friday, 8 a.m. to 5 p.m. EST.

1-800-461-3377
customerservice@julien.ca

WEBSITE

For more information about our products or to download their technical specifications, visit our website.

prochef.ca

TABLE OF CONTENT

Kitchen accomplished	04
How to read a product number	05
Icons used in this document	06
Warranty	52
Index	54

STAINLESS STEEL SINKS AND ACCESSORIES

Installation methods	09
----------------------	----

PROINOX H60 COLLECTION

Introduction	12
Dimensions	13
Bar/Prep sinks	14
Kitchen sinks	17
Utility sink	26
Accessories	27

PROSTATION COLLECTION

Introduction	34
Bar/Prep sinks	36
Kitchen sinks	37
Accessories	40

FIRECLAY SINKS AND ACCESSORIES

Introduction	43
--------------	----

PROTERRA M125 COLLECTION

Introduction	46
Bar/Prep sinks	48
Kitchen sinks	49
Accessories	51

KITCHEN ACCOMPLISHED!

Here at Julien, we've been cooking up a storm since 1946. We've become masters in the art of perfectly designing professional kitchens.

Today, our outstanding reputation precedes us throughout North America, where our expertise has become an essential tool for many world-renowned chefs.

Our Prochef brand features high-quality stainless steel sinks for every price range and any style of kitchen. Our team of qualified, dedicated people will listen to your needs and find innovative solutions. Whether it's for a new construction, a renovation or a multi-unit building, Prochef has the sink you need, no matter the size of your project. We commit to delivering orders of any scale projects in a timely manner.




DOING WHAT
COMES
NATURALLY



HOW TO READ A PRODUCT NUMBER

Product numbers follow the same logic and include all the information on the collection, the installation, the dimension and the color finished of the product.

















A. Example of a **sink** number:



B. Example of a **grid** number:



ICONS USED IN THIS CATALOG


	Brushed steel finish		Handcrafted		Noise reduction
	304 stainless steel grade		Undermount installation		Environmentally friendly
	Gauge or thickness		Topmount installation		Drain and strainer included
	Fireclay		Apronfront undermount installation		Grid included
	Rounded corners		Integrated accessory ledge		
	Square corners		Superior drainage		

ALWAYS HANDCRAFTED STAINLESS STEEL


All our products are handcrafted from a single sheet of heavy duty 18 gauge stainless steel. This method results in a more defined bowl and material thickness throughout the whole sink. And remember, Prochef products come with a lifetime warranty, just one more way we're committed to simplifying your life.

FABRICATION STEPS OF HANDCRAFTED STAINLESS STEEL SINKS


1. LASER CUTTING




2. BENDING




3. WELDING



4. POLISHING




INSTALLATION METHODS




UNDERMOUNT

This installation provides a 1/8" (3mm) overhang of the countertop over the flange of the bowl.



REVEAL UNDERMOUNT

The reveal installation for our Prostation sinks leaves a positive reveal on the front and back of the sink. This installation lets you place your sink accessories on the exposed flange, allowing the countertop to act as a stopper for the accessories.



TOPMOUNT

Topmount installation refers to placing the sink directly above the countertop. This installation method is compatible with most countertop materials.



BRING OUT
THE CHEF IN YOU

PROINOX H60
SINKS

BRING OUT THE CHEF IN YOU

MATERIALS AND FINISHES

Stainless steel is undoubtedly the material that best meets the needs of the foodservice industry due to its antibacterial properties and durability.

Prochef sinks are made of high quality 18 gauge 304 stainless steel and offer the following benefits :



- Excellent strength
- Non-corrosive
- Long lasting
- Antibacterial
- Heat resistance
- Sustainable

In addition to our natural stainless steel, we also offer a new deeper black finish. To create a permanent black color, a physical vapor deposition (PVD) layer is bonded to the material.

Then, a Nano coating is pulverised, which makes the surface water-repellent for increased ease of cleaning. It also makes the surface practically impossible to scratch.


Thickness chart

16 ga		1.5 mm (0.0595")
18 ga		1.2 mm (0.0480")
20 ga		0.9 mm (0.0355")
22 ga		0.7 mm (0.0291")



DIMENSIONS

	Bowl width	Overall width	Min. cabinet width
	12"	14"	18"
BAR	15"	17"	21"
SMALL	21"	23"	24"
MEDIUM	24"	26"	30"
LARGE	27"	29"	33"
X-LARGE	30"	32"	36"
X-LARGE DOUBLE	31" (18"/12")	33"	36"
UTILITY	22"	25"	27"





BAR SINK

UNDERMOUNT INSTALLATION

17" minimum cabinet



Linear brushed



DIMENSIONS

BOWL
12" x 16" x 8"

OVERALL
14" x 18" x 8"

FEATURES



Undermount installation



0,60" corners

MATERIAL


304

Premium grade 304 stainless steel (18/10)



18 18 gauge thickness

INCLUDED



Grid



Drain

BAR SINK

PRICE LIST

PROCHEF

PRICE

IHX60-US-14188-G

\$ 545

BAR SINK

TOPMOUNT INSTALLATION


17" minimum cabinet

DIMENSIONS

BOWL
12" x 16" x 8"

OVERALL
14" x 20" x 8"

FEATURES



Topmount installation



0,60" corners

MATERIAL


304

Premium grade 304 stainless steel (18/10)



18 gauge thickness

INCLUDED





Grid



Drain



Linear brushed



BAR SINK

PRICE

IHX60-TS-14208-G

\$ 570

BAR SINK


UNDERMOUNT INSTALLATION

21" minimum cabinet

BAR SINK

PRICE LIST



PROCHEF



Linear brushed



Black PVD Nano coating




DIMENSIONS

BOWL
15" x 15" x 8"

OVERALL
17" x 17" x 8"

FEATURES



Undermount installation




0.60" corners

MATERIAL

304 Premium grade 304 stainless steel (18/10)

-18 18 gauge thickness

INCLUDED



Grid



Drain

PRICE

- IHX60-US-17178-G \$ 690
- IHX60-US-17178-TBK-G \$ 965

SMALL | SINGLE BOWL UNDERMOUNT INSTALLATION

27" minimum cabinet

DIMENSIONS

BOWL
21" x 16" x 9"

OVERALL
23" x 18" x 9"

FEATURES



Undermount installation



0,60" corners

MATERIAL


304

Premium grade 304 stainless steel (18/10)



18 gauge thickness

INCLUDED



Grid




Drain



Linear brushed



Black PVD Nano coating



SMALL


KITCHEN SINK

PRICE

- IHX60-US-23189-G \$ 715
- IHX60-US-23189-TBK-G \$ 1000

SMALL | SINGLE BOWL TOPMOUNT INSTALLATION

27" minimum cabinet



Linear brushed

DIMENSIONS

BOWL
21" x 16" x 9"
OVERALL
23" x 20" x 9"

FEATURES




MATERIAL

304 Premium grade 304 stainless steel (18/10)

 -18 18 gauge thickness



INCLUDED



Grid



Drain



SMALL

KITCHEN SINK

PRICE LIST

PROCHEP

PRICE

● IHX60-TS-23209-G

\$ 745

MEDIUM | SINGLE BOWL UNDERMOUNT INSTALLATION


30" minimum cabinet

DIMENSIONS

BOWL
24" × 16" × 9"

OVERALL
26" × 18" × 9"

FEATURES



Undermount installation



0,60" corners

MATERIAL


304

Premium grade 304 stainless steel (18/10)



18 gauge thickness


INCLUDED



Grid





Drain



Linear brushed



Black PVD Nano coating



MEDIUM

KITCHEN SINK

PRICE

- IHX60-US-26189-G \$ 755
- IHX60-US-26189-TBK-G \$ 1 060

MEDIUM | SINGLE BOWL TOPMOUNT INSTALLATION

30" minimum cabinet




Linear brushed

DIMENSIONS

BOWL
24" x 16" x 9"

OVERALL
26" x 20" x 9"

FEATURES



Topmount installation



0,60" corners

MATERIAL


304

Premium grade 304 stainless steel (18/10)



18 18 gauge thickness



INCLUDED



Grid



Drain



PRICE

IHX60-TS-26209-G

\$ 795

LARGE | SINGLE BOWL UNDERMOUNT INSTALLATION


33" minimum cabinet

DIMENSIONS

BOWL
27" x 16" x 9"

OVERALL
29" x 18" x 9"

FEATURES




MATERIAL

304 Premium grade 304 stainless steel (18/10)

18 18 gauge thickness


INCLUDED



Grid





Drain



Linear brushed



Black PVD Nano coating



LARGE
KITCHEN SINK

PRICE

- IHX60-US-29189-G \$ 795
- IHX60-US-29189-TBK-G \$ 1 115

X-LARGE | SINGLE BOWL UNDERMOUNT INSTALLATION


36" minimum cabinet

X-LARGE

KITCHEN SINK

PRICE LIST



PROCHEP



Linear brushed



Black PVD Nano coating





DIMENSIONS

BOWL
30" x 16" x 9"

OVERALL
32" x 18" x 9"


FEATURES

 Undermount installation


 0,60" corners

MATERIAL

304 Premium grade 304 stainless steel (18/10)

 -18 18 gauge thickness

INCLUDED





Grid



Drain

PRICE

-  IHX60-US-32189-G \$ 850
-  IHX60-US-32189-TBK-G \$ 1 190

X-LARGE | SINGLE BOWL

APRONFRONT UNDERMOUNT INSTALLATION


36" minimum cabinet

X-LARGE

KITCHEN SINK



DIMENSIONS

BOWL
30" x 16" x 9"
OVERALL
32" x 18" x 9"




Linear brushed



FEATURES




MATERIAL

304 Premium grade 304 stainless steel (18/10)

 18 gauge thickness



INCLUDED



Grid



Drain

PRICE

 IHX60-UAS-32189-G

\$ 1 105

X-LARGE | DOUBLE BOWL

UNDERMOUNT INSTALLATION


36" minimum cabinet

KITCHEN SINK

X-LARGE DOUBLE

PRICE LIST



PROCHEF



Linear brushed



Black PVD Nano coating



DIMENSIONS

BOWL
18/12" x 16" x 9"

OVERALL
33" x 18" x 9"

FEATURES

Undermount installation


0,60" corners

MATERIAL


304 Premium grade 304 stainless steel (18/10)

18 18 gauge thickness

INCLUDED



Grids



Drain

PRICE

- IHX60-UR-33189-G \$ 1 010
- IHX60-UR-33189-TBK-G \$ 1 410

X-LARGE | DOUBLE BOWL


TOPMOUNT INSTALLATION

36" minimum cabinet

DIMENSIONS


BOWL
18/12" x 16" x 9"

OVERALL
33" x 20" x 9"



Linear brushed

FEATURES



Topmount installation



0.60" corners

MATERIAL



304

Premium grade 304 stainless steel (18/10)





18 gauge thickness

INCLUDED



Grids

Drain



KITCHEN SINK X-LARGE DOUBLE

PRICE

IHX60-TR-33209-G

\$ 1 060

UTILITY SINK

DUALMOUNT INSTALLATION

27" minimum cabinet



Linear brushed

DIMENSIONS


BOWL

22" x 16" x 12"

OVERALL

25" x 20" x 12"

FEATURES



Dualmount installation


0,60" corners

MATERIAL

304 Premium grade 304 stainless steel (18/10)

-18 18 gauge thickness


INCLUDED



Grid



Drain



SMALL

UTILITY SINK

PRICE LIST

PROCHEP

PRICE

● IHX60-DS-252212-G

\$ 1 025





ACCESSORIES

MIX & MATCH

GRIDS, DRAIN, BIN,
COLANDER AND
CUTTING BOARDS




GRID	SPECIFICATIONS		PRICE	
	INCLUDED	STAINLESS STEEL	BLACK	SS
	<p>IHX-G-1418 Compatible sinks: IHX60-US-14188-G IHX60-TS-14208-G Overall dimensions: (A x B x C) 10¼" x 14¼" x 1¼"</p>	<p>IHX-G-1418-TBK Compatible sinks: IHX60-UR-33189-TBK-G Overall dimensions: (A x B x C) 10¼" x 14¼" x 1¼"</p>	\$ 145	\$ 185
	<p>IHX-G-1717 Compatible sink: IHX60-US-17178-G Overall dimensions: (A x B x C) 13¼" x 13¼" x 1¼"</p>	<p>IHX-G-1717-TBK Compatible sink: IHX60-US-17178-TBK-G Overall dimensions: (A x B x C) 13¼" x 13¼" x 1¼"</p>	\$ 145	\$ 185
	<p>IHX-G-2318 Compatible sinks: IHX60-US-23189-G IHX60-TS-23209-G Overall dimensions: (A x B x C) 19¼" x 14¼" x 1¼"</p>	<p>IHX-G-2318-TBK Compatible sink: IHX60-US-23189-TBK-G Overall dimensions: (A x B x C) 19¼" x 14¼" x 1¼"</p>	\$ 150	\$ 195
	<p>IHX-G-2618 Compatible sinks: IHX60-US-26189-G IHX60-TS-26209-G Overall dimensions: (A x B x C) 22¼" x 14¼" x 1¼"</p>	<p>IHX-G-2618-TBK Compatible sink: IHX60-US-26189-TBK-G Overall dimensions: (A x B x C) 19¼" x 14¼" x 1¼"</p>	\$ 170	\$ 210
	<p>IHX-G-2918 Compatible sink: IHX60-US-29189-G Overall dimension: (A x B x C) 25¼" x 14¼" x 1¼"</p>	<p>IHX-G-2918-TBK Compatible sink: IHX60-US-29189-TBK-G Overall dimension: (A x B x C) 25¼" x 14¼" x 1¼"</p>	\$ 170	\$ 210

GRID INCLUDED	SPECIFICATIONS		PRICE	
	STAINLESS STEEL	BLACK	SS	TBK
	<p>IH-G-3016 Compatible sink: IHX60-US-32189-G</p> <p>Overall dimensions: (A x B x C) 29⁵/₈" x 15⁵/₈" x 1¹/₄"</p>	N/A	\$ 180	N/A
	<p>IHX-G-3218 Compatible sink: IHX60-US-32189-G</p> <p>Overall dimensions: (A x B x C) 28¹/₄" x 14¹/₄" x 1¹/₄"</p>	<p>IHX-G-3218-TBK Compatible sink: IHX60-US-32189-TBK-G</p> <p>Overall dimensions: (A x B x C) 28¹/₄" x 14¹/₄" x 1¹/₄"</p>	\$ 180	\$ 220
	<p>IHX-G-2018 IHX-G-1418 Compatible sinks: IHX60-UR-33189-G IHX60-TR-33209-G</p> <p>Overall dimensions: (A x B x C) 16¹/₄" x 14¹/₄" x 1¹/₄" 10¹/₄" x 14¹/₄" x 1¹/₄"</p>	<p>IHX-G-2018-TBK IHX-G-1418-TBK Compatible sink: IHX60-UR-33189-TBK-G</p> <p>Overall dimensions: (A x B x C) 16¹/₄" x 14¹/₄" x 1¹/₄" 10¹/₄" x 14¹/₄" x 1¹/₄"</p>	\$ 150 \$ 145	\$ 195 \$ 185
	<p>IH-G-2216 Compatible sink: IHX60-DS-252212-G</p> <p>Overall dimensions: (A x B x C) 21⁵/₈" x 15⁵/₈" x 1¹/₄"</p>		\$ 160	N/A

ACCESSORIES

Features

- 304 stainless steel
- Two finishes offered :
 - Electro-polished stainless steel
 - Black PVD coating
- Silicone legs and bumpers prevent the grid from sliding around and scratching the sink



ACCESSORIES

INCLUDED



SPECIFICATIONS

STAINLESS STEEL

BLACK

DRAIN AND STRAINER FOR STAINLESS STEEL SINKS

AA-SA-3.5-SA

Compatible sinks:
All

Overall dimensions:
4 1/2" x 7 3/4"

DRAIN CAP FOR STAINLESS STEEL SINKS

AA-DC-3.5-SA

Compatible sinks:
All

Overall dimensions:
Ø 4 1/2"

DRAIN AND STRAINER FOR STAINLESS STEEL SINKS, BLACK PVD

AA-SA-3.5-TBK

Compatible sinks:
All


Overall dimensions:
4 1/2" x 7 3/4"

DRAIN CAP FOR STAINLESS STEEL SINKS, BLACK PVD

AA-DC-3.5-TBK

Compatible sinks:
All

Overall dimensions:
Ø 4 1/2"



PRICE





SS TBK

\$ 75 \$ 95

\$ 45 \$ 65

Features

- 304 brushed finish stainless steel (18/10)
- Polypropylene body
- 1 1/2" x 4" tailpiece included
- Removable basket

ACCESSORIES	SPECIFICATIONS	PRICE
	<p>COLANDER</p> <p>IH-CA-16</p> <p>Compatible sinks: All</p> <p>Overall dimensions: 6" x 17 1/8" x 3 1/4"</p>	\$ 255
	<p>BIN</p> <p>IH-BI-16</p> <p>Compatible sinks: All</p> <p>Overall dimensions: 6" x 17 1/8" x 3 1/4"</p>	\$ 255
	<p>SANALITE CUTTING BOARD</p> <p>IH-BB-16-WH</p> <p>Compatible sinks: All</p> <p>Overall dimensions: 12" x 16 1/2" x 3/4"</p>	\$ 205
	<p>MAPLE WOOD CUTTING BOARD</p> <p>IH-BA-16-MA</p> <p>Compatible sinks: All</p> <p>Overall dimensions: 11 7/8" x 17 1/8" x 1 1/4"</p>	\$ 235

ACCESSORIES

Features

- Safe for all food preparation
- NSF certified and meets FDA regulation



VERSATILITY
AT ITS FINEST


PROSTATION
SINKS

OPTIMIZE SPACE AND TIME

While this undermount sink with reveal installation and accessories is the solution to increasing workspace, it also improves meal preparation by centralizing all steps.

All accessories are designed to fit with the 2 level design and are easy to maintain as they are dishwasher safe. The woodfiber is also heat and moisture resistant.

Both the sink and its accessories are recognized as environmentally friendly material.





ACCESSORIES



Moisture-resistant
and antibacterial



Dishwasher safe
boards and bowls




Heat-resistant



Woodfiber
material



Environmentally
friendly





BAR SINK

REVEAL UNDERMOUNT INSTALLATION

18" minimum cabinet



Linear brushed






DIMENSIONS

BOWL
12" x 16" x 8"

OVERALL
14" x 19" x 8"

FEATURES



MATERIAL


304 Premium grade 304 stainless steel (18/10)

 18 18 gauge thickness

INCLUDED



Condiment bowls



Grid



Drain

PRICE

● IHST-US-141908-G

\$ 740

MEDIUM | SINGLE BOWL

REVEAL UNDERMOUNT INSTALLATION

30" minimum cabinet

MEDIUM


KITCHEN SINK

DIMENSIONS


BOWL
25" × 16" × 10"

OVERALL
27" × 19" × 10"


FEATURES



Reveal undermount installation



Integrated accessory ledge



Square corners




Linear brushed

MATERIAL

304 Premium grade 304 stainless steel (18/10)

18 18 gauge thickness


INCLUDED



Cutting board




Mixing bowl and colander set



Grid



Drain



PRICE

IHST-US-271910-G

\$ 1 030

X-LARGE | SINGLE BOWL

REVEAL UNDERMOUNT INSTALLATION

36" minimum cabinet

X-LARGE


KITCHEN SINK

PRICE LIST

PROCHEF



Linear brushed




DIMENSIONS


BOWL
30" x 16" x 10"

OVERALL
32" x 19" x 10"


FEATURES



Reveal undermount installation



Integrated accessory ledge




Square corners

MATERIAL

304 Premium grade 304 stainless steel (18/10)

18 18 gauge thickness


INCLUDED



Cutting board



Mixing bowl and colander set



Grid



Drain

PRICE

IHST-US-321910-G

\$ 1 155

X-LARGE | DOUBLE BOWL

REVEAL UNDERMOUNT INSTALLATION


36" minimum cabinet

DIMENSIONS

BOWL
18/12" × 16" × 8/10"

OVERALL
33" × 19" × 10"

FEATURES



Reveal undermount installation



Integrated accessory ledge




Square corners

MATERIAL

304 Premium grade 304 stainless steel (18/10)

18 18 gauge thickness


INCLUDED



Cutting board



Mixing bowl and colander set





Grids



Drain



Linear brushed



KITCHEN SINK X-LARGE DOUBLE

PRICE

IHST-UR-331910-G

\$ 1 365

PROSTATION

ACCESSORIES

CENTRALIZE
YOUR MEAL PREP
OPERATIONS

CHOPPING, SLICING, DRAINING
AND MUCH MORE



ACCESSORIES

SPECIFICATIONS

PRICE

INCLUDED




WOODFIBER CUTTING BOARD

IH-BC-16-BK

Compatible sinks:
Prostation sinks

Overall dimensions:
11 5/8" x 16 5/8" x 1/4"



\$ 100




WOODFIBER CUTTING BOARD

IH-BD-16-BK

Compatible sinks:
Prostation sinks

Overall dimensions:
11 5/8" x 17 5/8" x 1/4"



\$ 100




CONDIMENT BOWLS (3)

IH-SA-16-BK

Compatible sinks:
Prostation sinks

Overall dimensions:
6" x 16 5/8" x 2 1/2"



\$ 125




MIXING BOWL AND STRAINER SET

IH-SB-16-BK

Compatible sinks:
Prostation sinks

Overall dimensions:
11 5/8" x 16 5/8" x 4 5/8"



\$ 145




DRAIN AND STRAINER FOR STAINLESS STEEL SINKS


AA-SA-3.5-SA

Compatible sinks:
All

Overall dimensions:
4 1/2" x 7 3/4"



\$ 75



GRID

INCLUDED

SPECIFICATIONS


STAINLESS STEEL

PRICE

ACCESSORIES


PRICE LIST

PROCHEF




IH-G-1216
Compatible sink:
 IHST-US-141908-G

Overall dimensions:
 11 5/8" x 15 5/8" x 1 1/4"




\$ 145




IH-G-2516
Compatible sink:
 IHST-US-271910-G

Overall dimensions:
 24 5/8" x 15 5/8" x 1 1/4"




\$ 170




IH-G-3016
Compatible sink:
 IHST-US-321910-G

Overall dimensions:
 29 5/8" x 15 5/8" x 1 1/4"




\$ 180



IH-G-1216 + IH-G-1816
Compatible sink:
 IHST-UR-331910-G

Overall dimensions:
 11 5/8" x 15 5/8" x 1 1/4"
 17 5/8" x 15 5/8" x 1 1/4"



\$ 145

\$ 150

Features

- ▣ 304 stainless steel
- ▣ Silicone legs and bumpers prevent the grid from sliding around and scratching the sink



ONLY THE FINEST FIRECLAY

Our skilled artisans expertly blend their craftsmanship with meticulously chosen, high-quality materials to create the perfect fireclay sinks.



INSPIRED BY
YESTERDAY
FOCUSED ON
TODAY

PROTERRA M125
SINKS

TIMELESS STYLE

Always classy, the Protterra is the answer to a customer looking for durable and easy to maintain product.

With its flat aprons and rounded corners, this sink is the result of hand-finishing techniques.

It is more resistant to breakage, scratches and nicks than most types of ceramics. It also withstands heat, stains and resists standard household chemicals.

With the proper installation, it is also compatible to waste disposal units.



Apronfront installation



1 3/4" thickness



Fine fireclay, enameled glossy white finish



Rounded corners



Stainless steel strainer and drain included



Non-porous finish, hygienic and easy to clean



SMALL | SINGLE BOWL APRONFRONT INSTALLATION

27" minimum cabinet

SMALL

KITCHEN SINK



DIMENSIONS

BOWL
20⁵/₈" × 14³/₄" × 9"
OVERALL
24" × 18¹/₈" × 9⁷/₈"

FEATURES



Apronfront installation



1.25" corners

MATERIAL



Fine fireclay





1 3/4" thickness

INCLUDED



Drain



PRICE LIST

PROCHEF

PRICE

● TM125-FS-241810

\$ 1 055

MEDIUM | SINGLE BOWL

APRONFRONT INSTALLATION

33" minimum cabinet

MEDIUM

KITCHEN SINK



DIMENSIONS

BOWL
26⁵/₈" × 14³/₄" × 9"

OVERALL
30" × 18¹/₈" × 9⁷/₈"

FEATURES



Apronfront installation



1,25" corners



MATERIAL



Fine fireclay



1 3/4" thickness



INCLUDED



Drain

PRICE

● TM125-FS-301810

\$ 1 200

X-LARGE | SINGLE BOWL APRONFRONT INSTALLATION

39" minimum cabinet



DIMENSIONS

BOWL
32⁵/₈" × 14³/₄" × 9"
OVERALL
36" × 18¹/₈" × 9⁷/₈"

FEATURES



Apronfront installation



1.25" corners

MATERIAL



Fine fireclay





1 3/4" thickness

INCLUDED



Drain



X-LARGE

KITCHEN SINK

PRICE LIST

PROCHEF

PRICE

● TM125-FS-361810

\$ 1 455


ACCESSORIES

ACCESSORIES

SPECIFICATIONS

PRICE


INCLUDED




TM-G-2014

Compatible sink:
TM125-FS-241810

Overall dimensions:
17 5/8" x 12 5/8" x 1 1/4"




\$ 145



TM-G-2614

Compatible sink:
TM125-FS-301810

Overall dimensions:
24 5/8" x 12 5/8" x 1 1/4"




\$ 160



TM-G-3214

Compatible sink:
TM125-FS-361810

Overall dimensions:
30 3/8" x 12 5/8" x 1 1/4"



\$ 175




DRAIN AND STRAINER FOR FIRECLAY SINKS

TM-SA-3.5-SA

Compatible sinks:
Proterra sinks

Overall dimensions:
4 1/2" x 3 5/8"



\$ 80

WARRANTY

STAINLESS STEEL SINKS WITH BRUSHED AND PVD FINISHES

JULIEN offers a LIMITED LIFETIME WARRANTY on the fixed components of its PROCHEF stainless steel sinks, ensuring them against defects of material and workmanship. This warranty is limited to defects or damages resulting from a normal residential use and does not cover the following:

- Surface corrosion (chemical or natural)
- Scuffs or scratches
- Misuse, abnormal or abusive use
- Dents, deformations caused by the impact of any object
- Common signs of wear and tear
- Improper installation, care and/or maintenance
- Commercial use
- Environmental factors causing damage
- Shipping or freight damage

FIRECLAY SINKS

JULIEN offers a LIMITED FIVE (5) YEAR WARRANTY on its PROCHEF fireclay sinks, ensuring them against defects in materials and workmanship as well as discoloration/staining. This warranty is limited to defects or damages resulting from normal residential use and does not cover the following:

- Misuse, abnormal, negligent or abusive use
- Scratches, chips or dents (reported after installation – please inspect sink carefully prior to installation)
- Use of abrasives and/or chemicals (such as undiluted bleach)
- Common signs of wear and tear
- Improper installation, care and/or maintenance
- Commercial use
- Environmental factors causing damage
- Shipping or freight damage

ACCESSORIES AND MOVING PARTS

JULIEN offers a LIMITED ONE (1) YEAR WARRANTY on moving parts, and PROCHEF accessories against defects in materials and workmanship. This warranty is limited to defects or damages resulting from normal residential use and does not cover:

- Surface corrosion (chemical or natural)
- Scratches or abrasions
- Damages caused by improper use, abnormal or abusive use, negligence
- Dents, deformations caused by the impact of any object
- Common signs of wear and tear
- Improper installation, care and/or maintenance
- Commercial use
- Environmental factors causing damage
- Shipping or freight damage

GENERALITIES

JULIEN may at its sole discretion, repair, replace or make appropriate adjustments to the products or components proven to be defective in order to restore to good working condition.

In no event, even if product or components are found to be defective, shall JULIEN'S liability exceed the price paid for the product. JULIEN reserves the right to inspect the installation prior to the replacement or repair of the product or its component parts. JULIEN may at its discretion require pictures prior to analyzing the claim. This limited warranty is null and void if the product or components have been repaired, altered or modified other than by JULIEN or under its supervision.

This limited warranty replaces any and all other warranty, expressed or implied, including implied warranties of merchantability or fitness for a particular purpose. Laws governing product warranties may vary from one state or province to another. This warranty is not intended to contravene to the public order and shall not be so interpreted.

This limited warranty extends only to the original owner/end user in residential applications and is not transferable to any subsequent purchaser. In the event of a warranty claim, original proof of purchase (sales receipt) will be required. Shipping and handling costs (for returning the product or components for repairs or to replace product or components) are not covered under this limited warranty.

Also excluded from this limited warranty is any labour, workmanship or other costs incurred in connection with the product or components removal, repairs, replacement, adjustment or installation and any incidental or consequential damages. Warranty will be null and void for any damage resulting from installation not respecting the instructions and JULIEN will not be held responsible for any costs incurred. In the event of a limited warranty claim, original proof of purchase will be required – save original sales receipt. If you believe you have a warranty claim or for more information on the warranty of our products, please contact our customer service.

1-800-461-3377
customerservice@julien.ca

INDEX

PRODUCT	PAGE	PKG. DIMENSIONS	PKG. WEIGHT
IHX60-US-14188-G	14	21¼" × 17¼" × 11¼"	19 lbs
IHX60-TS-14208-G	15	23¼" × 17¼" × 11¼"	20 lbs
IHX60-US-17178-G	16	20¼" × 20¼" × 13¼"	20 lbs
IHX60-US-17178-TBK-G	16	20¼" × 20¼" × 13¼"	20 lbs
IHX60-US-23189-G	17	26¼" × 21¼" × 14"	26 lbs
IHX60-US-23189-TBK-G	17	26¼" × 21¼" × 14"	26 lbs
IHX60-TS-23209-G	18	26¼" × 23¼" × 12¼"	30 lbs
IHX60-US-26189-G	19	29¼" × 21¼" × 14"	28 lbs
IHX60-US-26189-TBK-G	19	29¼" × 21¼" × 14"	30 lbs
IHX60-TS-26209-G	20	29¼" × 23¼" × 12¼"	32 lbs
IHX60-US-29189-G	21	32¼" × 21¼" × 14"	30 lbs
IHX60-US-29189-TBK-G	21	32¼" × 21¼" × 14"	30 lbs
IHX60-US-32189-G	22	35¼" × 21¼" × 14"	33 lbs
IHX60-US-32189-TBK-G	22	35¼" × 21¼" × 14"	33 lbs
IHX60-UAS-32189-G	23	36½" × 21¾" × 12¼"	40 lbs
IHX60-UR-33189-G	24	36¼" × 21¼" × 14"	33 lbs
IHX60-UR-33189-TBK-G	24	36¼" × 21¼" × 14"	33 lbs
IHX60-TR-33209-G	25	36" × 23¼" × 12¼"	42 lbs
IHX60-DS-252212-G	26	28¼" × 25¼" × 16¾"	34 lbs
IHX-G-1418	28,29	26" × 19¼" × 1½"	4 lbs
IHX-G-1418-TBK	29,29	26" × 19¼" × 1½"	4 lbs
IHX-G-1717	28	26" × 19¼" × 1½"	4 lbs
IHX-G-1717-TBK	28	26" × 19¼" × 1½"	4 lbs
IHX-G-2318	28	26" × 19¼" × 1½"	5 lbs
IHX-G-2318-TBK	28	26" × 19¼" × 1½"	5 lbs
IHX-G-2618	28	38" × 19¼" × 1½"	7 lbs
IHX-G-2618-TBK	28	38" × 19¼" × 1½"	7 lbs
IHX-G-2918	28	38" × 19¼" × 1½"	7 lbs
IHX-G-2918-TBK	28	38" × 19¼" × 1½"	7 lbs

PRODUCT	PAGE	PKG. DIMENSIONS	PKG. WEIGHT
IH-G-3016	29,41	38" × 19¼" × 1½"	8 lbs
IHX-G-3218	29	38" × 19¼" × 1½"	8 lbs
IHX-G-3218-TBK	29	38" × 19¼" × 1½"	8 lbs
IH-G-2216	29	26" × 19¼" × 1½"	6 lbs
IHST-US-141908-G	36	17¾" × 22¾" × 15¼"	-
IHST-US-271910-G	37	30¾" × 22¾" × 15¼"	-
IHST-US-321910-G	38	35¾" × 22¾" × 15¼"	-
IHST-UR-331910-G	39	36¾" × 22¾" × 15¼"	-
IH-G-1216	42	26" × 19¼" × 1½"	4 lbs
IH-G-2516	42	38" × 19¼" × 1½"	7 lbs
IH-G-1816	42	26" × 19¼" × 1½"	5 lbs
TM125-FS-241810	48	29" × 25¾" × 15½"	66 lbs
TM125-FS-301810	49	35" × 25¾" × 15½"	75 lbs
TM125-FS-361810	50	41" × 25¾" × 15½"	86 lbs
TM-G-2014	51	26" × 19¼" × 1½"	6 lbs
TM-G-2614	51	38" × 19¼" × 1½"	7 lbs
TM-G-3214	51	38" × 19¼" × 1½"	8 lbs

© Julien 2025—All rights reserved. Printed in Canada.



1-800-461-3377
customerservice@julien.ca

955, Lachance Street, Quebec (Quebec)
Canada G1P 2H3

prochef.ca

Product: PC-PRICE-LIST-EN-USD-2025-04
A-2025-05

996310213